

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
01.001	Cotton waste	Per Kg	43	43	43	43	43	43	43	43	43	43	43	43	43	43
01.002	Grease	Per Kg	85	85	85	85	85	85	85	85	85	85	85	85	85	85
01.003	H.S. Diesel oil	Per Ltr.	126.82	126.82	126.82	126.82	126.82	126.82	126.82	126.82	126.82	126.82	126.82	126.82	126.82	126.82
01.004	Kerosine oil (Ref # 13.022)	Per Ltr.	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46
01.005	Mobil oil	Per Ltr.	460	460	460	460	460	460	460	460	460	460	460	460	460	460
01.006	Average diesel consumption of a truck	miles/gallon	18	18	18	18	18	18	18	18	18	18	18	18	18	18
01.007	Average mobile oil consumption of a truck	miles/gallon	550	550	550	550	550	550	550	550	550	550	550	550	550	550
03.001	Gun powder and fuse for blasting (1 pound and 1 fuse)	Each	205	205	205	205	205	205	205	205	205	205	205	205	205	205
03.002	Jhambas	Each	525	525	525	525	525	525	525	525	525	525	525	525	525	525
03.003	Charakharries complete	Each	46	46	46	46	46	46	46	46	46	46	46	46	46	46
03.004	Manila Rope 1"	Rft	26	26	26	26	26	26	26	26	26	26	26	26	26	26
03.005	Cost of repair and replacement of 4 Nos. picks axes and 8 Nos. Belchas	Per Day	33	33	33	33	33	33	33	33	33	33	33	33	33	33
03.006	Palana with namda for one donkey	Each	540	540	540	540	540	540	540	540	540	540	540	540	540	540
03.007	Repair and replacement of sacks	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
03.008	Tent	Each	4600	4600	4600	4600	4600	4600	4600	4600	4600	4600	4600	4600	4600	4600
03.009	Donkey hut	Each	2780	2780	2780	2780	2780	2780	2780	2780	2780	2780	2780	2780	2780	2780
03.010	Royalty for pit sand	% Cft	23	23	23	23	23	23	23	23	23	23	23	23	23	23
03.011	Nail bolts and nuts	Kg.	134	134	134	134	134	134	134	134	134	134	134	134	134	134
03.012	Aatta	P.Kg.	30	30	30	30	30	30	30	30	30	30	30	30	30	30
03.013	Phak	per Md	130	130	130	130	130	130	130	130	130	130	130	130	130	130
03.014	Grams	per Md	790	790	790	790	790	790	790	790	790	790	790	790	790	790
06.001	Brick Ballast 1½" (at site)	100 Cft	1450	1250	1300	1450	1450	1500	1600	1300	1200	1200	1300	1200	1200	1200
06.002	Brick Ballast 1" to 1½" (at site)	100 Cft	1450	1250	1300	1450	1450	1500	1600	1300	1200	1200	1300	1200	1200	1200
06.003	Stone Ballast 1" to 1½" (at source)	100 Cft	1250	1250	1250	1250	1250	1250	1250	1250	1300	1300	1250	1250	1250	1250
06.004	Brick Bats	100 Cft	2000	1800	1950	1950	1950	2000	2000	1900	1900	1850	1900	1900	1900	1900
06.005	Coarse sand (Chenab) (at site)	100 Cft	2800	2800	2800	2800	2700	2500	3000	2500	1900	2100	2100	2100	2100	2100
06.006	Harrow / Coarse Sand (at site)	100 Cft	5000	5000	5000	5000	5000	3800	4300	3800	3800	3800	4400	4400	4400	4400
06.007	Sand (Local) (at site)	100 Cft	1300	1200	1200	1200	1250	1200	3000	1100	1300	1300	1250	1200	1200	1200
06.008	Cement (OPC)	Per Bag	590	590	590	590	590	590	591	590	590	590	590	590	590	590
06.009	Cement (White)	Per Bag	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050
06.010	Shingle (Naturally Graded) at site (Bajri)	100 Cft	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950	1950
06.011	Aggregate / Stone Crushed 3/8" to 1" (Graded) Quarry Site (Ref # 18.001)	100 Cft	3750	3750	3750	3750	3750	3500	3500	3500	3500	3500	3500	3750	3750	3750
06.012	M.S. Bars (Plain) ½" and above (36000 PSI)	M. Ton	70000	70128	70039	70036	70045	70290	71290	70330	70160	70270	70067	70117	70115	70045
06.013	M.S. Bars (Deformed) (40 grade) Local Billet	M. Ton	104000	104128	104039	104036	104045	104290	105290	104330	104160	104270	104067	104117	104115	104045
06.014	M.S. bars (Deformed) (60 grade) Billet from Pakistan Steel Mills Karachi	M. Ton	108000	108128	108039	108036	108045	108290	109290	108330	108160	108270	108067	108117	108115	108045
06.015	Cost of casing pipe of 18" dia	Per Rft	530	530	530	530	530	530	530	530	530	530	530	530	530	530
06.016	Cost of casing pipe of 20" dia	Per Rft	630	630	630	630	630	630	630	630	630	630	630	630	630	630
06.017	Cost of casing pipe of 22" dia	Per Rft	840	840	840	840	840	840	840	840	840	840	840	840	840	840
06.018	Cost of casing pipe of 24" dia	Per Rft	933	933	933	933	933	933	933	933	933	933	933	933	933	933
06.019	Nail and Screw (Copper)	Per. Kg.	135	135	135	135	135	135	135	135	135	135	135	135	135	135
06.020	Brush (Large)	Each	105	105	105	105	105	105	105	105	105	105	105	105	105	105
06.021	Brush (Small)	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
06.022	Binding wire	Kg	100	100	100	100	100	100	100	100	100	100	100	100	100	100
06.023	Special Clamps with bolts and nuts	Each	47	47	47	47	47	47	47	47	47	47	47	47	47	47
06.024	Welding electrode	P.Bundle	310	310	310	310	310	310	310	310	310	310	310	310	310	310
06.025	Prestressing Cable having 12 Nos. wire	P.Ton	185000	185128	185039	185036	185045	185290	185350	185330	185160	185270	185067	185117	185115	185045
06.026	Anchorage cone	per set	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300
06.027	Corrugated sheath of 1-9/16" for 12/0.276" (7mm) cable	per metre	50	50	50	50	50	50	50	50	50	50	50	50	50	50
06.028	Making good recesses	Each end	5	5	5	5	5	5	5	5	5	5	5	5	5	5
06.029	Steel rope 1" Ø	Rft	70	70	70	70	70	70	70	70	70	70	70	70	70	70
06.030	U Clamp i/c 5/8" bolts & nuts	each	60	60	60	60	60	60	60	60	60	60	60	60	60	60
06.031	Steel rope ¾" dia	Rft	55	55	55	55	55	55	55	55	55	55	55	55	55	55
06.032	Railway track including sleepers bolts & nuts complete	Rft	242	242	242	242	242	242	242	242	242	242	242	242	242	242
06.033	Crow bar (10 Kg)	Each	440	440	440	440	440	440	440	440	440	440	440	440	440	440
06.034	Aluminum powder	per kg	237	237	237	237	237	237	237	237	237	237	237	237	237	237
06.035	Aluminum sheet 1/16" to 1/8" (1.6 to 3 mm) thick	per kg	309	309	309	309	309	309	309	309	309	309	309	309	309	309
06.036	Helical core (compressed for 10 tons)	per metre	54	54	54	54	54	54	54	54	54	54	54	54	54	54
06.037	G.I. Sheet special "V shaped "	each	10	10	10	10	10	10	10	10	10	10	10	10	10	10
06.038	Mastic strip	P.Rft	3	3	3	3	3	3	3	3	3	3	3	3	3	3
06.039	Copper flashing 1/16" thick	P.Sft	70	70	70	70	70	70	70	70	70	70	70	70	70	70
06.040	Rubber water stopper 10" wide and 1/4" thick	P.Rft	40	40	40	40	40	40	40	40	40	40	40	40	40	40
06.041	Bitumen (Bulk) (80/100) AT SITE (NRL / PARCO)	P.Kg	81.712	80.567	81.562	81.608	81.526	82.856	83.856	82.974	82.449	81.979	81.996	82.449	82.277	81.526
06.042	Sawdust	P.Cft	7	7	7	7	7	7	7	7	7	7	7	7	7	7

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
06.043	Wood for heating	P.Kg.	10	10	10	10	10	10	10	10	10	10	10	10	10	10
06.044	Thermopore sheet 1½" (40 mm) thick density 15 kb/m³	m²	80	80	80	80	80	80	80	80	80	80	80	80	80	80
06.045	Thermopore sheet 1" (25 mm) thick density 15 kb/m³	m²	54	54	54	54	54	54	54	54	54	54	54	54	54	54
06.046	Polythene @ 1.13 kg % Sft	P.Kg.	145	145	145	145	145	145	145	145	145	145	145	145	145	145
06.047	Broken glass	% kg	185	185	185	185	185	185	185	185	185	185	185	185	185	185
07.001	1st Class Bricks 9" x 4½" x 3" (225 x 112.5 x 75 mm)	% Nos.	8500	6800	7000	7000	7000	8000	8700	7200	7200	7000	7600	7600	7500	7400
07.002	Fire Clay Bricks 225 x 112.5 x 75 mm	Each	33	33	33	33	33	33	33	33	33	33	33	33	33	33
07.003	Good earth/clay	100 Cft	465	465	465	465	465	565	565	365	515	515	465	465	465	465
07.004	Fire resistant cement	40 Kg per bag	275	275	275	275	275	275	275	275	275	275	275	275	275	275
07.005	Moulded Special bricks (9" x 4½" x 3")	% Nos.	11000	11000	11000	11000	11000	11000	11000	11000	11000	11000	11000	11000	11000	11000
07.006	Sun dried bricks	% Nos.	825	625	625	625	625	825	825	625	625	525	625	625	625	625
07.007	Lime (Slaked)	Kg	6	6	6	6	6	6	6	6	6	6	6	6	6	6
07.008	Lime (Unslaked)	Kg	7	7	7	7	7	7	7	7	7	7	7	7	7	7
07.009	Brick grinded and sand	Cft	116	116	116	116	116	116	116	116	116	116	116	116	116	116
07.010	Hoop Iron	Per Kg.	37	37	37	37	37	37	37	37	37	37	37	37	37	37
08.001	Quarried Stone at quarry (To be used in stone masonry)	100 Cft	350	350	350	350	350	350	350	350	350	350	350	350	350	350
08.002	Headers or through stone (1.5" x 8" x 10")	Each	16	16	16	16	16	16	16	16	16	16	16	16	16	16
08.003	Pitching stone at quarry	% Cft	550	550	550	550	550	1000	1000	1000	550	550	550	550	550	550
08.004	Charcoal	Per Kg	13	13	13	13	13	13	13	13	13	13	13	13	13	13
08.005	Wood preservative (As per approved manufacturer)	Per Ltr.	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030
08.006	Steel	Per Kg.	65.00	65.13	65.04	65.04	65.05	65.29	66.29	65.33	65.16	65.27	65.07	65.12	65.12	65.05
08.007	Hand dressed stone average (2 Cft)	Each	37	37	37	37	37	37	37	37	37	37	37	37	37	37
08.008	Hand dressed stone average (4 Cft.)	Each	64	64	64	64	64	64	64	64	64	64	64	64	64	64
09.001	Brick tiles 300 x 150 x 50 mm (12"x6"x2")	% Nos.	5600	4900	5200	5200	5200	5600	5700	5600	5300	5200	5200	5200	5200	5100
09.002	Brick tiles 300 x 150 x 40 mm 12"x6"x1½"	% Nos.	5400	4700	5000	5000	5000	5400	5500	5400	5100	5000	5000	5000	5000	4900
09.003	Brick tiles 300 x 150 x 32 mm (12"x6"x1¼")	% Nos.	5200	4500	4800	4800	4800	5200	5300	5200	4900	4800	4800	4800	4800	4700
09.004	Brick tiles 225 x 112.5 x 50 mm (9"x4½"x2")	% Nos.	3600	2800	3200	3200	3200	4100	4200	3600	3300	3200	3300	3300	3500	3100
09.005	Brick Tiles 225 x 112.5 x 40 mm (9"x4-1/2"x1½")	% Nos.	6500	6000	6000	6000	6000	6300	7200	6000	6200	6200	6500	6600	6500	6500
09.006	G.I. Plain Sheet 18 - 20 SWG	Per Kg	120	120	120	120	120	120	120	120	120	120	120	120	120	120
09.007	G.I Plain Sheet 22 - 24 SWG	Per Kg	120	120	120	120	120	120	120	120	120	120	120	120	120	120
09.008	G.I. Corrugated sheet 18 - SWG	Per Kg	125	125	125	125	125	125	125	125	125	125	125	125	125	125
09.009	G.I. Corrugated sheet 22 - 24 SWG	Per Kg	120	120	120	120	120	120	120	120	120	120	120	120	120	120
09.010	G.I. Corrugated sheet 20 SWG	Per Kg	125	125	125	125	125	125	125	125	125	125	125	125	125	125
09.011	G.I. Hook, Nuts and Bolts	Per Dozen	23	23	23	23	23	23	23	23	23	23	23	23	23	23
09.012	G.I. Washers	Per Kg	100	100	100	100	100	100	100	100	100	100	100	100	100	100
09.013	Washers Limpet	Per Dozen	50	50	50	50	50	50	50	50	50	50	50	50	50	50
09.014	Bhoosa	Kg	5	5	5	5	5	5	5	5	5	5	5	5	5	5
09.015	Pig lead	Kg	129	129	129	129	129	129	129	129	129	129	129	129	129	129
09.016	Cowdung (wet)	% Kg	54	54	54	54	54	54	54	54	54	54	54	54	54	54
09.017	A.C. T-bend 100 mm	Each	70	70	70	70	70	70	70	70	70	70	70	70	70	70
09.018	A.C. Shoe 100 mm	Each	59	59	59	59	59	59	59	59	59	59	59	59	59	59
09.019	A.C. Ridge Sheet (6mm)	Rft	38	38	38	38	38	38	38	38	38	38	38	38	38	38
09.020	Fuel wood	Per Kg.	10	10	10	10	10	10	10	10	10	10	10	10	10	10
09.021	Wire Nails	Per Kg.	140	140	140	140	140	140	140	140	140	140	140	140	140	140
09.022	Wind tie (rod)	P Kg.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
09.023	Bitumen washers	Per Dozen	16	16	16	16	16	16	16	16	16	16	16	16	16	16
09.024	Brick Aggregate	P. Cft	14.5	12.5	13	14.5	14.5	15	16	13	12	12	13	12	12	12
09.025	Lead flashing 1/16" thick	P. Sft	54	54	54	54	54	54	54	54	54	54	54	54	54	54
09.026	C.I. Heads 4" Ø	Each	165	165	165	165	165	165	165	165	165	165	165	165	165	165
09.027	Clamps with hold fasts etc. (For Rain Water Pipe)	Each	24	24	24	24	24	24	24	24	24	24	24	24	24	24
09.028	C.I. water down pipe 4" (100mm) dia	P. Rft	113	113	113	113	113	113	113	113	113	113	113	113	113	113
09.029	C.I. water down pipe down 3" (75mm) dia	P. Rft.	98	98	98	98	98	98	98	98	98	98	98	98	98	98
09.030	C.I. shoes bend or offsets 4" Ø	Each	165	165	165	165	165	165	165	165	165	165	165	165	165	165
09.031	Corrugated A.C. sheets	P. Sft	24	24	24	24	24	24	24	24	24	24	24	24	24	24
09.032	G.I. or limpet washers and bitumastic washers	Per Dozen	25	25	25	25	25	25	25	25	25	25	25	25	25	25
09.033	Wrought iron bracket complete with bolts, Nuts and rivets etc.	Each	33	33	33	33	33	33	33	33	33	33	33	33	33	33
09.034	Polythene 0.03" (0.08 mm)	Pr. Kg.	139	139	139	139	139	139	139	139	139	139	139	139	139	139
09.035	Thermopore ½" (12mm) thick	Per Sft.	3	3	3	3	3	3	3	3	3	3	3	3	3	3
09.036	Thermopore ¾" (19mm) thick	Per Sft.	4	4	4	4	4	4	4	4	4	4	4	4	4	4
09.037	Thermopore 1" (25mm) thick	Per Sft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
09.038	A.C. pipe 4" (100mm) dia	P.Rft	223	223	223	223	223	223	223	223	223	223	223	223	223	223
09.039	U.I. Clips	Kg.	37	37	37	37	37	37	37	37	37	37	37	37	37	37
09.040	Screws 3" & 2"	Kg.	80	80	80	80	80	80	80	80	80	80	80	80	80	80

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
10.001	Murram powder fine.	% Cft	570	570	570	570	570	570	570	570	570	570	570	570	570	570
10.002	Cement concrete tiles 200 x 200 x 20 mm (8" x 8" x ¾")	Each	13	13	13	13	13	13	13	13	13	13	13	13	13	13
10.003	Cement Concrete tiles 300 x 300 x 25 mm (12" x 12" x 1")	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
10.004	Cement Concrete tiles 225 x 225 x 20 mm (9" x 9" x ¾")	Each	14	14	14	14	14	14	14	14	14	14	14	14	14	14
10.005	Cement concrete tiles 150 x 150 x 20 mm (6" x 6" x ¾")	Each	11	11	11	11	11	11	11	11	11	11	11	11	11	11
10.006	White Tile (Glazed) 6"x6"x¼"	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
10.007	Coloured Glazed tiles 150 x 150 x 6 mm (6" x 6" x ¼")	Each	18	18	18	18	18	18	18	18	18	18	18	18	18	18
10.008	Coloured Glazed tiles 300 x 300 x 6 mm (12" x 12" x ¼")	Each	40	40	40	40	40	40	40	40	40	40	40	40	40	40
10.009	Mosaic marble chips tiles 300 x 300 x 25 mm (12" x 12" x 1") Grey Cement	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
10.010	Rubber tiles 300 x 300 x 3 mm (12" x 12" x 1/8")	Each	44	44	44	44	44	44	44	44	44	44	44	44	44	44
10.011	White glazed tiles 300 x 300 x 6mm (12" x 12" x ¼")	Each	33	33	33	33	33	33	33	33	33	33	33	33	33	33
10.012	Dressed Stone 2'x2'x2"	Each	39	39	39	39	39	39	39	39	39	39	39	39	39	39
10.013	Dressed Stone 2'x2'x3"	Each	47	47	47	47	47	47	47	47	47	47	47	47	47	47
10.014	Carborandum Stone	Each	39	39	39	39	39	39	39	39	39	39	39	39	39	39
10.015	Pigment for Cement/Concrete	Per Kg	82	82	82	82	82	82	82	82	82	82	82	82	82	82
10.016	Marble Chips	Per Kg	3	3	3	3	3	3	3	3	3	3	3	3	3	3
10.017	Marble Powder	100 Kg	220	220	220	220	220	220	220	220	220	220	220	220	220	220
10.018	Neoprene strip 100 x 6 mm	P. Foot	18	18	18	18	18	18	18	18	18	18	18	18	18	18
10.019	Wax Polish	3 Kg.	675	675	675	675	675	675	675	675	675	675	675	675	675	675
10.020	Tartaric Acid	Per Kg	57	57	57	57	57	57	57	57	57	57	57	57	57	57
10.021	Hessian Cloth	Per Mtr.	14	14	14	14	14	14	14	14	14	14	14	14	14	14
10.022	Linen Cloth	P. Kg.	16	16	16	16	16	16	16	16	16	16	16	16	16	16
10.023	Asphalt (packed) 80/100 (AT SITE)(NRL/PARCO)	P. Kg.	89.969	88.732	89.807	89.856	89.768	91.205	92.205	91.332	90.765	90.257	90.276	90.765	90.580	89.768
10.024	Sand Paper/Water Proof	Per Doz.	140	140	140	140	140	140	140	140	140	140	140	140	140	140
10.025	Brass Screws 50 mm long	Per Doz.	25	25	25	25	25	25	25	25	25	25	25	25	25	25
10.026	Glass strip 3 mm thick 40 mm wide	% Rft	300	300	300	300	300	300	300	300	300	300	300	300	300	300
10.027	Glass Strips 4 mm thick 40 mm wide	% Rft	320	320	320	320	320	320	320	320	320	320	320	320	320	320
10.028	Glass Strips 5 mm thick 50 mm wide	% Rft	370	370	370	370	370	370	370	370	370	370	370	370	370	370
10.029	Marble strips 6 mm thick 40 mm wide	Rft	4	4	4	4	4	4	4	4	4	4	4	4	4	4
10.030	Marble strips 10 mm thick 40 mm wide	Rft	5	5	5	5	5	5	5	5	5	5	5	5	5	5
10.031	Sutli	Per Kg	28	28	28	28	28	28	28	28	28	28	28	28	28	28
10.032	Steam coal	Kg	13	13	13	13	13	13	13	13	13	13	13	13	13	13
10.033	9" thick rubble or broken hard bricks	%Cft.	880	880	880	880	880	880	880	880	880	880	880	880	880	880
10.034	Hard Marrum	%Cft.	550	550	550	550	550	550	550	550	550	550	550	550	550	550
10.035	Floor Polish	P. Kg.	225	225	225	225	225	225	225	225	225	225	225	225	225	225
10.036	Adhesive Mixture dry	Per Kg.	135	135	135	135	135	135	135	135	135	135	135	135	135	135
10.037	Surkhi	P. % Cft.	850	850	850	850	850	850	850	850	850	850	850	850	850	850
10.038	Fine crushed Aggregate for two coat work	% Cft.	3050	3050	3050	3050	3050	1650	1850	1650	1750	1950	2550	2450	2450	2250
10.039	Primer	P.Kg.	35	35	35	35	35	35	35	35	35	35	35	35	35	35
11.001	Chopped Jute	Per Kg	33	33	33	33	33	33	33	33	33	33	33	33	33	33
11.002	Distemper (Vinyle Emulsion)	Per Gallon	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500
11.003	Distemper Plastic bound (Plastic Emulsion)	Per Gallon	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500
11.004	Distemper Water bound (Cottage Mate)	Per Gallon	600	600	600	600	600	600	600	600	600	600	600	600	600	600
11.005	Rice	Per Kg	55	55	55	55	55	55	55	55	55	55	55	55	55	55
11.006	Pigment for colour wash	Per Kg	57	57	57	57	57	57	57	57	57	57	57	57	57	57
11.007	Primer/red oxide pigment	Per Gln.	335	335	335	335	335	335	335	335	335	335	335	335	335	335
11.008	Chopped Straw	P. Kg	3	3	3	3	3	3	3	3	3	3	3	3	3	3
11.009	Expended metal edge bead 5" wide	P. Rft	23	23	23	23	23	23	23	23	23	23	23	23	23	23
12.001	Chir 1st Class	CFT	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
12.002	Deodar Wood 1st Class (Best Quality)	CFT	5000	5000	5000	5000	5000	4700	4400	4700	4400	4900	4900	4900	4700	4700
12.003	Deodar Wood 2nd Class	CFT	2800	2800	2800	2800	2800	2800	2800	2500	2200	2200	2700	2700	2700	2500
12.004	Fire Wood	Kg	10	10	10	10	10	10	10	10	10	10	10	10	10	10
12.005	Kail Wood 1st Class	CFT	1750	1750	1750	1750	1750	1750	1750	1750	1750	1750	1750	1750	1750	1750
12.006	Shisham wood 1st Class	CFT	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700
12.007	Teak wood (Burma)	CFT	14000	14000	14000	14000	14000	14000	14000	14000	14000	14000	14000	14000	14000	14000
12.008	Partal wood	CFT	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250
12.009	Kikar wood	CFT	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
12.010	Sheets Aluminum 8 - SWG - 24 SWG (local)	Per Kg	255	255	255	255	255	255	255	255	255	255	255	255	255	255
12.011	Sheets Aluminum ½" thick and above (local)	Per Kg	255	255	255	255	255	255	255	255	255	255	255	255	255	255
12.012	Copper sheet 0.80 mm to 2.50 mm	Per Kg	720	720	720	720	720	720	720	720	720	720	720	720	720	720
12.013	Copper sheet 3.00 mm to 6.00 mm	Per Kg	720	720	720	720	720	720	720	720	720	720	720	720	720	720
12.014	Formica sheet (8' x 4')	Per sheet	650	650	650	650	650	650	650	650	650	650	650	650	650	650
12.015	Plain Galvanized iron sheet	Per Kg	120	120	120	120	120	120	120	120	120	120	120	120	120	120

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
12.016	Corrugated Galvanized iron sheet	Per Kg	125	125	125	125	125	125	125	125	125	125	125	125	125	125
12.017	Commercial ply 6 mm thick	P. Sft	32	32	32	32	32	32	32	32	32	32	32	32	32	32
12.018	Commercial ply 3 mm thick	P. Sft	23	23	23	23	23	23	23	23	23	23	23	23	23	23
12.019	Shisham wood ply (6 mm thick)	P. Sft	33	33	33	33	33	33	33	33	33	33	33	33	33	33
12.020	Teak wood ply (6 mm thick)	P. Sft	35	35	35	35	35	35	35	35	35	35	35	35	35	35
12.021	Thermopore sheet 1/2" (12 mm) thick 20 kg/m ² (39" x 39")	P. sheet	27	27	27	27	27	27	27	27	27	27	27	27	27	27
12.022	Thermopore sheet 1/4" (20 mm) thick 20 kg/m ² (39" x 39")	P. sheet	37	37	37	37	37	37	37	37	37	37	37	37	37	37
12.023	Thermopore sheet 1" (25 mm) thick 20 kg/m ² (39" x 39")	P. sheet	47	47	47	47	47	47	47	47	47	47	47	47	47	47
12.024	Masonite sheet 5 mm thick for partitions	P. Sft	25	25	25	25	25	25	25	25	25	25	25	25	25	25
12.025	Masonite Sheet for ceiling	P.Sft	27	27	27	27	27	27	27	27	27	27	27	27	27	27
12.026	Bacolite sheet (2.50 mm) thick (size 4' x 4')	4'x4' size	670	670	670	670	670	670	670	670	670	670	670	670	670	670
12.027	Bacolite sheet (3.75 mm) thick (size 4' x 4')	4'x4' size	925	925	925	925	925	925	925	925	925	925	925	925	925	925
12.028	Bacolite sheet (4.00 mm) thick (size 4' x 4')	4'x4' size	980	980	980	980	980	980	980	980	980	980	980	980	980	980
12.029	Rubber sheet 5 mm (size 4' x 6')	4'x4' size	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100
12.030	Zinc Plate 525 x 11 mm	Kg	165	165	165	165	165	165	165	165	165	165	165	165	165	165
12.031	Spike	Per Kg	38	38	38	38	38	38	38	38	38	38	38	38	38	38
12.032	Glass pan 3 mm thick 16 x to 18 oz	SFT	25	25	25	25	25	25	25	25	25	25	25	25	25	25
12.033	Glass pan 3 mm thick 24 x to 26 oz	SFT	30	30	30	30	30	30	30	30	30	30	30	30	30	30
12.034	Glass plate 1/4" (6 mm) thick upto 8 SFT	SFT	30	30	30	30	30	30	30	30	30	30	30	30	30	30
12.035	Glass plate 1/4" (6 mm) thick not exceeding 24 SFT	SFT	48	48	48	48	48	48	48	48	48	48	48	48	48	48
12.036	Glass Plate 6 mm thick	SFT	35	35	35	35	35	35	35	35	35	35	35	35	35	35
12.037	Glass Plate 8 mm	SFT	54	54	54	54	54	54	54	54	54	54	54	54	54	54
12.038	Glass Plate 1/2" (12 mm) thick	PSFT	100	100	100	100	100	100	100	100	100	100	100	100	100	100
12.039	Glue(Bottle) Best Quality	Per Kg	110	110	110	110	110	110	110	110	110	110	110	110	110	110
12.040	Machine Screws 38.10 x 7.35 mm	Per Doz.	12	12	12	12	12	12	12	12	12	12	12	12	12	12
12.041	Iron strips 1 1/2" x 1/8"	Kg	45	45	45	45	45	45	45	45	45	45	45	45	45	45
12.042	Brass finger plate	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62
12.043	Brass hinges 50 mm	Each	17	17	17	17	17	17	17	17	17	17	17	17	17	17
12.044	Brass hinges 63 mm	Each	22	22	22	22	22	22	22	22	22	22	22	22	22	22
12.045	Brass hinges 75 mm	Each	35	35	35	35	35	35	35	35	35	35	35	35	35	35
12.046	Brass hinges 100 mm	Each	45	45	45	45	45	45	45	45	45	45	45	45	45	45
12.047	Brass hinges 125 mm	Each	60	60	60	60	60	60	60	60	60	60	60	60	60	60
12.048	Brass tower bolts 300 mm	Each	145	145	145	145	145	145	145	145	145	145	145	145	145	145
12.049	Brass tower bolts 225 mm	Each	93	93	93	93	93	93	93	93	93	93	93	93	93	93
12.050	Brass tower bolts 200 mm	Each	90	90	90	90	90	90	90	90	90	90	90	90	90	90
12.051	Brass tower bolts 150 mm	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67
12.052	Steel nut and bolts (all sizes)	Per Kg	120	120	120	120	120	120	120	120	120	120	120	120	120	120
12.053	Iron hold fast (for doors/windows)	Each	22	22	22	22	22	22	22	22	22	22	22	22	22	22
12.054	Iron handle 100 mm 4"	Each	10	10	10	10	10	10	10	10	10	10	10	10	10	10
12.055	Iron handle 150 mm (6")	Each	12	12	12	12	12	12	12	12	12	12	12	12	12	12
12.056	Iron handle 200 mm (8")	Each	14	14	14	14	14	14	14	14	14	14	14	14	14	14
12.057	Brass handle 100 mm	Each	34	34	34	34	34	34	34	34	34	34	34	34	34	34
12.058	Brass handle 150 mm	Each	42	42	42	42	42	42	42	42	42	42	42	42	42	42
12.059	C.P. handles 4" (2nd Quality)	Rft	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12.060	C.P. handles 4"	Each	13	13	13	13	13	13	13	13	13	13	13	13	13	13
12.061	C.P Handle 6"	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
12.062	C.P. handles 6" (Best Quality)	Each	17	17	17	17	17	17	17	17	17	17	17	17	17	17
12.063	Handle	Each	40	40	40	40	40	40	40	40	40	40	40	40	40	40
12.064	Iron sliding bolt 200 mm (8") with screws	Each	37	37	37	37	37	37	37	37	37	37	37	37	37	37
12.065	Iron sliding bolt 250 mm (10") with screws	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
12.066	Iron sliding bolt 300 mm (12") with screws	Each	87	87	87	87	87	87	87	87	87	87	87	87	87	87
12.067	Racal plugs 1 1/2" (40mm) long	Each	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12.068	Racal Plug (small)	Each	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
12.069	Push plate (Stainless)	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
12.070	Kikai plate (Aluminum) 4" wide 22 gauge 12" long	Each	35	35	35	35	35	35	35	35	35	35	35	35	35	35
12.071	Rim lock (China)	Each	152	152	152	152	152	152	152	152	152	152	152	152	152	152
12.072	Mortise lock (Local)	Each	183	183	183	183	183	183	183	183	183	183	183	183	183	183
12.073	Sliding bolts Brass 300 mm (12")	Each	217	217	217	217	217	217	217	217	217	217	217	217	217	217
12.074	Hinges (Iron) 50 mm	Each	10	10	10	10	10	10	10	10	10	10	10	10	10	10
12.075	Hinges (Iron) 75 mm	Each	14	14	14	14	14	14	14	14	14	14	14	14	14	14
12.076	Hinges (Iron) 100 mm	Each	16	16	16	16	16	16	16	16	16	16	16	16	16	16
12.077	Hinges (Iron) 125 mm	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
12.078	Double action spring Hinges (Brass) Medium 4" - 5" (100 to 125 mm)	Per pair	255	255	255	255	255	255	255	255	255	255	255	255	255	255

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
12.079	Double action spring Hinges (Iron) 4"-5" (100 to 125 mm)	Each set	155	155	155	155	155	155	155	155	155	155	155	155	155	155
12.080	Brass screw 20 mm	Doz.	10	10	10	10	10	10	10	10	10	10	10	10	10	10
12.081	Brass screw 25 mm	Doz.	13	13	13	13	13	13	13	13	13	13	13	13	13	13
12.082	Brass screw 40 mm	Doz.	21	21	21	21	21	21	21	21	21	21	21	21	21	21
12.083	Door Stops 150 mm	Each	42	42	42	42	42	42	42	42	42	42	42	42	42	42
12.084	Door stopper 150 mm (wooden)	Each	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12.085	Foot hinges 1"	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
12.086	Tee hinges 250 mm	Each	42	42	42	42	42	42	42	42	42	42	42	42	42	42
12.087	Tee hinges 150 mm	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
12.088	Tee hinges 200 mm	Each	38	38	38	38	38	38	38	38	38	38	38	38	38	38
12.089	Butt Hinges (125mm)	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
12.090	Butt Hinges (150mm)	Each	9	9	9	9	9	9	9	9	9	9	9	9	9	9
12.091	Hasp & staples (medium size)	Each	6	6	6	6	6	6	6	6	6	6	6	6	6	6
12.092	Iron tower bolt 100 mm long	Per Doz.	172	172	172	172	172	172	172	172	172	172	172	172	172	172
12.093	Iron tower bolt 150 mm long	Per Doz.	255	255	255	255	255	255	255	255	255	255	255	255	255	255
12.094	Iron tower bolt 225mm long	Per Doz.	315	315	315	315	315	315	315	315	315	315	315	315	315	315
12.095	Iron tower bolt 250 mm long	Per Doz.	355	355	355	355	355	355	355	355	355	355	355	355	355	355
12.096	Iron tower bolt 300 mm long	Per Doz.	475	475	475	475	475	475	475	475	475	475	475	475	475	475
12.097	Hold fast with pivot & clamp 4"	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
12.098	Hold fast with pivot & clamp 6"	Each	17	17	17	17	17	17	17	17	17	17	17	17	17	17
12.099	Hold fast with pivot & clamp 8"	Each	18	18	18	18	18	18	18	18	18	18	18	18	18	18
12.100	spring hinges (doors/windows)	Each	47	47	47	47	47	47	47	47	47	47	47	47	47	47
12.101	Wrought Iron Hold Fast (small)	Each	8	8	8	8	8	8	8	8	8	8	8	8	8	8
12.102	Wrought Iron Hold Fast (Large)	Each	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12.103	Deodar wooden beading (1" x 3/4")	Rft	9	9	9	9	9	9	9	9	9	9	9	9	9	9
12.104	Deodar wooden lipping 6 mm	Rft	4	4	4	4	4	4	4	4	4	4	4	4	4	4
12.105	Deodar wooden lipping 3/8	Rft	18	18	18	18	18	18	18	18	18	18	18	18	18	18
12.106	Chord with hook (3/4" x 1/2")	Each	5	5	5	5	5	5	5	5	5	5	5	5	5	5
12.107	Wooden cleat for door	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
12.108	G.I. hook with clamp (doors/windows)	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
12.109	Khunda - Chapka (For Almirah)	Each	127	127	127	127	127	127	127	127	127	127	127	127	127	127
12.110	Rubber Pad Stopper	Each	9	9	9	9	9	9	9	9	9	9	9	9	9	9
12.111	Wire Gauze (12x12)	Sft.	18	18	18	18	18	18	18	18	18	18	18	18	18	18
12.112	Wooden Plug for door	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
12.113	Expanded Metal (12mm to 20mm mesh of 16 gauge)	Sft.	19	19	19	19	19	19	19	19	19	19	19	19	19	19
12.114	Hinges 10" (250mm)	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
12.115	Hinges chocks 4" (100mm) (for battened doors)	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
12.116	Hasp and staple	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
12.117	Hold fast with pivots & clamp for framed and braced doors	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
12.118	Sliding bolts 18" (450mm) long	Each	87	87	87	87	87	87	87	87	87	87	87	87	87	87
12.119	M.S. Angle Iron 1 1/2"x1 1/2"x3/4" (40x40x6mm)	P.Kg.	104.00	104.13	104.04	104.04	104.05	104.29	105.29	104.33	104.16	104.27	104.07	104.12	104.12	104.05
12.120	M.S. Flat 6"x1/2"x1/8" (150x6x3mm)	P.Kg.	104.00	104.13	104.04	104.04	104.05	104.29	105.29	104.33	104.16	104.27	104.07	104.12	104.12	104.05
12.121	Hinges Chocks 3" (75mm)	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
12.122	Screws upto 1" long	Per Doz.	10	10	10	10	10	10	10	10	10	10	10	10	10	10
12.123	Screws above 1" long	Per Doz.	22	22	22	22	22	22	22	22	22	22	22	22	22	22
12.124	Nails of sorts	Pr. Kg.	140	140	140	140	140	140	140	140	140	140	140	140	140	140
12.125	Brass spring hinges Complete with Screws	Each	127	127	127	127	127	127	127	127	127	127	127	127	127	127
12.126	Brass sliding bolt 10" (250mm) long complete with screws & nuts.	Each	86	86	86	86	86	86	86	86	86	86	86	86	86	86
12.127	1" (25mm) thick solid flush shutter	P.Sft.	82	82	82	82	82	82	82	82	82	82	82	82	82	82
12.128	Solid flush door 1 1/2" thick (Approved Factory Manufactured) with commercial ply 5mm thick	P.Sft.	213	213	213	213	213	213	213	213	213	213	213	213	213	213
12.129	C.P. dasti i/c screws	P.Sft.	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12.130	Hard Board	P.Sft.	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12.131	Brass butt hinges 2" (50mm)	Each	13	13	13	13	13	13	13	13	13	13	13	13	13	13
12.132	Brass butt hinges 6" (150mm)	Each	17	17	17	17	17	17	17	17	17	17	17	17	17	17
12.133	Sawing Charges	P.Sft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
12.134	Tie rod welding and fixing arrangement	Each	32	32	32	32	32	32	32	32	32	32	32	32	32	32
12.135	Vin board 3/4" thick	P.Sft.	43	43	43	43	43	43	43	43	43	43	43	43	43	43
12.136	Vin board 1/2" thick	P.Sft.	37	37	37	37	37	37	37	37	37	37	37	37	37	37
12.137	Chip Board 3/4" (20mm) 700 density	P.Sft	33	33	33	33	33	33	33	33	33	33	33	33	33	33
12.138	Chip Board 1/2" (12mm) 700 density	P.Sft	28	28	28	28	28	28	28	28	28	28	28	28	28	28
12.139	Full hinges 3/4" (20mm) wide (Imported)	Rft	17	17	17	17	17	17	17	17	17	17	17	17	17	17
12.140	Catcher	Each	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12.141	lock China	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
12.142	C.P. Hanger rod with 2 hooks	Each	107	107	107	107	107	107	107	107	107	107	107	107	107	107
12.143	Hanger hook including pull out rod	Each	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12.144	Brass hooks	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
12.145	Door rubber stopper	Each	42	42	42	42	42	42	42	42	42	42	42	42	42	42
12.146	G.I. Hook	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
12.147	Hooks for Punkha Pole	Per Dozen	22	22	22	22	22	22	22	22	22	22	22	22	22	22
12.148	Nails	P.Kg.	132	132	132	132	132	132	132	132	132	132	132	132	132	132
12.149	Washers	Each	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
12.150	Hard Wood Gutty	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
12.151	M.S clamp	Each	44	44	44	44	44	44	44	44	44	44	44	44	44	44
12.152	M.S hook	Each	16	16	16	16	16	16	16	16	16	16	16	16	16	16
12.153	Sand Paper	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
12.154	Tower bolt C.P.	Each	37	37	37	37	37	37	37	37	37	37	37	37	37	37
12.155	C.P. finger plate with screws	Each	92	92	92	92	92	92	92	92	92	92	92	92	92	92
12.156	M.S. sheets (Plain) 20 SWG	Kg	95	95	95	95	95	95	95	95	95	95	95	95	95	95
12.157	M.S. Sheet 18 SWG	Sft	95	95	95	95	95	95	95	95	95	95	95	95	95	95
12.158	M.S. Sheet 22 SWG	Sft	95	95	95	95	95	95	95	95	95	95	95	95	95	95
12.159	Curtain Railing	Rft.	22	22	22	22	22	22	22	22	22	22	22	22	22	22
12.160	Electrod	Pkt	75	75	75	75	75	75	75	75	75	75	75	75	75	75
12.161	Gola (Wood)	P. Ft.	16	16	16	16	16	16	16	16	16	16	16	16	16	16
13.001	Black Japan paint	Gln.	152	152	152	152	152	152	152	152	152	152	152	152	152	152
13.002	Chalk powder	Per Kg	20	20	20	20	20	20	20	20	20	20	20	20	20	20
13.003	Dana Lakh	Per Kg	500	500	500	500	500	500	500	500	500	500	500	500	500	500
13.004	Plastic Emulsion paint	Per Gallon	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500
13.005	Paint Synthetic Enamel	Per Gallon	725	725	725	725	725	725	725	725	725	725	725	725	725	725
13.006	French Polish	Per Kg	220	220	220	220	220	220	220	220	220	220	220	220	220	220
13.007	Gum and Gun rasin	Per Gallon	105	105	105	105	105	105	105	105	105	105	105	105	105	105
13.008	Linseed oil	Per Kg	92	92	92	92	92	92	92	92	92	92	92	92	92	92
13.009	Road marking enamel	Per Ltr.	155	155	155	155	155	155	155	155	155	155	155	155	155	155
13.010	Solignum paint (Imported)	Per Gallon	820	820	820	820	820	820	820	820	820	820	820	820	820	820
13.011	Spirit	Per Ltr.	70	70	70	70	70	70	70	70	70	70	70	70	70	70
13.012	Varnish	Kg	70	70	70	70	70	70	70	70	70	70	70	70	70	70
13.013	White Enamel paint	Per Gln.	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300
13.014	Caustic Soda	Kg	70	70	70	70	70	70	70	70	70	70	70	70	70	70
13.015	Painting Brushes (average rate)	Each	75	75	75	75	75	75	75	75	75	75	75	75	75	75
13.016	Mineral Pitch	Kg	22	22	22	22	22	22	22	22	22	22	22	22	22	22
13.017	Primer Paint	P.Gln	620	620	620	620	620	620	620	620	620	620	620	620	620	620
13.018	Reflective Paint / C.R Paint	Litre	360	360	360	360	360	360	360	360	360	360	360	360	360	360
13.019	Reflective Tape / Paper	P. Sft.	75	75	75	75	75	75	75	75	75	75	75	75	75	75
13.020	Creosote	P. Gln	460	460	460	460	460	460	460	460	460	460	460	460	460	460
13.021	Steel Scrapper	Each	27	27	27	27	27	27	27	27	27	27	27	27	27	27
13.022	Kerosine Oil (Ref # 01.004)	Per Ltr.	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46	98.46
13.023	Terpentine oil	Per Ltr.	95	95	95	95	95	95	95	95	95	95	95	95	95	95
13.024	Water Proofing Emulsion Paint	P.Kg.	45	45	45	45	45	45	45	45	45	45	45	45	45	45
16.001	Jute bag (Empty) (1.25 Cft.)	Each	12	12	12	12	12	12	12	12	12	12	12	12	12	12
16.002	New jute bag (4 to 5 Cft.)	Each	57	57	57	57	57	57	57	57	57	57	57	57	57	57
16.003	Pitching Stone (Quarry site) Ref.08.003	% Cft	550	550	550	550	550	550	550	550	550	550	550	550	550	550
16.004	Munj patha ban	Per Kg	40	40	40	40	40	40	40	40	40	40	40	40	40	40
16.005	G.I Wire No.15	Per Kg	100	100	100	100	100	100	100	100	100	100	100	100	100	100
16.006	Bamboo (60 - 120 mm dia) 2.5 meter to 3.0 metre long	Each	60	60	60	60	60	60	60	60	60	60	60	60	60	60
16.007	Bamboo (60 - 120 mm dia) 3.0 meter to 3.75 metre long	Each	90	90	90	90	90	90	90	90	90	90	90	90	90	90
16.008	Bamboo (60 - 120 mm dia) 3.75 meter to 4.25 metre long	Each	95	95	95	95	95	95	95	95	95	95	95	95	95	95
16.009	Bamboo (60 - 120 mm dia) 4.25 meter to 4.90 metre long	Each	105	105	105	105	105	105	105	105	105	105	105	105	105	105
16.010	Bamboo (60 - 120 mm dia) 4.90 meter to 6.25 metre long	Each	110	110	110	110	110	110	110	110	110	110	110	110	110	110
16.011	G.I Wire No. 8 to 10	Per Kg	90	90	90	90	90	90	90	90	90	90	90	90	90	90
16.012	Sutli	P.Kg	32	32	32	32	32	32	32	32	32	32	32	32	32	32
16.013	wooden vertical stakes 7" to 12" dia for groynes	P. % Nos.	110	110	110	110	110	110	110	110	110	110	110	110	110	110
16.014	Royalty charges of wooden stakes	Each	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
16.015	Shingle / spawl	P.% Cft	350	350	350	350	350	350	350	350	350	350	350	350	350	350
16.016	Boulder at Source	P.% Cft	350	350	350	350	350	1000	1000	1000	350	350	350	350	350	350
16.017	Supply pilchi lead within one mile	P.% Cft	255	255	255	255	255	255	255	255	255	255	255	255	255	255
16.018	Pilchi Roll 6" dia 5' long	P.% Cft	307	307	307	307	307	307	307	307	307	307	307	307	307	307
16.019	Bajri / shingle (Ref # 18.001)	P.% Cft	3750	3750	3750	3750	3750	3500	3500	3500	3500	3500	3750	3750	3750	3750

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location														
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad	
16.020	Royalty kikar brush wood	P.% Mds	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93
16.021	Kikar wood for pegs	P. Cft	215	215	215	215	215	215	215	215	215	215	215	215	215	215	215
18.001	Coarse aggregate (bajri)(Quarry site)	100 Cft	3400	3400	3400	3400	3400	3300	3300	3300	3300	3300	3400	3400	3400	3400	3400
18.002	Graded stone for Base Course (Quarry site)	100 Cft	1600	1600	1600	1600	1600	1800	1800	1800	1400	1400	1600	1600	1600	1600	1600
18.003	Aggregate For Sub Base Course (Quarry site)	100 Cft	800	800	800	800	800	1400	1400	1400	800	800	800	800	800	800	800
18.004	Pit-run/Bedrun gravel (Quarry site)	100 Cft	325	325	325	325	325	950	950	950	950	325	950	950	950	950	950
18.005	Stone screaned / Stone Dust at site for Base Course only	100 Cft	4791	4836	5077	4522	3519	2541	2614	2524	2328	1910	4665	5152	4585	3582	3582
18.006	Stone Dust (quarry / plant site)	100 Cft	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
18.007	Steel bars (including binding wire)	Per Kg.	104.00	104.13	104.04	104.04	104.05	104.29	105.29	104.33	104.16	104.27	104.07	104.12	104.12	104.05	104.05
18.008	Iron post	Per Kg	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
18.009	Elbow 2"	Each	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57
18.010	Tee 2" x 2" x 2"	Each	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
18.011	Steel bearing (standard quality)	Each	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000
18.012	Rubber bearing pad 1" x 1" x 1" (2.5x2.5x2.5 cm)	P.Cub	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
18.013	A.C pipe 3" i/d	per metre	577	577	577	577	577	577	577	577	577	577	577	577	577	577	577
18.014	T.Iron and M.S Plate	P. Kg.	96.20	96.33	96.24	96.24	96.25	96.49	97.49	96.53	96.36	96.47	96.27	96.32	96.32	96.25	96.25
18.015	Lettering 4" height	Each	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
18.016	Lettering 3" height	Each	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
19.001	Cast iron head 4"	Per Kg	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
19.002	Cast iron shoe 4"	Per Kg	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
19.003	Cast iron bend 4"	Per Kg	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
19.004	Cast iron off set 4"	Per Kg	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
19.005	G.I spout 4" 460 mm long	Each	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222
19.006	AC - bend 4" (100 mm)	Each	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66
19.007	AC Shoe 4" (100 mm)	Each	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66
19.008	AC Tee (100 mm)	Each	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66
19.009	Angle Iron Bracket Set for W.H.B & Cistern	Each	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
19.010	Angle Iron Bracket Set for Sink	Each	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
19.011	Waste pipe 3 cm (1½") (PVC) flexible	Each	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
19.012	Waste pipe 4 cm (1½") (PVC) flexible	Each	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
19.013	C.P. waste coupling 3 cm (1½")	Each	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
19.014	C.P. waste coupling 4 cm (1½")	Each	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75
19.015	Rubber plug with chain 3 cm (1½")	Each	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39
19.016	Rubber plug with chain 4 cm (1½")	Each	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
19.017	PVC Flushing bend 3 cm (1½")	Each	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
19.018	PVC Flushing bend 4 cm (1½")	Each	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
19.019	Plastic rubber connection with check nut	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
19.020	Copper connection with check nut:	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
19.021	C.P. Shower rose 1.5 x 10 cm (½" x 4") Master	Each	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255
19.022	C.P. Shower rose 2.0 x 15 cm (¾" x 6")	Each	320	320	320	320	320	320	320	320	320	320	320	320	320	320	320
19.023	C.I brackets for high level flushing cistern	Per Pair	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
19.024	C.I. Bracket for Wash hand basin/bolt kit	Each	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42
19.025	White Glazed earthen ware low down cistern 13.63 ltr. (3/Gln) ICL Brand Freegate	Each	725	725	725	725	725	725	725	725	725	725	725	725	725	725	725
19.026	Coloured Glazed earthen ware low down cistern 13.63 ltr. (3/Gln) ICL Brand	Each	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790
19.027	White Glazed cast iron low down cistern 13.63 ltr. (3/Gln)	Each	820	820	820	820	820	820	820	820	820	820	820	820	820	820	820
19.028	RCC Pipe 4" dia	Rft.	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
19.029	Plastic made low down flushing cistern 13.63 litre (3 gallons)(Golden Brand)	Each	590	590	590	590	590	590	590	590	590	590	590	590	590	590	590
19.030	Pedestal for W.H.B. ICL Brand Freegate	Each	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660
19.031	Bolt and Nuts for W.C. (European Type)	Each	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
19.032	A.C soil pipe 6cm (2" dia)	Metre	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
19.033	A.C soil pipe 7.5cm (3" dia)	Metre	155	155	155	155	155	155	155	155	155	155	155	155	155	155	155
19.034	A.C soil pipe 10cm (4" dia)	Metre	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
19.035	A.C soil pipe 15cm (6" dia)	Metre	295	295	295	295	295	295	295	295	295	295	295	295	295	295	295
19.036	C.I. Soil Down 50 mm (2") dia	Metre	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210
19.037	C.I Soil Down 100 mm (4") dia (30 PSI)	Metre	375	375	375	375	375	375	375	375	375	375	375	375	375	375	375
19.038	Yarn	per lbs	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
19.039	Chromium plated T-stop cock 1.5 c.m (½") (Master / Sonex Brand)	Each	355	355	355	355	355	355	355	355	355	355	355	355	355	355	355
19.040	Brass gas cock 1.5 c.m (½")	Each	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75
19.041	Brass gas cock 2.0 c.m (¾")	Each	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85
19.042	Brass bib cock ½" (1.5 cm) (Anwar brand)	Each	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65
19.043	Brass bib cock ¾" (2 cm) / brass stop cock. (Anwar Brand)	Each	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
19.044	Glazed Earthenware sink 60 x 45 cm (24" x 18") (Master Brand)	Each	925	925	925	925	925	925	925	925	925	925	925	925	925	925	925
19.045	Glazed Earthenware sink 37.5 x 45 cm (15" x 18")	Each	775	775	775	775	775	775	775	775	775	775	775	775	775	775	775

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Kotly sattin, Kanuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
19.046	Stainless steel sink with drain board 120 x 60 cm (48 x 24 in) , (Atlas Brand)	Each	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200
19.047	Terazzo concrete sink 60 x 45 cm (24" x 18") With drain board	Each	435	435	435	435	435	435	435	435	435	435	435	435	435	435
19.048	Brass ball float valves 15 mm (½") dia	Each	130	130	130	130	130	130	130	130	130	130	130	130	130	130
19.049	Brass ball float valves 20 mm (¾") dia	Each	225	225	225	225	225	225	225	225	225	225	225	225	225	225
19.050	Brass ball float valves 25 mm (1") dia	Each	275	275	275	275	275	275	275	275	275	275	275	275	275	275
19.051	Brass ball float valves 30 mm (1¼") dia	Each	300	300	300	300	300	300	300	300	300	300	300	300	300	300
19.052	Brass ball float valves 40 mm (1½") dia	Each	430	430	430	430	430	430	430	430	430	430	430	430	430	430
19.053	Brass ball float valves 50 mm (2") dia	Each	745	745	745	745	745	745	745	745	745	745	745	745	745	745
19.054	C.P. Mixing Valves ½" dia (Mixer),Master, Medium neck	Each	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270
19.055	Glass Shelf 60 x 13 cm (24" x 5")	Each	38	38	38	38	38	38	38	38	38	38	38	38	38	38
19.056	Chromium plated bracket and railing for glass shelf	Each	220	220	220	220	220	220	220	220	220	220	220	220	220	220
19.057	Glazed earthen ware shelf 60 x 13 cm (24" x 5") with chromium plated bracket and railing (Coloured)	Each	830	830	830	830	830	830	830	830	830	830	830	830	830	830
19.058	Glazed earthen ware shelf 60 x 13 cm (24" x 5") withchromium plated bracket and railing (White)	Each	720	720	720	720	720	720	720	720	720	720	720	720	720	720
19.059	Soap dish chromium plated	Each	140	140	140	140	140	140	140	140	140	140	140	140	140	140
19.060	Soap dish glazed earthen ware white colour	Each	380	380	380	380	380	380	380	380	380	380	380	380	380	380
19.061	Soap dish plastic	Each	110	110	110	110	110	110	110	110	110	110	110	110	110	110
19.062	Toilet Paper Holder (Chromium plated)	Each	310	310	310	310	310	310	310	310	310	310	310	310	310	310
19.063	Toilet Paper Holder (Plastic),Venus/Choice	Each	150	150	150	150	150	150	150	150	150	150	150	150	150	150
19.064	Towel Rail With Brackets (Chromium plated) 60 x 2 cm (24" x ¾")	Each	270	270	270	270	270	270	270	270	270	270	270	270	270	270
19.065	Towel Rail With Brackets (Chromium plated) 50 x 1.5 cm (20" x ½")	Each	220	220	220	220	220	220	220	220	220	220	220	220	220	220
19.066	Towel Rail With Brackets (Plastic)	Each	170	170	170	170	170	170	170	170	170	170	170	170	170	170
19.067	C.I floor trap including grating size 10 x 5 cm (4" x 2")	Each	220	220	220	220	220	220	220	220	220	220	220	220	220	220
19.068	Chromium plated bottle trap 3 cm (1¼") (with waste pipe), (Master Brand)	Each	450	450	450	450	450	450	450	450	450	450	450	450	450	450
19.069	Chromium plated bottle trap 4 cm (1½") (with waste pipe)	Each	770	770	770	770	770	770	770	770	770	770	770	770	770	770
19.070	Cast iron P-trap 10 cm (4")	Each	320	320	320	320	320	320	320	320	320	320	320	320	320	320
19.071	Concrete gully trap 4"	Each	310	310	310	310	310	310	310	310	310	310	310	310	310	310
19.072	Glazed P- trap 10 cm (4" dia)	Each	45	45	45	45	45	45	45	45	45	45	45	45	45	45
19.073	PVC grating 15 x 15 cm (6" x 6")	Each	45	45	45	45	45	45	45	45	45	45	45	45	45	45
19.074	White Glazed earthenware Wash Hand Basins (22" x 16") (56 cm x 40 cm) with pedestal (ICL Freegate Brand)	Each	1535	1535	1535	1535	1535	1535	1535	1535	1535	1535	1535	1535	1535	1535
19.075	White Wash Hand Basin (22" x 16") (56 cm x 40 cm) without pedestal (ICL Brand)	Each	950	950	950	950	950	950	950	950	950	950	950	950	950	950
19.076	Coloured wash hand basin with pedestal (22" x 16") (56 cm x 40 cm)(ICL Brand)	Each	1690	1690	1690	1690	1690	1690	1690	1690	1690	1690	1690	1690	1690	1690
19.077	Coloured wash hand basin without pedestal (22" x 16") (56 cm x 40 cm)(ICL Brand)	Each	990	990	990	990	990	990	990	990	990	990	990	990	990	990
19.078	European type water closet without seat and cover (coloured)(ICL Brand)	Each	1390	1390	1390	1390	1390	1390	1390	1390	1390	1390	1390	1390	1390	1390
19.079	European type water closet without seat and cover (white)(ICL Brand)	Each	1235	1235	1235	1235	1235	1235	1235	1235	1235	1235	1235	1235	1235	1235
19.080	Double seat and cover Bekelite (ICL Brand)	Each	275	275	275	275	275	275	275	275	275	275	275	275	275	275
19.081	Double seat and cover Plastic (ICL Brand)	Each	190	190	190	190	190	190	190	190	190	190	190	190	190	190
19.082	White Glazed earthenware squater (Orisa pattern) WC combined with footrest.(ICL Brand)	Each	750	750	750	750	750	750	750	750	750	750	750	750	750	750
19.083	Coloured (Glazed earthenware squater (Orisa pattern) WC combined with footrest(ICL Brand)	Each	920	920	920	920	920	920	920	920	920	920	920	920	920	920
19.084	Terazzo concrete water closet squater type	Each	270	270	270	270	270	270	270	270	270	270	270	270	270	270
19.085	Glazed earthen ware W.C squater type (Orisa pattern) (ICL 4006 Brand)	Each	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260
19.086	Urinal Glazed earthenware flat back(ICL Brand)	Each	580	580	580	580	580	580	580	580	580	580	580	580	580	580
19.087	Pillar cock chromium plated heavy duty 2 cm (¾")	Each	560	560	560	560	560	560	560	560	560	560	560	560	560	560
19.088	Pillar cock chromium plated heavy duty 1.5 cm (½") (Master Brand Hifh neck)	Each	430	430	430	430	430	430	430	430	430	430	430	430	430	430
19.089	Stop cock under ground 15 mm (½") with C.P cover	Each	360	360	360	360	360	360	360	360	360	360	360	360	360	360
19.090	Stop cock chromium plated heavy duty 2 cm (¾") (Anwar Brand)	Each	210	210	210	210	210	210	210	210	210	210	210	210	210	210
19.091	Stop cock chromium plated heavy duty 1.5 cm (½")	Each	130	130	130	130	130	130	130	130	130	130	130	130	130	130
19.092	Swan neck cock single way chromium plated 1.5 cm (½")	Each	290	290	290	290	290	290	290	290	290	290	290	290	290	290
19.093	Swan neck cock double way chromium plated 1.5 cm (½")	Each	500	500	500	500	500	500	500	500	500	500	500	500	500	500
19.094	Swan neck cock three way chromium plated 1.5 cm (½")	Each	605	605	605	605	605	605	605	605	605	605	605	605	605	605
19.095	Gas cock chromium plated oxidised (¼") single way	Each	145	145	145	145	145	145	145	145	145	145	145	145	145	145
19.096	Gas cock chromium plated oxidised (¼") double way	Each	220	220	220	220	220	220	220	220	220	220	220	220	220	220
19.097	Gas cock chromium plated oxidised (¼") three way	Each	370	370	370	370	370	370	370	370	370	370	370	370	370	370
19.098	Looking glass 5 mm thick 55 x 40 cm (22" x 16")	Each	270	270	270	270	270	270	270	270	270	270	270	270	270	270
19.099	Hanger hook with pullout rod	Each	115	115	115	115	115	115	115	115	115	115	115	115	115	115
19.100	Gun metal peat/gate valve (screwed) 15 mm (½") dia (Anwar Brand)	Each	120	120	120	120	120	120	120	120	120	120	120	120	120	120
19.101	Gun metal peat/gate valve (screwed) 20 mm (¾") dia (Anwar Brand)	Each	170	170	170	170	170	170	170	170	170	170	170	170	170	170
19.102	Gun metal peat/gate valve (screwed) 25 mm (1") dia (Anwar Brand)	Each	230	230	230	230	230	230	230	230	230	230	230	230	230	230
19.103	Gun metal peat/gate valve (screwed) 30 mm (1¼") dia (Anwar Brand)	Each	335	335	335	335	335	335	335	335	335	335	335	335	335	335
19.104	Gun metal peat/gate valve (screwed) 40 mm (1½") dia (Anwar Brand)	Each	460	460	460	460	460	460	460	460	460	460	460	460	460	460
19.105	Gun metal peat/gate valve (screwed) 50 mm (2") dia (Anwar Brand)	Each	650	650	650	650	650	650	650	650	650	650	650	650	650	650
19.106	Gun metal peat/gate valve (screwed) 65 mm (2½") dia (Anwar Brand)	Each	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040
19.107	Gun metal peat/gate valve (screwed) 80 mm (3") dia (Anwar Brand)	Each	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550
19.108	Foot rest for squatter type W.C.	Each	100	100	100	100	100	100	100	100	100	100	100	100	100	100

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
19.109	Waste coupling with bracket and waste pipe	Each	220	220	220	220	220	220	220	220	220	220	220	220	220	220
19.110	Screw (75 mm) 3" long	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
19.111	C.I. High level flushing cistern 13.63 litre or 3 gallon capacity including accessories	Each	1735	1735	1735	1735	1735	1735	1735	1735	1735	1735	1735	1735	1735	1735
19.112	C.I. High level flushing cistern I/C all accessories (1 gallon capacity)	Each	1035	1035	1035	1035	1035	1035	1035	1035	1035	1035	1035	1035	1035	1035
19.113	Soap dish coloured (glazed earthen ware) (Master Brand)	Each	170	170	170	170	170	170	170	170	170	170	170	170	170	170
19.114	Plastic shelf with railing	Each	215	215	215	215	215	215	215	215	215	215	215	215	215	215
19.115	Bracket	Each	55	55	55	55	55	55	55	55	55	55	55	55	55	55
19.116	2 cm (¾") bib cock CP (Master Brand)	Each	270	270	270	270	270	270	270	270	270	270	270	270	270	270
19.117	1.5 cm (½") bib cockCP (Master Brand)	Each	255	255	255	255	255	255	255	255	255	255	255	255	255	255
19.118	Union brass cock ½" (1.5 cm)	Each	100	100	100	100	100	100	100	100	100	100	100	100	100	100
19.119	Union brass cock ¾" (2 cm)	Each	170	170	170	170	170	170	170	170	170	170	170	170	170	170
19.120	C.I floor trap including grating size 10 x 7.5 cm (4" x 3")	Each	220	220	220	220	220	220	220	220	220	220	220	220	220	220
19.121	Manhole cover 30 cm (12" dia)	Each	130	130	130	130	130	130	130	130	130	130	130	130	130	130
19.122	C.I. manhole cover with frame 45 cm (18" dia)	Each	690	690	690	690	690	690	690	690	690	690	690	690	690	690
19.123	C.I. manhole cover with frame 60 cm (24" dia)	Each	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170
19.124	C.P Bottle trap with waste pipe 3cm (1 ¼" dia)	Each	430	430	430	430	430	430	430	430	430	430	430	430	430	430
19.125	C.P Bottle trap with waste pipe 4cm (1 ½" dia)	Each	530	530	530	530	530	530	530	530	530	530	530	530	530	530
19.126	Nail with Cutter for angle iron brackets	Each	3	3	3	3	3	3	3	3	3	3	3	3	3	3
19.127	Copper connection with accessories ½" dia	Each	59	59	59	59	59	59	59	59	59	59	59	59	59	59
19.128	1.5 cm (½" dia) brass ball valve with accessories	Each	170	170	170	170	170	170	170	170	170	170	170	170	170	170
21.001	C.I. gully grating 12" x 12" with hinged safety type (81 lbs)	Each	535	535	535	535	535	535	535	535	535	535	535	535	535	535
21.002	Concrete gully trap 12" x 12"	Each	220	220	220	220	220	220	220	220	220	220	220	220	220	220
21.003	China ware trap with C.I screen	Each	225	225	225	225	225	225	225	225	225	225	225	225	225	225
21.004	Iron Bolt 12"	Each	25	25	25	25	25	25	25	25	25	25	25	25	25	25
21.005	C.I Ventilating Shaft tool 6" to 12" I/d 18' to 36' long	Kg	100	100	100	100	100	100	100	100	100	100	100	100	100	100
21.006	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 300 mm (12") i/d	Per Ft.	355	355	355	355	355	355	355	355	355	355	355	355	355	355
21.007	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 375 mm (15") i/d	Per Ft.	440	440	440	440	440	440	440	440	440	440	440	440	440	440
21.008	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 450 mm (18") i/d	Per Ft.	550	550	550	550	550	550	550	550	550	550	550	550	550	550
21.009	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 525 mm (21") i/d	Per Ft.	670	670	670	670	670	670	670	670	670	670	670	670	670	670
21.010	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 600 mm (24") i/d	Per Ft.	785	785	785	785	785	785	785	785	785	785	785	785	785	785
21.011	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 675 mm (27") i/d	Per Ft.	985	985	985	985	985	985	985	985	985	985	985	985	985	985
21.012	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 750 mm (30") i/d	Per Ft.	1186	1186	1186	1186	1186	1186	1186	1186	1186	1186	1186	1186	1186	1186
21.013	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 825 mm (33") i/d	Per Ft.	1363	1363	1363	1363	1363	1363	1363	1363	1363	1363	1363	1363	1363	1363
21.014	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 900 mm (36") i/d	Per Ft.	1758	1758	1758	1758	1758	1758	1758	1758	1758	1758	1758	1758	1758	1758
21.015	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 1070 mm (42") i/d	Per Ft.	2230	2230	2230	2230	2230	2230	2230	2230	2230	2230	2230	2230	2230	2230
21.016	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 1220 mm (48") i/d	Per Ft.	2558	2558	2558	2558	2558	2558	2558	2558	2558	2558	2558	2558	2558	2558
21.017	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 1370 mm (54") i/d	Per Ft.	3360	3360	3360	3360	3360	3360	3360	3360	3360	3360	3360	3360	3360	3360
21.018	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 1520 mm (60") i/d	Per Ft.	3880	3880	3880	3880	3880	3880	3880	3880	3880	3880	3880	3880	3880	3880
21.019	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 1680 mm (66") i/d	Per Ft.	4850	4850	4850	4850	4850	4850	4850	4850	4850	4850	4850	4850	4850	4850
21.020	RCC sewer pipes conforming to ASTM C-76-79 (class III wall B) 1830 mm (72") i/d	Per Ft.	6200	6200	6200	6200	6200	6200	6200	6200	6200	6200	6200	6200	6200	6200
21.021	RCC Pipes conforming (to BS 5911 part I, 1981 class 'L') 100 mm (4") i/d	Per Ft.	65	65	65	65	65	65	65	65	65	65	65	65	65	65
21.022	RCC Pipes conforming (to BS 5911 part I, 1981 class 'L') 150 mm (6") i/d	Per Ft.	106	106	106	106	106	106	106	106	106	106	106	106	106	106
21.023	RCC Pipes conforming (to BS 5911 part I, 1981 class 'L') 225 mm (9") i/d	Per Ft.	200	200	200	200	200	200	200	200	200	200	200	200	200	200
21.024	Non/reinforced concrete pipe 100 mm (4") dia conforming to ASTM C-14-73 Class I	Per Ft.	17	17	17	17	17	17	17	17	17	17	17	17	17	17
21.025	Non/reinforced concrete pipe 150 mm (6") dia conforming to ASTM C-14-73 Class I	Per Ft.	22	22	22	22	22	22	22	22	22	22	22	22	22	22
21.026	Non/reinforced concrete pipe 200 mm (8") dia conforming to ASTM C-14-73 Class I	Per Ft.	27	27	27	27	27	27	27	27	27	27	27	27	27	27
21.027	Non/reinforced concrete pipe 225 mm (9") dia conforming to ASTM C-14-73 Class I	Per Ft.	37	37	37	37	37	37	37	37	37	37	37	37	37	37
21.028	Non/reinforced concrete pipe 250 mm (10") dia conforming to ASTM C-14-73 Class I	Per Ft.	42	42	42	42	42	42	42	42	42	42	42	42	42	42
21.029	RCC Sewer pipe 300 mm (12") Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	235	235	235	235	235	235	235	235	235	235	235	235	235	235
21.030	RCC Sewer pipe 375 mm (15") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	295	295	295	295	295	295	295	295	295	295	295	295	295	295
21.031	RCC Sewer pipe 450 mm (18") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	370	370	370	370	370	370	370	370	370	370	370	370	370	370
21.032	RCC Sewer pipe 525 mm (21") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	459	459	459	459	459	459	459	459	459	459	459	459	459	459
21.033	RCC Sewer pipe 600 mm (24") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	590	590	590	590	590	590	590	590	590	590	590	590	590	590
21.034	RCC Sewer pipe 675 mm (27") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	682	682	682	682	682	682	682	682	682	682	682	682	682	682
21.035	RCC Sewer pipe 750 mm (30") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	853	853	853	853	853	853	853	853	853	853	853	853	853	853
21.036	RCC Sewer pipe 825 mm (33") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023
21.037	RCC Sewer pipe 900 mm (36") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	1421	1421	1421	1421	1421	1421	1421	1421	1421	1421	1421	1421	1421	1421
21.038	RCC Sewer pipe 1070 mm (42") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	1855	1855	1855	1855	1855	1855	1855	1855	1855	1855	1855	1855	1855	1855
21.039	RCC Sewer pipe 1220 mm (48") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	2355	2355	2355	2355	2355	2355	2355	2355	2355	2355	2355	2355	2355	2355
21.040	RCC Sewer pipe 1370 mm (54") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	2901	2901	2901	2901	2901	2901	2901	2901	2901	2901	2901	2901	2901	2901
21.041	RCC Sewer pipe 1520 mm (60") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	3229	3229	3229	3229	3229	3229	3229	3229	3229	3229	3229	3229	3229	3229
21.042	RCC Sewer pipe 1680 mm (66") dia Conforming to ASTM C-76-79 (ClassII wall 'B')	Per Ft.	3539	3539	3539	3539	3539	3539	3539	3539	3539	3539	3539	3539	3539	3539

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
23.035	G.I. pressure pipe 25 mm (1") dia BSS-1387 - 1967 (Light Quality) with socket joint (2.65mm thick)	Per Ft.	95	95	95	95	95	95	95	95	95	95	95	95	95	95
23.036	G.I. pressure pipe 30 mm (1 1/4") dia BSS-1387 - 1967 (Light Quality) with socket joint (2.65mm thick)	Per Ft.	124	124	124	124	124	124	124	124	124	124	124	124	124	124
23.037	G.I. pressure pipe 40 mm (1 1/2") dia BSS-1387 - 1967 (Light Quality) with socket joint (2.9mm thick)	Per Ft.	155	155	155	155	155	155	155	155	155	155	155	155	155	155
23.038	G.I. pressure pipe 50 mm (2") dia BSS-1387 - 1967 (Light Quality) with socket joint (2.9mm thick)	Per Ft.	195	195	195	195	195	195	195	195	195	195	195	195	195	195
23.039	G.I. pressure pipe 65 mm (2 1/2") dia BSS-1387 - 1967 (Light Quality) with socket joint (3.25mm thick)	Per Ft.	276	276	276	276	276	276	276	276	276	276	276	276	276	276
23.040	G.I. pressure pipe 80 mm (3") dia BSS-1387 - 1967 (Light Quality) with socket joint (3.25mm thick)	Per Ft.	321	321	321	321	321	321	321	321	321	321	321	321	321	321
23.041	G.I. pressure pipe 100 mm (4") dia BSS-1387 - 1967 (Light Quality) with socket joint (3.65mm thick)	Per Ft.	459	459	459	459	459	459	459	459	459	459	459	459	459	459
23.042	G.I. pressure pipe 15 mm (1/2") dia BSS-1387 - 1967 (Medium Quality) (2.65mm thick)	Per Ft.	57	57	57	57	57	57	57	57	57	57	57	57	57	57
23.043	G.I. pressure pipe 20 mm (3/4") dia BSS-1387 - 1967 (Medium Quality) (2.65mm thick)	Per Ft.	74	74	74	74	74	74	74	74	74	74	74	74	74	74
23.044	G.I. pressure pipe 25 mm (1") dia BSS-1387 - 1967 (Medium Quality) (3.25mm thick)	Per Ft.	112	112	112	112	112	112	112	112	112	112	112	112	112	112
23.045	G.I. pressure pipe 30 mm (1 1/4") dia BSS-1387 - 1967 (Medium Quality) (3.25mm thick)	Per Ft.	144	144	144	144	144	144	144	144	144	144	144	144	144	144
23.046	G.I. pressure pipe 40 mm (1 1/2") dia BSS-1387 - 1967 (Medium Quality) (3.25mm thick)	Per Ft.	167	167	167	167	167	167	167	167	167	167	167	167	167	167
23.047	G.I. pressure pipe 50 mm (2") dia BSS-1387 - 1967 (Medium Quality) (3.65mm thick)	Per Ft.	233	233	233	233	233	233	233	233	233	233	233	233	233	233
23.048	G.I. pressure pipe 65 mm (2 1/2") dia BSS-1387 - 1967 (Medium Quality) (3.65mm thick)	Per Ft.	300	300	300	300	300	300	300	300	300	300	300	300	300	300
23.049	G.I. pressure pipe 75 mm (3") dia BSS-1387 - 1967 (Medium Quality) (4.05mm thick)	Per Ft.	387	387	387	387	387	387	387	387	387	387	387	387	387	387
23.050	G.I. pressure pipe 100 mm (4") dia BSS-1387 - 1967 (Medium Quality) (4.5mm thick)	Per Ft.	557	557	557	557	557	557	557	557	557	557	557	557	557	557
23.051	G.I. pressure pipe 125 mm (5") dia BSS-1387 - 1967 (Medium Quality) (5 mm thick)	Per Ft.	754	754	754	754	754	754	754	754	754	754	754	754	754	754
23.052	G.I. pressure pipe 150 mm (6") dia BSS-1387 - 1967 (Medium Quality) (5 mm thick)	Per Ft.	890	890	890	890	890	890	890	890	890	890	890	890	890	890
23.053	G.I. pressure pipe 15 mm (1/2") dia BSS-1387 - 1967 (Heavy Quality) (3.25mm thick)	Per Ft.	80	80	80	80	80	80	80	80	80	80	80	80	80	80
23.054	G.I. pressure pipe 20 mm (3/4") dia BSS-1387 - 1967 (Heavy Quality) (3.25mm thick)	Per Ft.	104	104	104	104	104	104	104	104	104	104	104	104	104	104
23.055	G.I. pressure pipe 25 mm (1") dia BSS-1387 - 1967 (Heavy Quality) (4.05mm thick)	Per Ft.	161	161	161	161	161	161	161	161	161	161	161	161	161	161
23.056	G.I. pressure pipe 30 mm (1 1/4") dia BSS-1387 - 1967 (Heavy Quality) (4.05mm thick)	Per Ft.	210	210	210	210	210	210	210	210	210	210	210	210	210	210
23.057	G.I. pressure pipe 40 mm (1 1/2") dia BSS-1387 - 1967 (Heavy Quality) (4.05mm thick)	Per Ft.	239	239	239	239	239	239	239	239	239	239	239	239	239	239
23.058	G.I. pressure pipe 50 mm (2") dia BSS-1387 - 1967 (Heavy Quality) (4.5mm thick)	Per Ft.	337	337	337	337	337	337	337	337	337	337	337	337	337	337
23.059	G.I. pressure pipe 65 mm (2 1/2") dia BSS-1387 - 1967 (Heavy Quality) (4.5mm thick)	Per Ft.	404	404	404	404	404	404	404	404	404	404	404	404	404	404
23.060	G.I. pressure pipe 75 mm (3") dia BSS-1387 - 1967 (Heavy Quality) (4.85mm thick)	Per Ft.	536	536	536	536	536	536	536	536	536	536	536	536	536	536
23.061	G.I. pressure pipe 100 mm (4") dia BSS-1387 - 1967 (Heavy Quality) (5.4mm thick)	Per Ft.	785	785	785	785	785	785	785	785	785	785	785	785	785	785
23.062	G.I. pressure pipe 125 mm (5") dia BSS-1387 - 1967 (Heavy Quality) (5.4mm thick)	Per Ft.	946	946	946	946	946	946	946	946	946	946	946	946	946	946
23.063	G.I. pressure pipe 150 mm (6") dia BSS-1387 - 1967 (Heavy Quality) (5.4mm thick)	Per Ft.	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155
23.064	Jointing Material of Socket Joint for 1/2" dia G.I. Pipe for 100' long	Per % Rft.	4	4	4	4	4	4	4	4	4	4	4	4	4	4
23.065	Jointing Material of Socket Joint for 3/4" dia G.I. Pipe for 100' long	Per % Rft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
23.066	Jointing Material of Socket Joint for 1" dia G.I. Pipe for 100' long	Per % Rft.	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.067	Jointing Material of Socket Joint for 1 1/4" dia G.I. Pipe for 100' long	Per % Rft.	7	7	7	7	7	7	7	7	7	7	7	7	7	7
23.068	Jointing Material of Socket Joint for 1 1/2" dia G.I. Pipe for 100' long	Per % Rft.	8	8	8	8	8	8	8	8	8	8	8	8	8	8
23.069	Jointing Material of Socket Joint for 2" dia G.I. Pipe for 100' long	Per % Rft.	10	10	10	10	10	10	10	10	10	10	10	10	10	10
23.070	Jointing Material of Socket Joint for 2 1/2" dia G.I. Pipe for 100' long	Per % Rft.	12	12	12	12	12	12	12	12	12	12	12	12	12	12
23.071	Jointing Material of Socket Joint for 3" dia G.I. Pipe for 100' long	Per % Rft.	14	14	14	14	14	14	14	14	14	14	14	14	14	14
23.072	Jointing Material of Socket Joint for 4" dia G.I. Pipe for 100' long	Per % Rft.	18	18	18	18	18	18	18	18	18	18	18	18	18	18
23.073	Jointing Material of Socket Joint for 5" dia G.I. Pipe for 100' long	Per % Rft.	21	21	21	21	21	21	21	21	21	21	21	21	21	21
23.074	Jointing Material of Socket Joint for 6" dia G.I. Pipe for 100' long	Per % Rft.	23	23	23	23	23	23	23	23	23	23	23	23	23	23
23.075	Testing charges of G.I. Pipes for 1" dia	Per % Rft.	24	24	24	24	24	24	24	24	24	24	24	24	24	24
23.076	Testing charges of G.I. Pipes for 1 1/4" dia	Per % Rft.	24	24	24	24	24	24	24	24	24	24	24	24	24	24
23.077	Testing charges of G.I. Pipes for 1 1/2" dia	Per % Rft.	25	25	25	25	25	25	25	25	25	25	25	25	25	25
23.078	Testing charges of G.I. Pipes for 2" dia	Per % Rft.	31	31	31	31	31	31	31	31	31	31	31	31	31	31
23.079	Testing charges of G.I. Pipes for 2 1/2" dia	Per % Rft.	40	40	40	40	40	40	40	40	40	40	40	40	40	40
23.080	Testing charges of G.I. Pipes for 3" dia	Per % Rft.	45	45	45	45	45	45	45	45	45	45	45	45	45	45
23.081	Testing charges of G.I. Pipes for 4" dia	Per % Rft.	55	55	55	55	55	55	55	55	55	55	55	55	55	55
23.082	Testing charges of G.I. Pipes for 5" dia	Per % Rft.	65	65	65	65	65	65	65	65	65	65	65	65	65	65
23.083	Testing charges of G.I. Pipes for 6" dia	Per % Rft.	76	76	76	76	76	76	76	76	76	76	76	76	76	76
23.084	50 mm (2") dia 3 mm (1/8") thick M.S blind pipes	Per Ft.	171	171	171	171	171	171	171	171	171	171	171	171	171	171
23.085	80 mm (3") dia 3 mm (1/8") thick M.S blind pipes	Per Ft.	244	244	244	244	244	244	244	244	244	244	244	244	244	244
23.086	100 mm (4") dia 3 mm (1/8") thick M.S blind pipes	Per Ft.	326	326	326	326	326	326	326	326	326	326	326	326	326	326
23.087	125 mm (5") dia 5 mm (3/16") thick M.S blind pipes	Per Ft.	648	648	648	648	648	648	648	648	648	648	648	648	648	648
23.088	150 mm (6") dia 5 mm (3/16") thick M.S blind pipes	Per Ft.	802	802	802	802	802	802	802	802	802	802	802	802	802	802
23.089	175 mm (7") dia 5 mm (3/16") thick M.S blind pipe	Per Ft.	937	937	937	937	937	937	937	937	937	937	937	937	937	937
23.090	200 mm (8") dia 5 mm (3/16") thick M.S blind pipes	Per Ft.	1025	1025	1025	1025	1025	1025	1025	1025	1025	1025	1025	1025	1025	1025
23.091	225 mm (9") dia 5 mm (3/16") thick M.S blind pipes	Per Ft.	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126
23.092	250 mm (10") dia 6 mm (3/16") thick M.S blind pipe	Per Ft.	1477	1477	1477	1477	1477	1477	1477	1477	1477	1477	1477	1477	1477	1477
23.093	300 mm (12") dia 6 mm (3/16") thick M.S blind pipe	Per Ft.	1737	1737	1737	1737	1737	1737	1737	1737	1737	1737	1737	1737	1737	1737
23.094	375 mm (15") dia 6 mm (3/16") thick M.S blind pipes	Per Ft.	2172	2172	2172	2172	2172	2172	2172	2172	2172	2172	2172	2172	2172	2172
23.095	450 mm (18") dia 6 mm (3/16") thick M.S blind pipes	Per Ft.	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700
23.096	500 mm (20") dia 6 mm (3/16") thick M.S blind pipes	Per Ft.	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
23.097	550 mm (22") dia 6 mm (3/16") thick M.S blind pipes	Per Ft.	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
23.098	80-600 mm (3"-24") dia (C.I specials (with Commet joint and rubber ring) For A.C Pipes)	Per Kg	116	116	116	116	116	116	116	116	116	116	116	116	116	116
23.099	80-450 mm (3"- 18") dia C.I Specials of BSS Class B with Spigot and socket joint	Per Kg	116	116	116	116	116	116	116	116	116	116	116	116	116	116
23.100	80-450 mm (3"- 18") dia C.I Specials of BSS Class B With Flanged Joint	Per Kg	116	116	116	116	116	116	116	116	116	116	116	116	116	116
23.101	80-450 mm (3"- 18") dia C.I Specials of BSS Class B with Tyton Joint	Per Kg	116	116	116	116	116	116	116	116	116	116	116	116	116	116
23.102	75 mm (3") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464)	Each	4920	4920	4920	4920	4920	4920	4920	4920	4920	4920	4920	4920	4920	4920
23.103	100 mm (4") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464)	Each	5850	5850	5850	5850	5850	5850	5850	5850	5850	5850	5850	5850	5850	5850
23.104	125 mm (5") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464)	Each	6800	6800	6800	6800	6800	6800	6800	6800	6800	6800	6800	6800	6800	6800
23.105	150 mm (6") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464)	Each	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500
23.106	200 mm (8") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464)	Each	17400	17400	17400	17400	17400	17400	17400	17400	17400	17400	17400	17400	17400	17400
23.107	250 mm (10") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464)	Each	21800	21800	21800	21800	21800	21800	21800	21800	21800	21800	21800	21800	21800	21800
23.108	300 mm (12") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464)	Each	28650	28650	28650	28650	28650	28650	28650	28650	28650	28650	28650	28650	28650	28650
23.109	375 mm (14") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464)	Each	45000	45000	45000	45000	45000	45000	45000	45000	45000	45000	45000	45000	45000	45000
23.110	450 mm (18") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464)	Each	95000	95000	95000	95000	95000	95000	95000	95000	95000	95000	95000	95000	95000	95000
23.111	Single Air Valve 75 mm (3")	Each	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700
23.112	Double Air Valve 75 mm (3")	Each	6250	6250	6250	6250	6250	6250	6250	6250	6250	6250	6250	6250	6250	6250
23.113	Fire Hydrant BSS 65 mm (2½")	Each	3900	3900	3900	3900	3900	3900	3900	3900	3900	3900	3900	3900	3900	3900
23.114	80 mm (3") dia P.V.C tapperd core BSS Class 'B'	Each	35	35	35	35	35	35	35	35	35	35	35	35	35	35
23.115	100 mm (4") dia P.V.C tapperd core BSS Class 'B'	Each	45	45	45	45	45	45	45	45	45	45	45	45	45	45
23.116	125 mm (5") dia P.V.C tapperd core BSS Class 'B'	Each	57	57	57	57	57	57	57	57	57	57	57	57	57	57
23.117	150 mm (6") dia P.V.C tapperd core BSS Class 'B'	Each	68	68	68	68	68	68	68	68	68	68	68	68	68	68
23.118	200 mm (8") dia P.V.C tapperd core BSS Class 'B'	Each	113	113	113	113	113	113	113	113	113	113	113	113	113	113
23.119	250 mm (10") dia P.V.C tapperd core BSS Class 'B'	Each	145	145	145	145	145	145	145	145	145	145	145	145	145	145
23.120	300 mm (12") dia P.V.C tapperd core BSS Class 'B'	Each	178	178	178	178	178	178	178	178	178	178	178	178	178	178
23.121	350 mm (14") dia P.V.C tapperd core BSS Class 'B'	Each	223	223	223	223	223	223	223	223	223	223	223	223	223	223
23.122	15 mm (1¼") dia P.V.C tapperd core BSS Class 'D'	Each	17	17	17	17	17	17	17	17	17	17	17	17	17	17
23.123	40 mm (1½") dia P.V.C tapperd core BSS Class 'D'	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
23.124	50 mm (2") P.V.C tapperd core BSS Class 'D'	Each	29	29	29	29	29	29	29	29	29	29	29	29	29	29
23.125	75 mm (3") dia P.V.C Bends BSS class 'B'	Each	105	105	105	105	105	105	105	105	105	105	105	105	105	105
23.126	100 mm (4") dia P.V.C Bends BSS class 'B'	Each	225	225	225	225	225	225	225	225	225	225	225	225	225	225
23.127	100 mm (5") dia P.V.C Bends BSS class 'B'	Each	440	440	440	440	440	440	440	440	440	440	440	440	440	440
23.128	150 mm (6") dia P.V.C Bends BSS class 'B'	Each	641	641	641	641	641	641	641	641	641	641	641	641	641	641
23.129	30 mm (1¼") dia P.V.C Bends BSS class 'D'	Each	28	28	28	28	28	28	28	28	28	28	28	28	28	28
23.130	40 mm (1½") dia P.V.C Bends BSS class 'D'	Each	30	30	30	30	30	30	30	30	30	30	30	30	30	30
23.131	50 mm (2") dia P.V.C Bends BSS class 'D'	Each	60	60	60	60	60	60	60	60	60	60	60	60	60	60
23.132	80 mm (3") dia P.V.C Bends BSS class 'D'	Each	156	156	156	156	156	156	156	156	156	156	156	156	156	156
23.133	100 mm (4") dia P.V.C Bends BSS class 'D'	Each	363	363	363	363	363	363	363	363	363	363	363	363	363	363
23.134	125 mm (5") dia P.V.C Bends BSS class 'D'	Each	830	830	830	830	830	830	830	830	830	830	830	830	830	830
23.135	150 mm (6") dia P.V.C Bends BSS class 'D'	Each	1180	1180	1180	1180	1180	1180	1180	1180	1180	1180	1180	1180	1180	1180
23.136	80 mm (3") dia P.V.C Tee BSS Class 'B'	Each	400	400	400	400	400	400	400	400	400	400	400	400	400	400
23.137	100 mm (4") dia P.V.C Tee BSS Class 'B'	Each	780	780	780	780	780	780	780	780	780	780	780	780	780	780
23.138	125 mm (5") dia P.V.C Tee BSS Class 'B'	Each	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560
23.139	150 mm (6") dia P.V.C Tee BSS Class 'B'	Each	1630	1630	1630	1630	1630	1630	1630	1630	1630	1630	1630	1630	1630	1630
23.140	200 mm (8") dia P.V.C Tee BSS Class 'B'	Each	1645	1645	1645	1645	1645	1645	1645	1645	1645	1645	1645	1645	1645	1645
23.141	250 mm (10") dia P.V.C Tee BSS Class 'B'	Each	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670
23.142	300 mm (12") dia P.V.C Tee BSS Class 'B'	Each	1730	1730	1730	1730	1730	1730	1730	1730	1730	1730	1730	1730	1730	1730
23.143	350 mm (14") dia P.V.C Tee BSS Class 'B'	Each	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790	1790
23.144	30 mm (1¼") dia P.V.C Tee BSS Class 'D'	Each	110	110	110	110	110	110	110	110	110	110	110	110	110	110
23.145	40 mm (1½") dia P.V.C Tee BSS Class 'D'	Each	133	133	133	133	133	133	133	133	133	133	133	133	133	133
23.146	50 mm (2") dia P.V.C Tee BSS Class 'D'	Each	175	175	175	175	175	175	175	175	175	175	175	175	175	175
23.147	80 mm (3") dia P.V.C Tee BSS Class 'D'	Each	385	385	385	385	385	385	385	385	385	385	385	385	385	385
23.148	100 mm (4") dia P.V.C Tee BSS Class 'D'	Each	780	780	780	780	780	780	780	780	780	780	780	780	780	780
23.149	125 mm (5") dia P.V.C Tee BSS Class 'D'	Each	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550	1550
23.150	150 mm (6") dia P.V.C Tee BSS Class 'D'	Each	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600
23.151	80 mm (3") dia P.V.C sockets BSS Class 'B'	Each	70	70	70	70	70	70	70	70	70	70	70	70	70	70
23.152	100 mm (4") dia P.V.C sockets BSS Class 'B'	Each	125	125	125	125	125	125	125	125	125	125	125	125	125	125
23.153	125 mm (5") dia P.V.C sockets BSS Class 'B'	Each	175	175	175	175	175	175	175	175	175	175	175	175	175	175
23.154	150 mm (6") dia P.V.C sockets BSS Class 'B'	Each	240	240	240	240	240	240	240	240	240	240	240	240	240	240
23.155	200 mm (8") dia P.V.C sockets BSS Class 'B'	Each	540	540	540	540	540	540	540	540	540	540	540	540	540	540
23.156	250 mm (10") dia P.V.C sockets BSS Class 'B'	Each	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450
23.157	300 mm (12") dia P.V.C sockets BSS Class 'B'	Each	3400	3400	3400	3400	3400	3400	3400	3400	3400	3400	3400	3400	3400	3400
23.158	350 mm (14") dia P.V.C sockets BSS Class 'B'	Each	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700
23.159	30 mm (1¼") dia P.V.C sockets BSS Class 'D'	Each	19	19	19	19	19	19	19	19	19	19	19	19	19	19
23.160	40 mm (1½") dia P.V.C sockets BSS Class 'D'	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Khanuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
23.161	50 mm (2") dia P.V.C sockets BSS Class 'D'	Each	42	42	42	42	42	42	42	42	42	42	42	42	42	42
23.162	80 mm (3") dia P.V.C sockets BSS Class 'D'	Each	129	129	129	129	129	129	129	129	129	129	129	129	129	129
23.163	100 mm (4") dia P.V.C sockets BSS Class 'D'	Each	238	238	238	238	238	238	238	238	238	238	238	238	238	238
23.164	125 mm (5") dia P.V.C sockets BSS Class 'D'	Each	440	440	440	440	440	440	440	440	440	440	440	440	440	440
23.165	150 mm (6") dia P.V.C sockets BSS Class 'D'	Each	770	770	770	770	770	770	770	770	770	770	770	770	770	770
23.166	Bleaching powder / chlorine	Per Kg	30	30	30	30	30	30	30	30	30	30	30	30	30	30
23.167	50 mm (2") dia 4 mm (5/32") Brass strainer including special studs & sockets	Per Ft.	784	784	784	784	784	784	784	784	784	784	784	784	784	784
23.168	75 mm (3") dia 4 mm (5/32") Brass strainer including special studs & sockets	Per Ft.	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184
23.169	100 mm (4") dia 5 mm (3/16") Brass strainer including special studs & sockets	Per Ft.	1424	1424	1424	1424	1424	1424	1424	1424	1424	1424	1424	1424	1424	1424
23.170	125 mm (5") dia 5 mm (3/16") Brass strainer including special studs & sockets	Per Ft.	1824	1824	1824	1824	1824	1824	1824	1824	1824	1824	1824	1824	1824	1824
23.171	150 mm (6") dia 5 mm (3/16") Brass strainer including special studs & sockets	Per Ft.	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050	2050
23.172	175 mm (7") dia 5 mm (3/16") Brass strainer including special studs & sockets	Per Ft.	2475	2475	2475	2475	2475	2475	2475	2475	2475	2475	2475	2475	2475	2475
23.173	200 mm (8") dia 5 mm (3/16") Brass strainer including special studs & sockets	Per Ft.	2920	2920	2920	2920	2920	2920	2920	2920	2920	2920	2920	2920	2920	2920
23.174	225 mm (9") dia 5 mm (3/16") Brass strainer including special studs & sockets	Per Ft.	3040	3040	3040	3040	3040	3040	3040	3040	3040	3040	3040	3040	3040	3040
23.175	250 mm (10") dia 5 mm (3/16") Brass strainer including special studs & sockets	Per Ft.	3350	3350	3350	3350	3350	3350	3350	3350	3350	3350	3350	3350	3350	3350
23.176	250 mm (10") dia 6 mm (1/4") Brass strainer including special studs & sockets	Per Ft.	4291	4291	4291	4291	4291	4291	4291	4291	4291	4291	4291	4291	4291	4291
23.177	300 mm (12") dia 6 mm (1/4") Brass strainer including special studs & sockets	Per Ft.	4895	4895	4895	4895	4895	4895	4895	4895	4895	4895	4895	4895	4895	4895
23.178	375 mm (15") dia 6 mm (1/4") Brass strainer including special studs & sockets	Per Ft.	6038	6038	6038	6038	6038	6038	6038	6038	6038	6038	6038	6038	6038	6038
23.179	450 mm (18") dia 6 mm (1/4") Brass strainer including special studs & sockets	Per Ft.	6875	6875	6875	6875	6875	6875	6875	6875	6875	6875	6875	6875	6875	6875
23.180	500 mm (20") dia 6 mm (1/4") Brass strainer including special studs & sockets	Per Ft.	7586	7586	7586	7586	7586	7586	7586	7586	7586	7586	7586	7586	7586	7586
23.181	550 mm (22") dia 6 mm (1/4") Brass strainer including special studs & sockets	Per Ft.	8728	8728	8728	8728	8728	8728	8728	8728	8728	8728	8728	8728	8728	8728
23.182	75 mm (3") dia P.V.C strainer Class 'B'	Per Ft.	84	84	84	84	84	84	84	84	84	84	84	84	84	84
23.183	100 mm (4") dia P.V.C strainer Class 'B'	Per Ft.	129	129	129	129	129	129	129	129	129	129	129	129	129	129
23.184	125 mm (5") dia 60 cm P.V.C strainer Class 'B'	Per Ft.	180	180	180	180	180	180	180	180	180	180	180	180	180	180
23.185	150 mm (6") dia 60 cm P.V.C strainer Class 'B'	Per Ft.	240	240	240	240	240	240	240	240	240	240	240	240	240	240
23.186	175 mm (7") dia 60 cm P.V.C strainer Class 'B'	Per Ft.	380	380	380	380	380	380	380	380	380	380	380	380	380	380
23.187	200 mm (8") dia 60 cm P.V.C strainer Class 'B'	Per Ft.	600	600	600	600	600	600	600	600	600	600	600	600	600	600
23.188	250 mm (10") dia 60 cm P.V.C strainer Class 'B'	Per Ft.	910	910	910	910	910	910	910	910	910	910	910	910	910	910
23.189	300 mm (12") dia 60 cm P.V.C strainer Class 'B'	Per Ft.	1230	1230	1230	1230	1230	1230	1230	1230	1230	1230	1230	1230	1230	1230
23.190	PVC Stainer Class D 1 1/4" dia (30mm)	Per Ft.	33	33	33	33	33	33	33	33	33	33	33	33	33	33
23.191	PVC Stainer Class D 1 1/2" dia (40 mm)	Per Ft.	38	38	38	38	38	38	38	38	38	38	38	38	38	38
23.192	PVC Stainer Class D 2" dia (50 mm)	Per Ft.	64	64	64	64	64	64	64	64	64	64	64	64	64	64
23.193	PVC Stainer Class D 3" dia (75 mm)	Per Ft.	138	138	138	138	138	138	138	138	138	138	138	138	138	138
23.194	PVC Stainer Class D 4" dia (100 mm)	Per Ft.	224	224	224	224	224	224	224	224	224	224	224	224	224	224
23.195	PVC Stainer Class D 5" dia (125 mm)	Per Ft.	335	335	335	335	335	335	335	335	335	335	335	335	335	335
23.196	PVC Stainer Class D 6" dia (150 mm)	Per Ft.	475	475	475	475	475	475	475	475	475	475	475	475	475	475
23.197	50 mm (2") i/d, Bail Plug-mild steel	Per Ft.	140	140	140	140	140	140	140	140	140	140	140	140	140	140
23.198	75 mm (3") i/d Bail Plug-mild steel	Per Ft.	210	210	210	210	210	210	210	210	210	210	210	210	210	210
23.199	100 mm (4") i/d Bail Plug-mild steel	Per Ft.	379	379	379	379	379	379	379	379	379	379	379	379	379	379
23.200	125 mm (5") i/d Bail Plug-mild steel	Per Ft.	500	500	500	500	500	500	500	500	500	500	500	500	500	500
23.201	150 mm (6") i/d Bail Plug-mild steel	Per Ft.	590	590	590	590	590	590	590	590	590	590	590	590	590	590
23.202	175 mm (7") i/d Bail Plug-mild steel	Per Ft.	710	710	710	710	710	710	710	710	710	710	710	710	710	710
23.203	200 mm (8") i/d Bail Plug-mild steel	Per Ft.	770	770	770	770	770	770	770	770	770	770	770	770	770	770
23.204	225 mm (9") i/d Bail Plug-mild steel	Per Ft.	870	870	870	870	870	870	870	870	870	870	870	870	870	870
23.205	250 mm (10") i/d Bail Plug-mild steel	Per Ft.	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
23.206	300 mm (12") i/d Bail Plug-mild steel	Per Ft.	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450	1450
23.207	375 mm (15") i/d Bail Plug-mild steel	Per Ft.	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810	1810
23.208	450 mm (18") i/d Bail Plug-mild steel	Per Ft.	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000
23.209	500 mm (20") i/d Bail Plug-mild steel	Per Ft.	2210	2210	2210	2210	2210	2210	2210	2210	2210	2210	2210	2210	2210	2210
23.210	550 mm (22") i/d Bail Plug-mild steel	Per Ft.	2440	2440	2440	2440	2440	2440	2440	2440	2440	2440	2440	2440	2440	2440
23.211	75 mm (3") dia PVC BSS Class 'B' Bail Plug	Each	44	44	44	44	44	44	44	44	44	44	44	44	44	44
23.212	100 mm (4") dia PVC BSS Class 'B' Bail Plug	Each	60	60	60	60	60	60	60	60	60	60	60	60	60	60
23.213	125 mm (5") dia PVC BSS Class 'B' Bail Plug	Each	93	93	93	93	93	93	93	93	93	93	93	93	93	93
23.214	150 mm (6") dia PVC BSS Class 'B' Bail Plug	Each	137	137	137	137	137	137	137	137	137	137	137	137	137	137
23.215	200 mm (8") dia PVC BSS Class 'B' Bail Plug	Each	278	278	278	278	278	278	278	278	278	278	278	278	278	278
23.216	250 mm (10") dia PVC BSS Class 'B' Bail Plug	Each	390	390	390	390	390	390	390	390	390	390	390	390	390	390
23.217	300 mm (12") dia PVC BSS Class 'B' Bail Plug	Each	530	530	530	530	530	530	530	530	530	530	530	530	530	530
23.218	350 mm (14") dia PVC BSS Class 'B' Bail Plug	Each	550	550	550	550	550	550	550	550	550	550	550	550	550	550
23.219	30 mm (1 1/4") dia P.V.C. Class 'D' Bail Plug	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
23.220	40 mm (1 1/2") dia P.V.C. Class 'D' Bail Plug	Each	34	34	34	34	34	34	34	34	34	34	34	34	34	34
23.221	50 mm (2") dia P.V.C. Class 'D' Bail Plug	Each	50	50	50	50	50	50	50	50	50	50	50	50	50	50
23.222	80 mm (3") dia P.V.C. Class 'D' Bail Plug	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67
23.223	100 mm (4") dia P.V.C. Class 'D' Bail Plug	Each	89	89	89	89	89	89	89	89	89	89	89	89	89	89

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Districts													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirpur, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
23.224	125 mm (5") dia P.V.C. Class 'D' Bail Plug	Each	128	128	128	128	128	128	128	128	128	128	128	128	128	128
23.225	150 mm (6") dia P.V.C. Class 'D' Bail Plug	Each	167	167	167	167	167	167	167	167	167	167	167	167	167	167
23.226	G.I. pipe with flanged joint 1½" dia 40mm (Heavy Quality)	Per Ft.	239	239	239	239	239	239	239	239	239	239	239	239	239	239
23.227	G.I. pipe with G.I. flanged joint 2" dia 50 mm (Heavy Quality)	Per Ft.	337	337	337	337	337	337	337	337	337	337	337	337	337	337
23.228	G.I. pipe with G.I. flanged joint 2½" dia 65 mm (Heavy Quality)	Per Ft.	404	404	404	404	404	404	404	404	404	404	404	404	404	404
23.229	G.I. pipe with G.I. flanged joint 3" dia 75 mm (Heavy Quality)	Per Ft.	536	536	536	536	536	536	536	536	536	536	536	536	536	536
23.230	G.I. pipe with G.I. flanged joint 4" dia 100 mm (Heavy Quality)	Per Ft.	785	785	785	785	785	785	785	785	785	785	785	785	785	785
23.231	G.I. pipe with G.I. flanged joint 5" dia 125 mm (Heavy Quality)	Per Ft.	946	946	946	946	946	946	946	946	946	946	946	946	946	946
23.232	G.I. pipe with G.I. flanged joint 6" dia 150 mm (Heavy Quality)	Per Ft.	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155
23.233	G.I. pipe with C.I. flanged joint 1½" dia 40mm (Medium Quality)	Per Ft.	167	167	167	167	167	167	167	167	167	167	167	167	167	167
23.234	G.I. pipe with C.I. flanged joint 2" dia 50 mm (Medium Quality)	Per Ft.	233	233	233	233	233	233	233	233	233	233	233	233	233	233
23.235	G.I. pipe with C.I. flanged joint 2½" dia 65 mm (Medium Quality)	Per Ft.	300	300	300	300	300	300	300	300	300	300	300	300	300	300
23.236	G.I. pipe with C.I. flanged joint 3" dia 75 mm (Medium Quality)	Per Ft.	387	387	387	387	387	387	387	387	387	387	387	387	387	387
23.237	G.I. pipe with C.I. flanged joint 4" dia 100 mm (Medium Quality)	Per Ft.	557	557	557	557	557	557	557	557	557	557	557	557	557	557
23.238	G.I. pipe with C.I. flanged joint 5" dia 125 mm (Medium Quality)	Per Ft.	754	754	754	754	754	754	754	754	754	754	754	754	754	754
23.239	G.I. pipe with C.I. flanged joint 6" dia 150 mm (Medium Quality)	Per Ft.	890	890	890	890	890	890	890	890	890	890	890	890	890	890
23.240	75 mm(3") Sluice Valve for A.C. Pipe Line with commet joint & rubber ring (BS 3464)	Each	4200	4200	4200	4200	4200	4200	4200	4200	4200	4200	4200	4200	4200	4200
23.241	100 mm(4") Sluice Valve for A.C. Pipe Line with commet joint & rubber ring (BS 3464)	Each	4800	4800	4800	4800	4800	4800	4800	4800	4800	4800	4800	4800	4800	4800
23.242	150 mm(6") Sluice Valve for A.C. Pipe Line with commet joint & rubber ring (BS 3464)	Each	8300	8300	8300	8300	8300	8300	8300	8300	8300	8300	8300	8300	8300	8300
23.243	200 mm(8") Sluice Valve for A.C. Pipe Line with commet joint & rubber ring (BS 3464)	Each	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000
23.244	250 mm(10") Sluice Valve for A.C. Pipe Line with commet joint & rubber ring (BS 3464)	Each	18900	18900	18900	18900	18900	18900	18900	18900	18900	18900	18900	18900	18900	18900
23.245	300 mm(12") Sluice Valve for A.C. Pipe Line with commet joint & rubber ring (BS 3464)	Each	23500	23500	23500	23500	23500	23500	23500	23500	23500	23500	23500	23500	23500	23500
23.246	400 mm(16") Sluice Valve for A.C. Pipe Line with commet joint & rubber ring (BS 3464)	Each	46000	46000	46000	46000	46000	46000	46000	46000	46000	46000	46000	46000	46000	46000
23.247	450 mm(18") Sluice Valve for A.C. Pipe Line with commet joint & rubber ring (BS 3464)	Each	83000	83000	83000	83000	83000	83000	83000	83000	83000	83000	83000	83000	83000	83000
23.248	Lock for wooden box for pressuring samples off strata from bore hole (BS 3464)	Each	44	44	44	44	44	44	44	44	44	44	44	44	44	44
23.249	Cost of Lubricant for PVC Pipe	Per Kg.	220	220	220	220	220	220	220	220	220	220	220	220	220	220
23.250	Steel Handle 4" (100mm)	Each	13	13	13	13	13	13	13	13	13	13	13	13	13	13
23.251	75 mm (3") PVC / uPVC Blind/Pressure Pipe Class "B" (6 bar) PS-3051=BS-3505	Per Ft.	91	91	91	91	91	91	91	91	91	91	91	91	91	91
23.252	100 mm (4") PVC / uPVC Blind/Pressure Pipe Class "B" (6 bar) PS-3051=BS-3505	Per Ft.	137	137	137	137	137	137	137	137	137	137	137	137	137	137
23.253	125 mm (5") PVC / uPVC Blind/Pressure Pipe Class "B" (6 bar) PS-3051=BS-3505	Per Ft.	192	192	192	192	192	192	192	192	192	192	192	192	192	192
23.254	150 mm (6") PVC / uPVC Blind/Pressure Pipe Class "B" (6 bar) PS-3051=BS-3505	Per Ft.	269	269	269	269	269	269	269	269	269	269	269	269	269	269
23.255	200 mm (8") PVC / uPVC Blind/Pressure Pipe Class "B" (6 bar) PS-3051=BS-3505	Per Ft.	406	406	406	406	406	406	406	406	406	406	406	406	406	406
23.256	250 mm (10") PVC / uPVC Blind/Pressure Pipe Class "B" (6 bar) PS-3051=BS-3505	Per Ft.	686	686	686	686	686	686	686	686	686	686	686	686	686	686
23.257	300 mm (12") PVC / uPVC Blind/Pressure Pipe Class "B" (6 bar) PS-3051=BS-3505	Per Ft.	963	963	963	963	963	963	963	963	963	963	963	963	963	963
23.258	350 mm (14") PVC / uPVC Blind/Pressure Pipe Class "B" (6 bar) PS-3051=BS-3505	Per Ft.	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216
23.259	30 mm (1-1/4") PVC / uPVC Blind/Pressure Pipe Class "D" (12 bar)	Per Ft.	33	33	33	33	33	33	33	33	33	33	33	33	33	33
23.260	40 mm (1-1/2") PVC / uPVC Blind/Pressure Pipe Class "D" (12 bar)	Per Ft.	42	42	42	42	42	42	42	42	42	42	42	42	42	42
23.261	50 mm (2") PVC / uPVC Blind/Pressure Pipe Class "D" (12 bar)	Per Ft.	65	65	65	65	65	65	65	65	65	65	65	65	65	65
23.262	75 mm (3") PVC / uPVC Blind/Pressure Pipe Class "D" (12 bar)	Per Ft.	141	141	141	141	141	141	141	141	141	141	141	141	141	141
23.263	100 mm (4") PVC / uPVC Blind/Pressure Pipe Class "D" (12 bar)	Per Ft.	236	236	236	236	236	236	236	236	236	236	236	236	236	236
23.264	125 mm (5") PVC / uPVC Blind/Pressure Pipe Class "D" (12 bar)	Per Ft.	349	349	349	349	349	349	349	349	349	349	349	349	349	349
23.265	150 mm (6") PVC / uPVC Blind/Pressure Pipe Class "D" (12 bar)	Per Ft.	511	511	511	511	511	511	511	511	511	511	511	511	511	511
23.266	Loading expenses for pipes	P. Day	44	44	44	44	44	44	44	44	44	44	44	44	44	44
23.267	(Petty store) bolts & nuts etc. for 5" dia bore	Per Ft.	1	1	1	1	1	1	1	1	1	1	1	1	1	1
23.268	(Petty store) bolts & nuts etc. for 6" dia bore	Per Ft.	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.269	(Petty store) bolts & nuts etc. for 8" dia bore	Per Ft.	4	4	4	4	4	4	4	4	4	4	4	4	4	4
23.270	(Petty store) bolts & nuts etc. for 10" dia bore	Per Ft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
23.271	(Petty store) bolts & nuts etc. for 12" dia bore	Per Ft.	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.272	(Petty store) bolts & nuts etc. for 15" dia bore	Per Ft.	7	7	7	7	7	7	7	7	7	7	7	7	7	7
23.273	(Petty store) bolts & nuts etc. for 18" dia bore	Per Ft.	7	7	7	7	7	7	7	7	7	7	7	7	7	7
23.274	Hire charges of boring material, installation & Carriage (3" dia bore) upto 100 Ft. depth	Per Ft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
23.275	Hire charges of boring material, installation & Carriage (4" dia bore) upto 100 Ft. depth	Per Ft.	9	9	9	9	9	9	9	9	9	9	9	9	9	9
23.276	Hire charges of boring material, installation & Carriage (5" dia bore) upto 100 Ft. depth	Per Ft.	13	13	13	13	13	13	13	13	13	13	13	13	13	13
23.277	Hire charges of boring material, installation & Carriage (6" dia bore) upto 100 Ft. depth	Per Ft.	20	20	20	20	20	20	20	20	20	20	20	20	20	20
23.278	Hire charges of boring material, installation & Carriage (8" dia bore) upto 100 Ft. depth	Per Ft.	24	24	24	24	24	24	24	24	24	24	24	24	24	24
23.279	Hire charges of boring material, installation & Carriage (10" dia bore) upto 100 Ft. depth	Per Ft.	29	29	29	29	29	29	29	29	29	29	29	29	29	29
23.280	Hire charges of boring material, installation & Carriage (12" dia bore) upto 100 Ft. depth	Per Ft.	36	36	36	36	36	36	36	36	36	36	36	36	36	36
23.281	Hire charges of boring material, installation & Carriage (15" dia bore) upto 100 Ft. depth	Per Ft.	48	48	48	48	48	48	48	48	48	48	48	48	48	48
23.282	Hire charges of boring material, installation & Carriage (18" dia bore) upto 100 Ft. depth	Per Ft.	55	55	55	55	55	55	55	55	55	55	55	55	55	55
23.283	Hire charges of boring material, installation & Carriage for (5" dia bore) from 100.10 to 200 Ft. depth	Per Ft.	22	22	22	22	22	22	22	22	22	22	22	22	22	22
23.284	Hire charges of boring material, installation & Carriage for (6" dia bore) from 100.10 to 200 Ft. depth	Per Ft.	31	31	31	31	31	31	31	31	31	31	31	31	31	31
23.285	Hire charges of boring material, installation & Carriage for (8" dia bore) from 100.10 to 200 Ft. depth	Per Ft.	33	33	33	33	33	33	33	33	33	33	33	33	33	33
23.286	Hire charges of boring material, installation & Carriage for (10" dia bore) from 100.10 to 200 Ft. depth	Per Ft.	35	35	35	35	35	35	35	35	35	35	35	35	35	35

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
23.287	Hire charges of boring material, installation & Carriage for (12" dia bore) from 100.10 to 200 Ft. depth	Per Ft.	44	44	44	44	44	44	44	44	44	44	44	44	44	44
23.288	Hire charges of boring material, installation & Carriage for (15" dia bore) from 100.10 to 200 Ft. depth	Per Ft.	57	57	57	57	57	57	57	57	57	57	57	57	57	57
23.289	Hire charges of boring material, installation & Carriage for (18" dia bore) from 100.10 to 200 Ft. depth	Per Ft.	63	63	63	63	63	63	63	63	63	63	63	63	63	63
23.290	Hire charges of boring material, installation & Carriage for (5" dia bore) from 200.10 to 300 Ft. depth	Per Ft.	31	31	31	31	31	31	31	31	31	31	31	31	31	31
23.291	Hire charges of boring material, installation & Carriage for (6" dia bore) from 200.10 to 300 Ft. depth	Per Ft.	39	39	39	39	39	39	39	39	39	39	39	39	39	39
23.292	Hire charges of boring material, installation & Carriage for (8" dia bore) from 200.10 to 300 Ft. depth	Per Ft.	41	41	41	41	41	41	41	41	41	41	41	41	41	41
23.293	Hire charges of boring material, installation & Carriage for (10" dia bore) from 200.10 to 300 Ft. depth	Per Ft.	43	43	43	43	43	43	43	43	43	43	43	43	43	43
23.294	Hire charges of boring material, installation & Carriage for (12" dia bore) from 200.10 to 300 Ft. depth	Per Ft.	53	53	53	53	53	53	53	53	53	53	53	53	53	53
23.295	Hire charges of boring material, installation & Carriage for (15" dia bore) from 200.10 to 300 Ft. depth	Per Ft.	61	61	61	61	61	61	61	61	61	61	61	61	61	61
23.296	Hire charges of boring material, installation & Carriage for (18" dia bore) from 200.10 to 300 Ft. depth	Per Ft.	69	69	69	69	69	69	69	69	69	69	69	69	69	69
23.297	Hire charges of boring material, installation & Carriage for (8" dia bore) from 300.10 to 400 Ft. depth	Per Ft.	50	50	50	50	50	50	50	50	50	50	50	50	50	50
23.298	Hire charges of boring material, installation & Carriage for (10" dia bore) from 300.10 to 400 Ft. depth	Per Ft.	53	53	53	53	53	53	53	53	53	53	53	53	53	53
23.299	Hire charges of boring material, installation & Carriage for (12" dia bore) from 300.10 to 400 Ft. depth	Per Ft.	65	65	65	65	65	65	65	65	65	65	65	65	65	65
23.300	Hire charges of boring material, installation & Carriage for (15" dia bore) from 300.10 to 400 Ft. depth	Per Ft.	76	76	76	76	76	76	76	76	76	76	76	76	76	76
23.301	Hire charges of boring material, installation & Carriage for (18" dia bore) from 300.10 to 400 Ft. depth	Per Ft.	81	81	81	81	81	81	81	81	81	81	81	81	81	81
23.302	Repair charges of T&P for 5" dia bore hole	Per Ft.	1	1	1	1	1	1	1	1	1	1	1	1	1	1
23.303	Repair charges of T&P for 6" dia bore hole	Per Ft.	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.304	Repair charges of T&P for 8" dia bore hole	Per Ft.	7	7	7	7	7	7	7	7	7	7	7	7	7	7
23.305	Repair charges of T&P for 10" dia bore hole	Per Ft.	8	8	8	8	8	8	8	8	8	8	8	8	8	8
23.306	Repair charges of T&P for 12" dia bore hole	Per Ft.	9	9	9	9	9	9	9	9	9	9	9	9	9	9
23.307	Repair charges of T&P for 15" dia bore hole	Per Ft.	10	10	10	10	10	10	10	10	10	10	10	10	10	10
23.308	Repair charges of T&P for 18" dia bore hole	Per Ft.	11	11	11	11	11	11	11	11	11	11	11	11	11	11
23.309	Solvent for PVC Strainer 3" dia (Class B)	Per Ft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.310	Solvent for PVC Strainer 4" - 5" dia (Class B)	Per Ft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.311	Solvent for PVC Strainer 6" dia (Class B)	Per Ft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.312	Solvent for PVC Strainer 8" - 10" dia (Class B)	Per Ft.	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.313	Solvent for PVC Strainer 12" - 14" dia (Class B)	Per Ft.	4	4	4	4	4	4	4	4	4	4	4	4	4	4
23.314	Solvent for PVC Strainer 1½" dia (Class D)	Per Ft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.315	Solvent for PVC Strainer 1½" dia (Class D)	Per Ft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.316	Solvent for PVC Strainer 2" dia (Class D)	Per Ft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.317	Solvent for PVC Strainer 3" dia (Class D)	Per Ft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.318	Solvent for PVC Strainer 4" dia (Class D)	Per Ft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.319	Solvent for PVC Strainer 5" dia (Class D)	Per Ft.	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.320	Solvent for PVC Strainer 6" dia (Class D)	Per Ft.	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.321	Solvent for PVC Bail Plug 3" dia (Class B)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.322	Solvent for PVC Bail Plug 4" dia (Class B)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.323	Solvent for PVC Bail Plug 5" dia (Class B)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.324	Solvent for PVC Bail Plug 6" dia (Class B)	Each	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.325	Solvent for PVC Bail Plug 8" dia (Class B)	Each	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.326	Solvent for PVC Bail Plug 10" dia (Class B)	Each	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.327	Solvent for PVC Bail Plug 12" dia (Class B)	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
23.328	Solvent for PVC Bail Plug 14" dia (Class B)	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
23.329	Solvent for PVC Bail Plug 1½" dia (Class D)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.330	Solvent for PVC Bail Plug 1½" dia (Class D)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.331	Solvent for PVC Bail Plug 2" dia (Class D)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.332	Solvent for PVC Bail Plug 3" dia (Class D)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.333	Solvent for PVC Bail Plug 4" dia (Class D)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.334	Solvent for PVC Bail Plug 5" dia (Class D)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
23.335	Solvent for PVC Bail Plug 6" dia (Class D)	Each	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.336	Testing and Disinfecting of PVC Pipe 3" dia	100 Ft.	24	24	24	24	24	24	24	24	24	24	24	24	24	24
23.337	Testing and Disinfecting of PVC Pipe 4" dia	100 Ft.	26	26	26	26	26	26	26	26	26	26	26	26	26	26
23.338	Testing and Disinfecting of PVC Pipe 5" dia	100 Ft.	27	27	27	27	27	27	27	27	27	27	27	27	27	27
23.339	Testing and Disinfecting of PVC Pipe 6" dia	100 Ft.	38	38	38	38	38	38	38	38	38	38	38	38	38	38
23.340	Testing and Disinfecting of PVC Pipe 8" dia	100 Ft.	44	44	44	44	44	44	44	44	44	44	44	44	44	44
23.341	Testing and Disinfecting of PVC Pipe 10" dia	100 Ft.	55	55	55	55	55	55	55	55	55	55	55	55	55	55
23.342	Testing and Disinfecting of PVC Pipe 12" dia	100 Ft.	66	66	66	66	66	66	66	66	66	66	66	66	66	66
23.343	Testing and Disinfecting of PVC Pipe 14" dia	100 Ft.	76	76	76	76	76	76	76	76	76	76	76	76	76	76
23.344	Testing and Disinfecting of G.I Pipe 40mm (1½") dia	100 Ft.	27	27	27	27	27	27	27	27	27	27	27	27	27	27
23.345	Testing and Disinfecting of G.I Pipe 50mm (2") dia	100 Ft.	27	27	27	27	27	27	27	27	27	27	27	27	27	27
23.346	Testing and Disinfecting of G.I Pipe 63mm (2½") dia	100 Ft.	28	28	28	28	28	28	28	28	28	28	28	28	28	28
23.347	Testing and Disinfecting of G.I Pipe 75mm (3") dia	100 Ft.	28	28	28	28	28	28	28	28	28	28	28	28	28	28
23.348	Testing and Disinfecting of G.I Pipe 100mm (4") dia	100 Ft.	30	30	30	30	30	30	30	30	30	30	30	30	30	30
23.349	Testing and Disinfecting of G.I Pipe 125mm (6") dia	100 Ft.	31	31	31	31	31	31	31	31	31	31	31	31	31	31

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
23.350	Testing and Disinfecting of G.I Pipe 150mm (7") dia	100 Ft.	34	34	34	34	34	34	34	34	34	34	34	34	34	34
23.351	Disc for bail plugs	P. Kg.	37	37	37	37	37	37	37	37	37	37	37	37	37	37
23.352	Testing and Disinfecting of G.I Pipe	P. Lbs	22	22	22	22	22	22	22	22	22	22	22	22	22	22
23.353	Bottle 2 lbs capacity	Each	22	22	22	22	22	22	22	22	22	22	22	22	22	22
23.354	75 mm to 450 mm dia CI flanges for pipes	P. Kg.	75	75	75	75	75	75	75	75	75	75	75	75	75	75
23.355	Cost of C.I. Flanges for Pipe	100 cwt	3914	3914	3914	3914	3914	3914	3914	3914	3914	3914	3914	3914	3914	3914
23.356	Welding Charges of spigot or socket, flanged or tyton ends	Per Inch Bore	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.357	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 2" dia	Per Ft.	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.358	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 3" dia	Per Ft.	3	3	3	3	3	3	3	3	3	3	3	3	3	3
23.359	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 4" dia	Per Ft.	4	4	4	4	4	4	4	4	4	4	4	4	4	4
23.360	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 5" dia	Per Ft.	4	4	4	4	4	4	4	4	4	4	4	4	4	4
23.361	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 6" dia	Per Ft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
23.362	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 7" dia	Per Ft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
23.363	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 8" dia	Per Ft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
23.364	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 9" dia	Per Ft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
23.365	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 10" dia	Per Ft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
23.366	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 10" dia	Per Ft.	5	5	5	5	5	5	5	5	5	5	5	5	5	5
23.367	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 12" dia	Per Ft.	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.368	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 15" dia	Per Ft.	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.369	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 18" dia	Per Ft.	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.370	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 20" dia	Per Ft.	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.371	Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 22" dia	Per Ft.	7	7	7	7	7	7	7	7	7	7	7	7	7	7
23.372	M.S. Bolt & Nut 6" to 22" dia bore hole bail plug	Each	13	13	13	13	13	13	13	13	13	13	13	13	13	13
23.373	M.S. Bolt & Nut 2" to 5" dia bore hole bail plug	Each	8	8	8	8	8	8	8	8	8	8	8	8	8	8
23.374	Threading Clamp 2" to 6"	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
23.375	Threading Clamp 7" to 22"	Each	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.376	Water for testing and disinfecting of pipes	%0 Gallon	12	12	12	12	12	12	12	12	12	12	12	12	12	12
23.377	Lead	Per Kg.	52	52	52	52	52	52	52	52	52	52	52	52	52	52
23.378	Yarn	Per Kg.	12	12	12	12	12	12	12	12	12	12	12	12	12	12
23.379	Disinfecting agent for C.I. Pipe	P. Kg.	35	35	35	35	35	35	35	35	35	35	35	35	35	35
23.380	Bolt and nuts (3" to 4") for flanged joint	Each	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.381	Bolt and nuts (5" to 12") for flanged joint	Each	12	12	12	12	12	12	12	12	12	12	12	12	12	12
23.382	Bolt and nuts (15" to 18") for flanged joint	Each	18	18	18	18	18	18	18	18	18	18	18	18	18	18
23.383	Cost of ring for cast iron pipe(3") with tyton joints	Each	50	50	50	50	50	50	50	50	50	50	50	50	50	50
23.384	Cost of ring for cast iron pipe(4") with tyton joints	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67
23.385	Cost of ring for cast iron pipe(5") with tyton joints	Each	80	80	80	80	80	80	80	80	80	80	80	80	80	80
23.386	Cost of ring for cast iron pipe(6") with tyton joints	Each	94	94	94	94	94	94	94	94	94	94	94	94	94	94
23.387	Cost of ring for cast iron pipe(8") with tyton joints	Each	129	129	129	129	129	129	129	129	129	129	129	129	129	129
23.388	Cost of ring for cast iron pipe(10") with tyton joints	Each	155	155	155	155	155	155	155	155	155	155	155	155	155	155
23.389	Cost of ring for cast iron pipe(12") with tyton joints	Each	187	187	187	187	187	187	187	187	187	187	187	187	187	187
23.390	Cost of ring for cast iron pipe(15") with tyton joints	Each	361	361	361	361	361	361	361	361	361	361	361	361	361	361
23.391	Cost of ring for cast iron pipe(18") with tyton joints	Each	433	433	433	433	433	433	433	433	433	433	433	433	433	433
23.392	Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (3") dia pipe	2 joints	242	242	242	242	242	242	242	242	242	242	242	242	242	242
23.393	Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (4") dia pipe	2 joints	319	319	319	319	319	319	319	319	319	319	319	319	319	319
23.394	Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (6") dia pipe	2 joints	427	427	427	427	427	427	427	427	427	427	427	427	427	427
23.395	Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (8") dia pipe	2 joints	742	742	742	742	742	742	742	742	742	742	742	742	742	742
23.396	Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (10") dia pipe	2 joints	953	953	953	953	953	953	953	953	953	953	953	953	953	953
23.397	Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (12") dia pipe	2 joints	1071	1071	1071	1071	1071	1071	1071	1071	1071	1071	1071	1071	1071	1071
23.398	Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (16") dia pipe	2 joints	1288	1288	1288	1288	1288	1288	1288	1288	1288	1288	1288	1288	1288	1288
23.399	Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (18") dia pipe	2 joints	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597
23.400	Material for jointing of fire hydrant	Each	40	40	40	40	40	40	40	40	40	40	40	40	40	40
23.401	Material for jointing of air valve	Each	88	88	88	88	88	88	88	88	88	88	88	88	88	88
23.402	Cost of Bolt and nuts for G.I. Flanged Joints 1½" to 2"	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
23.403	Cost of Bolt and nuts for G.I. Flanged Joints 2½" to 7"	Each	6	6	6	6	6	6	6	6	6	6	6	6	6	6
23.404	Rubber Insertion for G.I. flanged joints	Per Lbs	26	26	26	26	26	26	26	26	26	26	26	26	26	26
23.405	Solvent for PVC bends	Per Kg.	824	824	824	824	824	824	824	824	824	824	824	824	824	824
23.406	Lubricant	Per Kg.	206	206	206	206	206	206	206	206	206	206	206	206	206	206
23.407	Material for C-I specials with spigot and socket joint for 3" dia pipe	2 joints	155	155	155	155	155	155	155	155	155	155	155	155	155	155
23.408	Material for C-I specials with spigot and socket joint for 4" dia pipe	2 joints	206	206	206	206	206	206	206	206	206	206	206	206	206	206
23.409	Material for C-I specials with spigot and socket joint for 5" dia pipe	2 joints	242	242	242	242	242	242	242	242	242	242	242	242	242	242
23.410	Material for C-I specials with spigot and socket joint for 6" dia pipe	2 joints	294	294	294	294	294	294	294	294	294	294	294	294	294	294
23.411	Material for C-I specials with spigot and socket joint for 8" dia pipe	2 joints	397	397	397	397	397	397	397	397	397	397	397	397	397	397
23.412	Material for C-I specials with spigot and socket joint for 10" dia pipe	2 joints	433	433	433	433	433	433	433	433	433	433	433	433	433	433

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
23.413	Material for C-I specials with spigot and socket joint for 12" dia pipe	2 joints	448	448	448	448	448	448	448	448	448	448	448	448	448	448
23.414	Material for C-I specials with spigot and socket joint for 15" dia pipe	2 joints	464	464	464	464	464	464	464	464	464	464	464	464	464	464
23.415	Material for C-I specials with spigot and socket joint for 18" dia pipe	2 joints	484	484	484	484	484	484	484	484	484	484	484	484	484	484
23.416	Material for CI flanged speical with flanged and flanged joints 3" dia pipe	2 joints	74	74	74	74	74	74	74	74	74	74	74	74	74	74
23.417	Material for CI flanged speical with flanged and flanged joints 4" dia pipe	2 joints	80	80	80	80	80	80	80	80	80	80	80	80	80	80
23.418	Material for CI flanged speical with flanged and flanged joints 5" dia pipe	2 joints	165	165	165	165	165	165	165	165	165	165	165	165	165	165
23.419	Material for CI flanged speical with flanged and flanged joints 6" dia pipe	2 joints	170	170	170	170	170	170	170	170	170	170	170	170	170	170
23.420	Material for CI flanged speical with flanged and flanged joints 8" dia pipe	2 joints	196	196	196	196	196	196	196	196	196	196	196	196	196	196
23.421	Material for CI flanged speical with flanged and flanged joints 10" dia pipe	2 joints	309	309	309	309	309	309	309	309	309	309	309	309	309	309
23.422	Material for CI flanged speical with flanged and flanged joints 12" dia pipe	2 joints	340	340	340	340	340	340	340	340	340	340	340	340	340	340
23.423	Material for CI flanged speical with flanged and flanged joints 15" dia pipe	2 joints	438	438	438	438	438	438	438	438	438	438	438	438	438	438
23.424	Material for CI flanged speical with flanged and flanged joints 18" dia pipe	2 joints	458	458	458	458	458	458	458	458	458	458	458	458	458	458
23.425	Casting material (supply of specials l/c moulding, painting carriage to site of work) CI specials with spigot an socket joint	Per Cwt	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172
23.426	Casting material (supply of specials l/c moulding, painting carriage to site of work) CI flanged speical with flanged and flanged joints	Per Cwt	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172
23.427	Casting material (supply of specials l/c moulding, painting carriage to site of work) CI specials with tyton joints / with comet joint and rubber ring complete	Per Cwt	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172
23.428	Material for AC pipe line with comet joint and rubber ring complete 3"	2 joints	216	216	216	216	216	216	216	216	216	216	216	216	216	216
23.429	Material for AC pipe line with comet joint and rubber ring complete 4"	2 joints	330	330	330	330	330	330	330	330	330	330	330	330	330	330
23.430	Material for AC pipe line with comet joint and rubber ring complete 6"	2 joints	381	381	381	381	381	381	381	381	381	381	381	381	381	381
23.431	Material for AC pipe line with comet joint and rubber ring complete 8"	2 joints	546	546	546	546	546	546	546	546	546	546	546	546	546	546
23.432	Material for AC pipe line with comet joint and rubber ring complete 10"	2 joints	762	762	762	762	762	762	762	762	762	762	762	762	762	762
23.433	Material for AC pipe line with comet joint and rubber ring complete 12"	2 joints	876	876	876	876	876	876	876	876	876	876	876	876	876	876
23.434	Material for AC pipe line with comet joint and rubber ring complete 16"	2 joints	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308
23.435	Material for AC pipe line with comet joint and rubber ring complete 18"	2 joints	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648
23.436	Material for AC pipe line with comet joint and rubber ring complete 20"	2 joints	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998
23.437	Material for AC pipe line with comet joint and rubber ring complete 24"	2 joints	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627
24.001	17.5 x 10 x cm (7" x 4") (Sal Wood Boards (4.5 cm) 1½" thick	Each	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24.002	22.5 x 10 x cm (9" x 4") (Sal Wood Boards (4.5 cm) 1½" thick	Each	39	39	39	39	39	39	39	39	39	39	39	39	39	39
24.003	22.0 x 25 x cm (8" x 10") (Sal Wood Boards (4.5 cm) 1½" thick	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
24.004	25.0 x 30 x cm (10" x 12") (Sal Wood Boards (4.5 cm) 1½" thick	Each	65	65	65	65	65	65	65	65	65	65	65	65	65	65
24.005	30.0 x 37 x cm (12" x 14") (Sal Wood Boards (4.5 cm) 1½" thick	Each	76	76	76	76	76	76	76	76	76	76	76	76	76	76
24.006	17.5 x 10 x cm (7" x 4") (Teak Wood Boards (4.5 cm) 1.75" thick	Each	43	43	43	43	43	43	43	43	43	43	43	43	43	43
24.007	22.5 x 10 x cm (9" x 4") (Teak Wood Boards (4.5 cm) 1.75" thick	Each	54	54	54	54	54	54	54	54	54	54	54	54	54	54
24.008	20.0 x 25 x cm (8" x 10") (Teak Wood Boards (4.5 cm) 1.75" thick	Each	65	65	65	65	65	65	65	65	65	65	65	65	65	65
24.009	25.0 x 30 x cm (10" x 12") (Teak Wood Boards (4.5 cm) 1.75" thick	Each	87	87	87	87	87	87	87	87	87	87	87	87	87	87
24.010	30.0 x 37 x cm (12" x 14") (Teak Wood Boards (4.5 cm) 1.75" thick	Each	129	129	129	129	129	129	129	129	129	129	129	129	129	129
24.011	2 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	144	144	144	144	144	144	144	144	144	144	144	144	144	144
24.012	3 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	144	144	144	144	144	144	144	144	144	144	144	144	144	144
24.013	4 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	206	206	206	206	206	206	206	206	206	206	206	206	206	206
24.014	5 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	258	258	258	258	258	258	258	258	258	258	258	258	258	258
24.015	6 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	294	294	294	294	294	294	294	294	294	294	294	294	294	294
24.016	7 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	340	340	340	340	340	340	340	340	340	340	340	340	340	340
24.017	8 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	381	381	381	381	381	381	381	381	381	381	381	381	381	381
24.018	9 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	427	427	427	427	427	427	427	427	427	427	427	427	427	427
24.019	10 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	494	494	494	494	494	494	494	494	494	494	494	494	494	494
24.020	11 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	546	546	546	546	546	546	546	546	546	546	546	546	546	546
24.021	12 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	592	592	592	592	592	592	592	592	592	592	592	592	592	592
24.022	2 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	144	144	144	144	144	144	144	144	144	144	144	144	144	144
24.023	3 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	149	149	149	149	149	149	149	149	149	149	149	149	149	149

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Narawal	Mandi Bahaudin	Faisalabad	Chiniot	Jhung	Toba Tek Singh	Sargodha	Teh: Noshehra, Soan vally Khushab	Khushab	Mianwali	Bhakkar	Multan	Muzafargarh	Layyah	Dera Ghazi Khan	Fort Manro	Rejanpur	Sahiwal	Pakpattan	Vehari	Khanewal	Bahawalpur	Lodhran	Bahawal Nagar	Rahimyar Khan	Item
448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	448	23.413
464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	464	23.414
484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	484	23.415
74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	23.416
80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	23.417
165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	23.418
170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	23.419
196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196	23.420
309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	309	23.421
340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	23.422
438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	23.423
458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	458	23.424
4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	23.425
4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	23.426
4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	4172	23.427
216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216	23.428
330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	23.429
381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	23.430
546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	23.431
762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	23.432
876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	876	23.433
1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	1308	23.434
1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	23.435
1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	1998	23.436
2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	2627	23.437
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24.001
39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	24.002
52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	24.003
65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	24.004
76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	24.005
43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	24.006
54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	24.007
65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	24.008
87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	24.009
129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	24.010
144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	24.011
144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	24.012
206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206	24.013
258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	24.014
294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	24.015
340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	24.016
381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	381	24.017
427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	427	24.018
494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	494	24.019
546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	546	24.020
592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	24.021
144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	24.022
149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149	24.023

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
24.024	4 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	201	201	201	201	201	201	201	201	201	201	201	201	201	201
24.025	5 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	258	258	258	258	258	258	258	258	258	258	258	258	258	258
24.026	6 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	294	294	294	294	294	294	294	294	294	294	294	294	294	294
24.027	7 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	350	350	350	350	350	350	350	350	350	350	350	350	350	350
24.028	8 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	397	397	397	397	397	397	397	397	397	397	397	397	397	397
24.029	9 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	438	438	438	438	438	438	438	438	438	438	438	438	438	438
24.030	10 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts.	Each	510	510	510	510	510	510	510	510	510	510	510	510	510	510
24.031	PVC insulated single core copper conductor cable 3/0.029" 250/440 Volts (1.5 mm ²)	Per Metre	17	17	17	17	17	17	17	17	17	17	17	17	17	17
24.032	PVC insulated single core copper conductor cable 3/0.036" 250/440 Volts (1.5 mm ²)	Per Metre	18	18	18	18	18	18	18	18	18	18	18	18	18	18
24.033	PVC insulated single core copper conductor cable 7/0.029" 250/440 Volts (2.5 mm ²)	Per Metre	28	28	28	28	28	28	28	28	28	28	28	28	28	28
24.034	PVC insulated single core copper conductor cable 7/0.036" 250/440 Volts (4 mm ²)	Per Metre	45	45	45	45	45	45	45	45	45	45	45	45	45	45
24.035	PVC insulated single core copper conductor cable 7/0.044" 250/440 Volts (6 mm ²)	Per Metre	68	68	68	68	68	68	68	68	68	68	68	68	68	68
24.036	PVC insulated single core copper conductor cable 7/0.064" 250/440 Volts (16 mm ²)	Per Metre	179	179	179	179	179	179	179	179	179	179	179	179	179	179
24.037	PVC insulated single core copper conductor cable 19/0.052" 250/440 Volts (25 mm ²)	Per Metre	283	283	283	283	283	283	283	283	283	283	283	283	283	283
24.038	PVC insulated single core copper conductor cable 19/0.064" 250/440 Volts (35 mm ²)	Per Metre	394	394	394	394	394	394	394	394	394	394	394	394	394	394
24.039	PVC insulated cotton braided and compounded copper conductor cable 3/0.029" 250/440 Volts	Per Metre	17	17	17	17	17	17	17	17	17	17	17	17	17	17
24.040	PVC insulated cotton braided and compounded copper conductor cable 3/0.036" 250/440 Volts	Per Metre	18	18	18	18	18	18	18	18	18	18	18	18	18	18
24.041	PVC insulated cotton braided and compounded copper conductor cable 7/0.029" 250/440 Volts	Per Metre	28	28	28	28	28	28	28	28	28	28	28	28	28	28
24.042	PVC insulated cotton braided and compounded copper conductor cable 7/0.036" 250/440 Volts	Per Metre	45	45	45	45	45	45	45	45	45	45	45	45	45	45
24.043	PVC insulated cotton braided and compounded copper conductor cable 7/0.044" 250/440 Volts	Per Metre	68	68	68	68	68	68	68	68	68	68	68	68	68	68
24.044	PVC insulated cotton braided and compounded copper conductor cable 7/0.064" 250/440 Volts	Per Metre	179	179	179	179	179	179	179	179	179	179	179	179	179	179
24.045	PVC insulated PVC sheathed single core copper conductor cable 3/0.029" 250/440 Volts	Per Metre	16	16	16	16	16	16	16	16	16	16	16	16	16	16
24.046	PVC insulated PVC sheathed single core copper conductor cable 3/0.036" 250/440 Volts	Per Metre	24	24	24	24	24	24	24	24	24	24	24	24	24	24
24.047	PVC insulated PVC sheathed single core copper conductor cable 7/0.029" 250/440 Volts	Per Metre	35	35	35	35	35	35	35	35	35	35	35	35	35	35
24.048	PVC insulated PVC sheathed single core copper conductor cable 7/0.036" 250/440 Volts	Per Metre	53	53	53	53	53	53	53	53	53	53	53	53	53	53
24.049	PVC insulated PVC sheathed single core copper conductor cable 7/0.044" 250/440 Volts	Per Metre	78	78	78	78	78	78	78	78	78	78	78	78	78	78
24.050	PVC insulated PVC sheathed single core copper conductor cable 7/0.064" 250/440 Volts	Per Metre	162	162	162	162	162	162	162	162	162	162	162	162	162	162
24.051	PVC insulated PVC sheathed single core copper conductor cable 7/0.064" 660/1100 volts grade	Per Metre	187	187	187	187	187	187	187	187	187	187	187	187	187	187
24.052	PVC insulated PVC sheathed single core copper conductor cable 19/0.052" 660/1100 volts grade	Per Metre	324	324	324	324	324	324	324	324	324	324	324	324	324	324
24.053	PVC insulated PVC sheathed single core copper conductor cable 19/0.064" 660/1100 volts grade	Per Metre	442	442	442	442	442	442	442	442	442	442	442	442	442	442
24.054	PVC insulated PVC sheathed single core, copper conductor cable 19/0.083" 660/1100 volts grade	Per Metre	857	857	857	857	857	857	857	857	857	857	857	857	857	857
24.055	PVC insulated PVC sheathed single core, copper conductor cable 37/0.072" 660/1100 volts grade	Per Metre	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184
24.056	PVC insulated PVC sheathed single core, copper conductor cable 37/0.083" 660/1100 volts grade	Per Metre	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488
24.057	PVC insulated PVC sheathed single core, copper conductor cable 37/0.103" 660/1100 volts grade	Per Metre	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287
24.058	PVC insulated, PVC sheathed twin core copper conductor cable 3/0.029" 250/440 volts	Per Metre	35	35	35	35	35	35	35	35	35	35	35	35	35	35
24.059	PVC insulated, PVC sheathed twin core copper conductor cable 3/0.036" 250/440 volts	Per Metre	53	53	53	53	53	53	53	53	53	53	53	53	53	53
24.060	PVC insulated, PVC sheathed twin core copper conductor cable 7/0.029" 250/440 volts	Per Metre	76	76	76	76	76	76	76	76	76	76	76	76	76	76
24.061	PVC insulated, PVC sheathed twin core copper conductor cable 7/0.036" 250/440 volts	Per Metre	115	115	115	115	115	115	115	115	115	115	115	115	115	115
24.062	PVC insulated, PVC sheathed twin core copper conductor cable 7/0.044" 250/440 volts	Per Metre	166	166	166	166	166	166	166	166	166	166	166	166	166	166
24.063	PVC insulated, PVC sheathed twin core copper conductor cable 7/0.064" 250/440 volts	Per Metre	343	343	343	343	343	343	343	343	343	343	343	343	343	343
24.064	PVC insulated, PVC sheathed three core cable 3/0.029" 660/1100 volts	Per Metre	57	57	57	57	57	57	57	57	57	57	57	57	57	57
24.065	PVC insulated, PVC sheathed three core cable 3/0.036" 660/1100 volts	Per Metre	85	85	85	85	85	85	85	85	85	85	85	85	85	85
24.066	PVC insulated, PVC sheathed three core cable 7/0.029" (2.55mm ²) 660/1100 volts	Per Metre	119	119	119	119	119	119	119	119	119	119	119	119	119	119
24.067	PVC insulated, PVC sheathed three core cable 7/0.036"(4mm ²) 660/1100 volts	Per Metre	179	179	179	179	179	179	179	179	179	179	179	179	179	179
24.068	PVC insulated, PVC sheathed three core cable 7/0.044" 660/1100 volts	Per Metre	260	260	260	260	260	260	260	260	260	260	260	260	260	260
24.069	PVC insulated, PVC sheathed three core cable 7/0.064" 660/1100 volts	Per Metre	537	537	537	537	537	537	537	537	537	537	537	537	537	537
24.070	PVC sheathed 4 core non armoured cable 3/0.029" 660/1100 volts	Per Metre	75	75	75	75	75	75	75	75	75	75	75	75	75	75
24.071	PVC sheathed 4 core non armoured cable 3/0.036" 660/1100 volts	Per Metre	109	109	109	109	109	109	109	109	109	109	109	109	109	109
24.072	PVC sheathed 4 core non armoured cable 7/0.029" 660/1100 volts	Per Metre	154	154	154	154	154	154	154	154	154	154	154	154	154	154
24.073	PVC sheathed 4 core non armoured cable 7/0.036" 660/1100 volts	Per Metre	234	234	234	234	234	234	234	234	234	234	234	234	234	234
24.074	PVC sheathed 4 core non armoured cable 7/0.044"(6mm ²) 660/1100 volts	Per Metre	341	341	341	341	341	341	341	341	341	341	341	341	341	341
24.075	PVC sheathed 4 core non armoured cable 7/0.064"(16mm ²) 660/1100 volts	Per Metre	704	704	704	704	704	704	704	704	704	704	704	704	704	704
24.076	PVC sheathed 4 core non armoured cable 19/0.052" 660/1100 volts	Per Metre	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321
24.077	PVC sheathed armoured with G.I. WIRE 16 SWG cable 19/0.052" 660/1100 volts 4 core	Per Metre	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Narawal	Mandi Bahaudin	Faisalabad	Chiniot	Jhung	Toba Tek Singh	Sargodha	Teh: Noshehra, Soan vally Khushab	Khushab	Mianwali	Bhakkar	Multan	Muzafargarh	Layyah	Dera Ghazi Khan	Fort Manro	Rejanpur	Sahiwal	Pakpattan	Vehari	Khanewal	Bahawalpur	Lodhran	Bahawal Nagar	Rahimyar Khan	Item
201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201	24.024
258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	24.025
294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	294	24.026
350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	24.027
397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	397	24.028
438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	438	24.029
510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510	24.030
17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	24.031
18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	24.032
28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	24.033
45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	24.034
68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	24.035
179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	24.036
283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	283	24.037
394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	394	24.038
17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	24.039
18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	24.040
28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	24.041
45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	24.042
68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	24.043
179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	24.044
16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	24.045
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24.046
35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	24.047
53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	24.048
78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	24.049
162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162	24.050
187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187	24.051
324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	324	24.052
442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	442	24.053
857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	857	24.054
1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	1184	24.055
1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	1488	24.056
2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	24.057
35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	24.058
53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	24.059
76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	24.060
115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	24.061
166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	166	24.062
343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	343	24.063
57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	24.064
85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	24.065
119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	24.066
179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	179	24.067
260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	260	24.068
537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	24.069
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	24.070
109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	24.071
154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	24.072
234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	234	24.073
341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	341	24.074
704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	704	24.075
1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	24.076
1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	1475	24.077

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
24.078	PVC sheathed armoured with G.I. WIRE 16 SWG cable 19/0.064" 660/1100 volts 4 core(35mmsq)	Per Metre	1977	1977	1977	1977	1977	1977	1977	1977	1977	1977	1977	1977	1977	1977
24.079	PVC sheathed armoured with G.I. WIRE 16 SWG cable 19/0.072" 660/1100 volts 4 core(50mmsq)	Per Metre	2684	2684	2684	2684	2684	2684	2684	2684	2684	2684	2684	2684	2684	2684
24.080	PVC sheathed armoured with G.I. WIRE 16 SWG cable 19/0.083" 660/1100 volts 4 core(70mmsq)	Per Metre	3764	3764	3764	3764	3764	3764	3764	3764	3764	3764	3764	3764	3764	3764
24.081	PVC sheathed armoured with G.I. WIRE 16 SWG cable 37/0.072" 660/1100 volts 4 core(95mmsq)	Per Metre	5136	5136	5136	5136	5136	5136	5136	5136	5136	5136	5136	5136	5136	5136
24.082	PVC sheathed armoured with G.I. WIRE 16 SWG cable 37/0.083" 660/1100 volts 4 core(120mmsq)	Per Metre	6494	6494	6494	6494	6494	6494	6494	6494	6494	6494	6494	6494	6494	6494
24.083	PVC sheathed armoured with G.I. WIRE 16 SWG cable 37/0.093" 660/1100 volts 4 core(150mmsq)	Per Metre	7916	7916	7916	7916	7916	7916	7916	7916	7916	7916	7916	7916	7916	7916
24.084	PVC sheathed armoured with G.I. WIRE 16 SWG cable 37/0.103" 660/1100 volts 4 core(185mmsq)	Per Metre	9852	9852	9852	9852	9852	9852	9852	9852	9852	9852	9852	9852	9852	9852
24.085	Aluminium stranded hard drawn bare conductor 7/3.099 mm (7/0.122")	Per Metre	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.086	Flexible wire 7/3.099 mm (7/0.122") {PVC insulated PVC sheathed armoured with G.I wire 16 SWG for service connecton 3½ core.}	Per Metre	7	7	7	7	7	7	7	7	7	7	7	7	7	7
24.087	Flexible twin wire 23/0076" (23/0.195mm)	Per Metre	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.088	PVC wire (3/0.029")	Per Metre	16	16	16	16	16	16	16	16	16	16	16	16	16	16
24.089	Capacitor 2.2 UF for ceiling fan	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.090	M.S Clamp ½" dia (16mm)	Each	3	3	3	3	3	3	3	3	3	3	3	3	3	3
24.091	M.S Clamp ¾" dia (20mm)	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
24.092	M.S Clamp 1" dia (25mm)	Each	5	5	5	5	5	5	5	5	5	5	5	5	5	5
24.093	M.S Clamp 1¼" dia (32mm)	Each	6	6	6	6	6	6	6	6	6	6	6	6	6	6
24.094	M.S Clamp 1½" dia (40mm)	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
24.095	M.S Clamp 2" dia (50mm)	Each	8	8	8	8	8	8	8	8	8	8	8	8	8	8
24.096	M.S Clamp 4" dia (100mm)	Each	14	14	14	14	14	14	14	14	14	14	14	14	14	14
24.097	Clamps for electric wiring 15 mm (½")	Each	3	3	3	3	3	3	3	3	3	3	3	3	3	3
24.098	Clamps for electric wiring 20 mm (¾")	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
24.099	Clamps for electric wiring 25 mm (1")	Each	5	5	5	5	5	5	5	5	5	5	5	5	5	5
24.100	Clamps for electric wiring 32 mm (1¼")	Each	6	6	6	6	6	6	6	6	6	6	6	6	6	6
24.101	Clamps for electric wiring 40 mm (1½")	Each	8	8	8	8	8	8	8	8	8	8	8	8	8	8
24.102	Clamps for electric wiring 50 mm (2")	Each	9	9	9	9	9	9	9	9	9	9	9	9	9	9
24.103	Clamps for electric wiring 63 mm (2½")	Each	13	13	13	13	13	13	13	13	13	13	13	13	13	13
24.104	Clamps for electric wiring 80 mm (3")	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.105	Clamps for electric wiring 100 mm (4")	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.106	PVC Inspection Boxes 15 mm (½")	Per Doz.	93	93	93	93	93	93	93	93	93	93	93	93	93	93
24.107	PVC Inspection Boxes 20 mm (¾")	Per Doz.	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.108	PVC Inspection Boxes 25 mm (1")	Per Doz.	113	113	113	113	113	113	113	113	113	113	113	113	113	113
24.109	PVC Inspection Boxes 30 mm (1¼")	Per Doz.	170	170	170	170	170	170	170	170	170	170	170	170	170	170
24.110	PVC Inspection Boxes 40 mm (1½")	Per Doz.	232	232	232	232	232	232	232	232	232	232	232	232	232	232
24.111	PVC Inspection Boxes 50 mm (2")	Per Doz.	278	278	278	278	278	278	278	278	278	278	278	278	278	278
24.112	PVC Inspection Boxes 75 mm (3")	Per Doz.	309	309	309	309	309	309	309	309	309	309	309	309	309	309
24.113	PVC Inspection Boxes 100 mm (4")	Per Doz.	361	361	361	361	361	361	361	361	361	361	361	361	361	361
24.114	Chokes 40 watts	Each	155	155	155	155	155	155	155	155	155	155	155	155	155	155
24.115	Chokes 20 watts	Each	155	155	155	155	155	155	155	155	155	155	155	155	155	155
24.116	Round block of Sahl wood	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.117	GEC design Pole mounted street light with holder shade and glass for fitting 125/250 watts mercury Vapour lamp (excluding cost of lamp) with bracket clamp nuts & bolts.	Each	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700	1700
24.118	Street light pole bracket	Each	185	185	185	185	185	185	185	185	185	185	185	185	185	185
24.119	Cost of bracket 1¼" (32 mm) G.I pipe 7 ft. long half round	Each	464	464	464	464	464	464	464	464	464	464	464	464	464	464
24.120	Shackle Insulator for holding insulated wire	Each	139	139	139	139	139	139	139	139	139	139	139	139	139	139
24.121	Pin Insulator green (medium size)	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
24.122	Staining screws for stay wire of electric pole	Each	134	134	134	134	134	134	134	134	134	134	134	134	134	134
24.123	Stay wire for electric pole 7/12"	Metre	23	23	23	23	23	23	23	23	23	23	23	23	23	23
24.124	Stay wire for electric pole 7/14"	Metre	12	12	12	12	12	12	12	12	12	12	12	12	12	12
24.125	Bakelite button holder shade large size	Each	10	10	10	10	10	10	10	10	10	10	10	10	10	10
24.126	Bakelite button holder shade Large size	Each	14	14	14	14	14	14	14	14	14	14	14	14	14	14
24.127	Bakelite Button Holder large size	Each	14	14	14	14	14	14	14	14	14	14	14	14	14	14
24.128	Bell push or bed switch	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.129	Bakelite lamp holder	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.130	Braket lamp holder	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.131	Brass bracket with holder	Each	25	25	25	25	25	25	25	25	25	25	25	25	25	25
24.132	Brass bracket with holder	Each	25	25	25	25	25	25	25	25	25	25	25	25	25	25
24.133	Brass Button Holder	Each	25	25	25	25	25	25	25	25	25	25	25	25	25	25
24.134	Call bell 220/250 volts	Each	93	93	93	93	93	93	93	93	93	93	93	93	93	93
24.135	Ceiling rose bakelite	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.136	Cut out bakelite open type	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.137	Cut out bakelite recessed type	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.138	Electric Energy Metre Single Phase) 250 volts 10 AMP	Each	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
24.139	Electric Energy Metre Single Phase 250 volts 30 AMP	Each	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648
24.140	Electric Energy Metre Single Phase 250 volts 60 AMP	Each	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266
24.141	Three phase 4 wires, 400 volts: 3 x 15 Amps	Each	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532
24.142	Three phase 4 wires, 400 volts: 3 x 50 Amps	Each	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532
24.143	Three phase 4 wires, 400 volts: 3 x 80 Amps	Each	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532	4532
24.144	Electric shoe 3 pin 10/15 Amps	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.145	Wall Shoe 3 pin 5 Amps	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.146	Wall socket 3 pin 5 Amps	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.147	Wall socket 3 pin 5 Amps without Shoe.	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.148	Wall socket 3 pin 10/15 Amp open type	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.149	Wall socket 3 pin 10/15 Amp recessed type	Each	57	57	57	57	57	57	57	57	57	57	57	57	57	57
24.150	Wall socket 3 pin 10/15 Amp with shoe	Each	88	88	88	88	88	88	88	88	88	88	88	88	88	88
24.151	Flourescent tube 40 watts	Each	72	72	72	72	72	72	72	72	72	72	72	72	72	72
24.152	Starter for Flourscent Tube 40 watts	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.153	Kit kat fuses 500 volt 15/20 Amp	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.154	Kit kat fuses 500 volt 30/35 Amp	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.155	Kit kat fuses 500 volt 60/65 Amp	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.156	Kit kat fuses 500 volt 100 Amp	Each	72	72	72	72	72	72	72	72	72	72	72	72	72	72
24.157	Kit kat fuses 500 volt 200 Amp	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.158	Kit kat fuses 500 volt 300 Amp	Each	237	237	237	237	237	237	237	237	237	237	237	237	237	237
24.159	Kit kat fuses 500 volt 400 Amp	Each	294	294	294	294	294	294	294	294	294	294	294	294	294	294
24.160	Kit kat fuses 500 volt 500 Amp	Each	438	438	438	438	438	438	438	438	438	438	438	438	438	438
24.161	Leathoride paper	Job	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.162	Copper nail 2" / 3"	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
24.163	Copper plates 600 x 600 x 3 mm (2' x 2' x 1/8")	Kg	268	268	268	268	268	268	268	268	268	268	268	268	268	268
24.164	Lightning arrester Horn type	Each	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854
24.165	Copper enamel wire No. 26 to 32	Kg	876	876	876	876	876	876	876	876	876	876	876	876	876	876
24.166	Soldering and varnishing for A.C. ceiling fan	each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
24.167	Wooden Gutties	Dozen	10	10	10	10	10	10	10	10	10	10	10	10	10	10
24.168	Switch double control open type (5 Amp)	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
24.169	Switch double control piano type (5 Amp)	Each	19	19	19	19	19	19	19	19	19	19	19	19	19	19
24.170	Switch double control ring type recessed (5 Amp)	Each	18	18	18	18	18	18	18	18	18	18	18	18	18	18
24.171	Switch Piano type (5 Amp)	Each	13	13	13	13	13	13	13	13	13	13	13	13	13	13
24.172	Switch plate type recessed (5 Amp)	Each	28	28	28	28	28	28	28	28	28	28	28	28	28	28
24.173	Switch ring type (5 Amp)	Each	10	10	10	10	10	10	10	10	10	10	10	10	10	10
24.174	Double pole 15/20 Amp (Iron/Aluminum clad 500 volt main switch with kit kat fuse)	Each	335	335	335	335	335	335	335	335	335	335	335	335	335	335
24.175	Double pole 30/35 Amp (Iron/Aluminum clad 500 volt main switch with kit kat fuse)	Each	556	556	556	556	556	556	556	556	556	556	556	556	556	556
24.176	Double pole 60/65 Amp (Iron/Aluminum clad 500 volt main switch with kit kat fuse)	Each	773	773	773	773	773	773	773	773	773	773	773	773	773	773
24.177	Double pole 100 Amp (Iron/Aluminum clad 500 volt main switch with kit kat fuse)	Each	1318	1318	1318	1318	1318	1318	1318	1318	1318	1318	1318	1318	1318	1318
24.178	Tripple pole 15/20 Amp (Iron/Aluminum clad 500 volt main switch with kit kat fuse)	Each	670	670	670	670	670	670	670	670	670	670	670	670	670	670
24.179	Tripple pole 30/35 Amp (Iron/Aluminum clad 500 volt main switch with kit kat fuse)	Each	886	886	886	886	886	886	886	886	886	886	886	886	886	886
24.180	Tripple pole with neutral link 30/35 Amp main switch	Each	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030
24.181	Tripple pole with neutral link 60/65 Amp main switch	Each	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391
24.182	Tripple pole with neutral link 100 Amp main switch	Each	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854	1854
24.183	Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 60/65 Amps	Each	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391	1391
24.184	Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 100 Amps.	Each	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266	2266
24.185	Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 150 Amps.	Each	3605	3605	3605	3605	3605	3605	3605	3605	3605	3605	3605	3605	3605	3605
24.186	Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 200 Amps.	Each	5665	5665	5665	5665	5665	5665	5665	5665	5665	5665	5665	5665	5665	5665
24.187	Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 300 Amps.	Each	6798	6798	6798	6798	6798	6798	6798	6798	6798	6798	6798	6798	6798	6798
24.188	Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 400 Amps.	Each	9064	9064	9064	9064	9064	9064	9064	9064	9064	9064	9064	9064	9064	9064
24.189	Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 500 Amps.	Each	11330	11330	11330	11330	11330	11330	11330	11330	11330	11330	11330	11330	11330	11330
24.190	Thimble copper 60/65 Amp	Each	10	10	10	10	10	10	10	10	10	10	10	10	10	10
24.191	Thimble copper 100 Amp	Each	11	11	11	11	11	11	11	11	11	11	11	11	11	11
24.192	Thimble 150 Amp.	each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.193	Thimble copper 200 Amp	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.194	Thimble copper 300 Amp	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.195	Thimble copper 400 Amp	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
24.196	Thimble copper 500 Amp	Each	72	72	72	72	72	72	72	72	72	72	72	72	72	72
24.197	G.I bend ½" (15 mm) dia	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.198	G.I bend ¾" (20 mm) dia	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.199	G.I bend 1" (25 mm) dia	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.200	G.I bend 1¼" (32 mm) dia	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
24.201	G.I bend 1½" (40 mm) dia	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Koty sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
24.202	G.I. Bend 2" dia (50 mm) dia	Each	57	57	57	57	57	57	57	57	57	57	57	57	57	57
24.203	G.I. Bend 3" (80 mm) dia	Each	72	72	72	72	72	72	72	72	72	72	72	72	72	72
24.204	M.S. Bend ½" (15 mm) dia	Each	12	12	12	12	12	12	12	12	12	12	12	12	12	12
24.205	M.S. Bend ¾" (20 mm) dia	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.206	M.S. Bend 1" (25 mm) dia	Each	27	27	27	27	27	27	27	27	27	27	27	27	27	27
24.207	M.S. Bend 1½" (40 mm) dia	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
24.208	M.S. Conduit Bend 1¼" (32 mm) dia	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.209	M.S. Conduit Bend 1½" (40 mm) dia	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.210	M.S. Conduit Bend 2" (50 mm) dia	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62
24.211	PVC Bend ½" (12 mm) dia ordinary	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
24.212	PVC Bend ¾" (20 mm) dia ordinary	Each	5	5	5	5	5	5	5	5	5	5	5	5	5	5
24.213	PVC Bend 1" (25 mm) dia ordinary	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
24.214	PVC Bend 1¼" (30 mm) dia ordinary	Each	10	10	10	10	10	10	10	10	10	10	10	10	10	10
24.215	PVC Bend 1½" (40 mm) dia ordinary	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.216	PVC Bend 2" (50 mm) dia ordinary	Each	27	27	27	27	27	27	27	27	27	27	27	27	27	27
24.217	PVC Bend 3" dia (75 mm) ordinary	Each	37	37	37	37	37	37	37	37	37	37	37	37	37	37
24.218	PVC Bend 4" dia (100 mm) ordinary	Each	93	93	93	93	93	93	93	93	93	93	93	93	93	93
24.219	Inspection box ½" (15 mm) dia	Each	14	14	14	14	14	14	14	14	14	14	14	14	14	14
24.220	Inspection box ¾" (20 mm) dia	Each	18	18	18	18	18	18	18	18	18	18	18	18	18	18
24.221	Inspection box 1" (25 mm) dia	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.222	M.S. Inspection box 1¼" (32 mm) dia	per doz.	263	263	263	263	263	263	263	263	263	263	263	263	263	263
24.223	M.S. Inspection box 1½" (40 mm) dia to 3" (80mm) dia	per doz.	330	330	330	330	330	330	330	330	330	330	330	330	330	330
24.224	Hooks for ½" to 1" dia pipe	Each	6	6	6	6	6	6	6	6	6	6	6	6	6	6
24.225	Hooks for 1¼" to 1½" dia pipe	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
24.226	Hook for 2" dia pipe	Each	9	9	9	9	9	9	9	9	9	9	9	9	9	9
24.227	Hook for 3" dia pipe	Each	11	11	11	11	11	11	11	11	11	11	11	11	11	11
24.228	M.S. Conduit pipe ½" (15 mm) dia	Per Mtr	46	46	46	46	46	46	46	46	46	46	46	46	46	46
24.229	M.S. Conduit pipe ¾" (20 mm) dia	Per Mtr	57	57	57	57	57	57	57	57	57	57	57	57	57	57
24.230	M.S. Conduit pipe 1" (25 mm) dia	Per Mtr	67	67	67	67	67	67	67	67	67	67	67	67	67	67
24.231	M.S. Conduit pipe 1¼" (32 mm) dia	Per Mtr	77	77	77	77	77	77	77	77	77	77	77	77	77	77
24.232	M.S. Conduit pipe 1½" (40 mm) dia	Per Mtr	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.233	M.S. Conduit pipe 2" (50 mm) dia	Per Mtr	129	129	129	129	129	129	129	129	129	129	129	129	129	129
24.234	PVC pipe ½" (12 mm) dia (conduit)	Per Mtr	20	20	20	20	20	20	20	20	20	20	20	20	20	20
24.235	PVC pipe ¾" (20 mm) dia (conduit)	Per Mtr	30	30	30	30	30	30	30	30	30	30	30	30	30	30
24.236	PVC pipe 1" (25 mm) dia (conduit)	Per Mtr	38	38	38	38	38	38	38	38	38	38	38	38	38	38
24.237	PVC pipe 1¼" (30 mm) dia (conduit)	Per Mtr	61	61	61	61	61	61	61	61	61	61	61	61	61	61
24.238	PVC pipe 1½" (40 mm) dia (conduit)	Per Mtr	89	89	89	89	89	89	89	89	89	89	89	89	89	89
24.239	PVC pipe 2" (50 mm) dia (conduit)	Per Mtr	124	124	124	124	124	124	124	124	124	124	124	124	124	124
24.240	PVC Pipe 3" dia (75 mm) (conduit)	Per Mtr	173	173	173	173	173	173	173	173	173	173	173	173	173	173
24.241	PVC Pipe 4" dia (100 mm) (conduit)	Per Mtr	245	245	245	245	245	245	245	245	245	245	245	245	245	245
24.242	PVC Flexible Pipe ½" (12 mm) dia	Per Mtr	16	16	16	16	16	16	16	16	16	16	16	16	16	16
24.243	G.I. pipe ½" dia (15 mm i/d)	Per Mtr	148	148	148	148	148	148	148	148	148	148	148	148	148	148
24.244	G.I. Pipe ¾" dia (20 mm i/d)	Per Mtr	208	208	208	208	208	208	208	208	208	208	208	208	208	208
24.245	G.I. Pipe 1" dia (25 mm i/d)	Per Mtr	293	293	293	293	293	293	293	293	293	293	293	293	293	293
24.246	G.I. pipe 1¼" dia (32 mm i/d)	Per Mtr	379	379	379	379	379	379	379	379	379	379	379	379	379	379
24.247	G.I. pipe 1½" dia (40 mm i/d)	Per Mtr	477	477	477	477	477	477	477	477	477	477	477	477	477	477
24.248	G.I. pipe 2" dia (50 mm i/d)	Per Mtr	602	602	602	602	602	602	602	602	602	602	602	602	602	602
24.249	G.I. pipe 3" dia (75 mm i/d)	Per Mtr	975	975	975	975	975	975	975	975	975	975	975	975	975	975
24.250	G.I. Flexible Pipe ½" (12 mm) dia	per mtr.	30	30	30	30	30	30	30	30	30	30	30	30	30	30
24.251	G.I. Flexible Pipe ¾" (20 mm) dia	per mtr.	34	34	34	34	34	34	34	34	34	34	34	34	34	34
24.252	G.I. Flexible Pipe 1" (25 mm) dia	per mtr.	41	41	41	41	41	41	41	41	41	41	41	41	41	41
24.253	G.I. Flexible Pipe 1¼" (32 mm) dia	per mtr.	61	61	61	61	61	61	61	61	61	61	61	61	61	61
24.254	G.I. Flexible Pipe 1½" (40 mm) dia	per mtr.	59	59	59	59	59	59	59	59	59	59	59	59	59	59
24.255	G.I. Flexible Pipe 2" (50 mm) dia	per mtr.	84	84	84	84	84	84	84	84	84	84	84	84	84	84
24.256	G.I. Flexible Pipe 3" (80 mm) dia	per mtr.	196	196	196	196	196	196	196	196	196	196	196	196	196	196
24.257	G.I. Flexible pipe 4" (100 mm)	Each	278	278	278	278	278	278	278	278	278	278	278	278	278	278
24.258	Screws 1" (25 mm) long	Dozen	8	8	8	8	8	8	8	8	8	8	8	8	8	8
24.259	Screws 2" (50 mm) long	Dozen	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.260	Screws 3" (75 mm) long	Dozen	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.261	Screws 4" (100 mm) long	Dozen	37	37	37	37	37	37	37	37	37	37	37	37	37	37
24.262	Screws 6" (150 mm) long	Dozen	62	62	62	62	62	62	62	62	62	62	62	62	62	62
24.263	G.I reducing socket size 2 x ½" (50 x 13 mm)	Each	70	70	70	70	70	70	70	70	70	70	70	70	70	70
24.264	G.I Reducing socket 2 x ¾" dia (50 x 20 mm)	Each	134	134	134	134	134	134	134	134	134	134	134	134	134	134

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
24.265	Boring ½" dia	Metre	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.266	G.I. Socket ½" (12 mm) dia	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.267	G.I. Socket ¾" (20 mm) dia	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.268	G.I. Socket 1" (25 mm) dia	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.269	G.I. Socket 1¼" (32 mm) dia	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.270	G.I. Socket 1½" (40 mm) dia	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
24.271	G.I. Socket 2" (50 mm) dia	Each	57	57	57	57	57	57	57	57	57	57	57	57	57	57
24.272	G.I. Socket 3" (80 mm) dia	Each	113	113	113	113	113	113	113	113	113	113	113	113	113	113
24.273	Brass Socket 1½" (40 mm) dia	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.274	Brass Socket 2" (50 mm) dia	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.275	Brass Socket 4" (100 mm) dia	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.276	PVC Socket ½" (12 mm) dia	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
24.277	G.I. Nipple ½" (12 mm) dia	Each	19	19	19	19	19	19	19	19	19	19	19	19	19	19
24.278	G.I. Nipple ¾" (20 mm) dia	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.279	G.I. Nipple 1" (25 mm) dia	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.280	G.I. Nipple 1¼" (32 mm) dia	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
24.281	G.I. Nipple 1½" (40 mm) dia	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
24.282	G.I. Nipple 2" (50 mm) dia	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67
24.283	G.I. Nipple 3" (80 mm) dia	Each	155	155	155	155	155	155	155	155	155	155	155	155	155	155
24.284	Brass nipple 1" dia (25mm)	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
24.285	Brass Nipple 1½" dia (32 mm)	Each	37	37	37	37	37	37	37	37	37	37	37	37	37	37
24.286	Brass Nipple 1¾" (40 mm) dia	Each	49	49	49	49	49	49	49	49	49	49	49	49	49	49
24.287	Brass Nipple 2" (50 mm) dia	Each	98	98	98	98	98	98	98	98	98	98	98	98	98	98
24.288	Brass Nipple 4" (100 mm) dia	Each	242	242	242	242	242	242	242	242	242	242	242	242	242	242
24.289	PVC Nipple ½" (12 mm) dia	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
24.290	Brass Check nut ½" (12 mm) dia	Each	10	10	10	10	10	10	10	10	10	10	10	10	10	10
24.291	Brass check nut 1½" (40 mm)	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
24.292	Brass check nut 1" (25 mm)	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.293	Brass check nut 1¼" (32 mm)	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.294	Brass check nut 2" (50 mm)	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62
24.295	Brass check nut 4" (100 mm)	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.296	Check Nuts ½" (12 mm) dia	Each	8	8	8	8	8	8	8	8	8	8	8	8	8	8
24.297	Check Nuts ¾" (20 mm) dia	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.298	Check Nuts 1" (25 mm) dia	Each	25	25	25	25	25	25	25	25	25	25	25	25	25	25
24.299	Check Nuts 1¼" (32 mm) dia	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.300	Check Nuts 1½" (40 mm) dia	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.301	Check Nuts 2" (50 mm) dia	Each	46	46	46	46	46	46	46	46	46	46	46	46	46	46
24.302	Check Nuts 3" (80 mm) dia	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62
24.303	M.S Box 4" x 4" (100 x 100 mm) 16SWG	Each	46	46	46	46	46	46	46	46	46	46	46	46	46	46
24.304	M.S Box 7" x 4" (175 x 100 mm) 16SWG	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67
24.305	M.S Box 9" x 4" (225 x 100 mm) 16SWG	Each	82	82	82	82	82	82	82	82	82	82	82	82	82	82
24.306	M.S Box 8" x 10" (200 x 250 mm) 16SWG	Each	149	149	149	149	149	149	149	149	149	149	149	149	149	149
24.307	M.S Box 10" x 12" (250 x 300 mm) 16SWG	Each	206	206	206	206	206	206	206	206	206	206	206	206	206	206
24.308	M.S Box 12" x 14" (300 x 350 mm) 16SWG	Each	268	268	268	268	268	268	268	268	268	268	268	268	268	268
24.309	Angle iron board including paints (9"x9"x1½")	Each	124	124	124	124	124	124	124	124	124	124	124	124	124	124
24.310	Angle Iron board including paint (9"x12"x1½")	Each	144	144	144	144	144	144	144	144	144	144	144	144	144	144
24.311	Angle Iron board including paint (10"x12"x1½")	Each	206	206	206	206	206	206	206	206	206	206	206	206	206	206
24.312	Angle Iron board including paint (12"x15"x1½")	Each	216	216	216	216	216	216	216	216	216	216	216	216	216	216
24.313	Angle Iron board including paint (12"x18"x1½")	Each	258	258	258	258	258	258	258	258	258	258	258	258	258	258
24.314	Angle Iron board including paint (10"x15"x1½")	Each	247	247	247	247	247	247	247	247	247	247	247	247	247	247
24.315	Anle Iron board including paint (15"x18"x1½")	Each	278	278	278	278	278	278	278	278	278	278	278	278	278	278
24.316	Copper strip 1½" x 1/8" x 14" (40 x 3 x 350 mm)	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.317	Copper strip 14" x 2" x 1/8" to 3/16" (350 x 50 x 3 mm to 6 mm)	Each	124	124	124	124	124	124	124	124	124	124	124	124	124	124
24.318	Copper strip 14" x 2" x 1/4" (350 x 50 x 6 mm) to 6mm	Each	247	247	247	247	247	247	247	247	247	247	247	247	247	247
24.319	Rag bolts 9" x 5/8" (225 x 16 mm)	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.320	Reg bolts 12" x 5/8" (300 x 16 mm)	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.321	Eye bolts	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.322	Eye bolts (bigger size) for straining posts, stiffening posts & intermediate posts	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.323	PVC/weather proof cable 3/0.029" (3/0.74 mm) Single core	per mtr.	16	16	16	16	16	16	16	16	16	16	16	16	16	16
24.324	PVC/weather proof cable 7/0.029" (7/0.74 mm) Single core	per mtr.	35	35	35	35	35	35	35	35	35	35	35	35	35	35
24.325	PVC/weather proof cable 7/0.036" (7/0.91 mm) Single core	per mtr.	53	53	53	53	53	53	53	53	53	53	53	53	53	53
24.326	PVC/weather proof cable 7/0.044" (7/1.12 mm) Single core	per mtr.	78	78	78	78	78	78	78	78	78	78	78	78	78	78
24.327	Nut & Screw	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Koty sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
24.328	Straining Screw for electric pole	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
24.329	Sal wood casing for wiring	Per mtr.	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.330	Wooden strip casing	Per % mtr.	324	324	324	324	324	324	324	324	324	324	324	324	324	324
24.331	Insulated cleat (small)	Each	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24.332	Insulated cleat (big size)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
24.333	Leather or wooden cleats	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
24.334	M.S Hooks	Each	9	9	9	9	9	9	9	9	9	9	9	9	9	9
24.335	M.S bar hook 3/8" (10 mm) dia	Each	14	14	14	14	14	14	14	14	14	14	14	14	14	14
24.336	Canopy nipple & hook	Per Job	23	23	23	23	23	23	23	23	23	23	23	23	23	23
24.337	Hook 5/8" (16 mm) with nut & bolts	Each	49	49	49	49	49	49	49	49	49	49	49	49	49	49
24.338	Girder clamp hook 5/8" (16 mm)	Each	88	88	88	88	88	88	88	88	88	88	88	88	88	88
24.339	PVC bushes 1/2" (12 mm) dia	Each	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24.340	Glazed porcelain (Imported)	Each	108	108	108	108	108	108	108	108	108	108	108	108	108	108
24.341	Glazed Porcelain counter weight with accessories	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67
24.342	VIR/PVC cable 3/0.29	per mtr.	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.343	Brass lamp holder	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.344	Brass lamp holder	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.345	Brass lamp holder	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.346	Double cone reflector	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.347	Switch ring type	Each	14	14	14	14	14	14	14	14	14	14	14	14	14	14
24.348	Switch 10/15 Amp	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.349	Switch 10/15 Amp. recessed	Each	29	29	29	29	29	29	29	29	29	29	29	29	29	29
24.350	Plug 3 pin and switch (combined/recessed) 5 Amp.	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
24.351	Plug 3 pin and switch (combined/recessed) 10/15 Amp.	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62
24.352	Pole mounted street light holder shade and glass	each	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648	1648
24.353	Frame with holder	Per Job	268	268	268	268	268	268	268	268	268	268	268	268	268	268
24.354	Frame set	Per Job	82	82	82	82	82	82	82	82	82	82	82	82	82	82
24.355	Round tube 32 watts	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.356	Starter (Philips)	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.357	Choke	Each	155	155	155	155	155	155	155	155	155	155	155	155	155	155
24.358	Holder	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
24.359	Base patti for tube light	Each	82	82	82	82	82	82	82	82	82	82	82	82	82	82
24.360	Ball bearing size (6201, 6202, 6203) Japan made	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.361	Plastic cover	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
24.362	Handle chromium plated for iron box	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
24.363	Nut & bolts 1/2" (12 mm) dia 1 1/2" (40 mm) long	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
24.364	T - Iron 1/4" x 1 1/2" x 1 1/2" x 5/2"	P.kg	104.00	104.13	104.04	104.04	104.05	104.29	105.29	104.33	104.16	104.27	104.07	104.12	104.12	104.05
24.365	Clamps	P. Kg.	77	77	77	77	77	77	77	77	77	77	77	77	77	77
24.366	Steel channel 75 x 40 x 3 mm	P.Kg.	85	85	85	85	85	85	85	85	85	85	85	85	85	85
24.367	steel plate 3"x1 1/2"x1/2")75x40x40 mm)	P.Kg.	91	91	91	91	91	91	91	91	91	91	91	91	91	91
24.368	Steel plate 3"x 3/4" x 3/4" (75 x 20 x 20 mm)	P.Kg.	91	91	91	91	91	91	91	91	91	91	91	91	91	91
24.369	Bolts and nuts 5/8" dia (16 mm)	Each	6	6	6	6	6	6	6	6	6	6	6	6	6	6
24.370	Double clamp for anchor rod henley type for pole	Each	54	54	54	54	54	54	54	54	54	54	54	54	54	54
24.371	Double clamp 9" dia (225 mm)	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67
24.372	Clamps with bolts & nuts etc. for street pole	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67
24.373	Clamp double for erection of house service pipe Henley	Each	54	54	54	54	54	54	54	54	54	54	54	54	54	54
24.374	Clamp 2" dia (50 mm)	Each	39	39	39	39	39	39	39	39	39	39	39	39	39	39
24.375	Steel clamp 1/2" dia (12 mm)	Each	5	5	5	5	5	5	5	5	5	5	5	5	5	5
24.376	G.I clamp (small)	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.377	G.I. Clamp (large)	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
24.378	Pole clamp with bolt & nuts for street light pole	Each	113	113	113	113	113	113	113	113	113	113	113	113	113	113
24.379	Shakle insulator	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67
24.380	M.S bolts for suport	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
24.381	Copper wire No.2 to 10	per kg	900	900	900	900	900	900	900	900	900	900	900	900	900	900
24.382	G.I wire (all size)	per kg	100	100	100	100	100	100	100	100	100	100	100	100	100	100
24.383	Cut out	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62
24.384	Wooden & leather cleats	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
24.385	Vapour mercury lamp 125 watt with choke set	Each	773	773	773	773	773	773	773	773	773	773	773	773	773	773
24.386	Vapour mercury lamp 250 watt with choke set	Each	1494	1494	1494	1494	1494	1494	1494	1494	1494	1494	1494	1494	1494	1494
24.387	Silver paint	P.Gln	721	721	721	721	721	721	721	721	721	721	721	721	721	721
24.388	G.I Nuts & Bolts 2" long 1/2" Ø (50 mm x 13 mm)	Each	9	9	9	9	9	9	9	9	9	9	9	9	9	9
24.389	G.I Nuts & Bolts 1 1/2" x 1/4" long (40 x 6 mm)	Each	7	7	7	7	7	7	7	7	7	7	7	7	7	7
24.390	Copper wire No.16 & 20 SWG	per kg	876	876	876	876	876	876	876	876	876	876	876	876	876	876

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
24.391	Copper Wire Old	per kg	450	450	450	450	450	450	450	450	450	450	450	450	450	450
24.392	Enemal wire No.26 SWG to 32 SWG	per kg	876	876	876	876	876	876	876	876	876	876	876	876	876	876
24.393	Copper tap 1½" to 2" x 1/8"	per kg	649	649	649	649	649	649	649	649	649	649	649	649	649	649
24.394	Copper rod 1" dia (25 mm)	per kg	309	309	309	309	309	309	309	309	309	309	309	309	309	309
24.395	Copper nail (small)	Each	2	2	2	2	2	2	2	2	2	2	2	2	2	2
24.396	Copper stapple	Each	3	3	3	3	3	3	3	3	3	3	3	3	3	3
24.397	Soldering and Vernishing	Each	31	31	31	31	31	31	31	31	31	31	31	31	31	31
24.398	Salt	per kg	4	4	4	4	4	4	4	4	4	4	4	4	4	4
24.399	Loop wire 4 loop 3/0.029 (3/0.74 mm)	Rft	4	4	4	4	4	4	4	4	4	4	4	4	4	4
24.400	Knob with shaff and plate	each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
25.001	Locking arrangements with sliding bolt 1½" long and 1" dia	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62
25.002	Hard wood stair railing	Rft	77	77	77	77	77	77	77	77	77	77	77	77	77	77
25.003	M.S.Channels	Kg	108.00	108.13	108.04	108.04	108.05	108.29	109.29	108.33	108.16	108.27	108.07	108.12	108.12	108.05
25.004	Steel beam	Kg	88	88	88	88	88	88	88	88	88	88	88	88	88	88
25.005	Steel chisel	P.Kg.	77	77	77	77	77	77	77	77	77	77	77	77	77	77
25.006	Grating 3/4"x3/4" size	P.Kg.	77	77	77	77	77	77	77	77	77	77	77	77	77	77
25.007	M.S. Box section of 16 SWG 1½" x 3" hand rail	P.Rft	36	36	36	36	36	36	36	36	36	36	36	36	36	36
25.008	Conduit pipe 2" dia including specials	P.Ft	57	57	57	57	57	57	57	57	57	57	57	57	57	57
25.009	Roller 3" dia	Each	129	129	129	129	129	129	129	129	129	129	129	129	129	129
25.010	Rivets with heads 2½" long	Each	4	4	4	4	4	4	4	4	4	4	4	4	4	4
25.011	Rivets 1½" long	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
25.012	Locking arrangement collapsible gate	Each	46	46	46	46	46	46	46	46	46	46	46	46	46	46
25.013	Handles 12" long of 3/4"x1/4" steel channels for collapsible gate	Each	46	46	46	46	46	46	46	46	46	46	46	46	46	46
25.014	GI sheet 24 SWG	P.Kg.	120	120	120	120	120	120	120	120	120	120	120	120	120	120
25.015	GI bracket for railing shutter	Each	33	33	33	33	33	33	33	33	33	33	33	33	33	33
25.016	GI Holdfast for railing shutter	Each	18	18	18	18	18	18	18	18	18	18	18	18	18	18
25.017	GI Pipe 1½" dia (light quality)	P. Rft	155	155	155	155	155	155	155	155	155	155	155	155	155	155
25.018	Handle for railing shutter	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
25.019	GI spring for railing shutter	Each	319	319	319	319	319	319	319	319	319	319	319	319	319	319
25.020	Rolling gear for railing shutter	Each	28	28	28	28	28	28	28	28	28	28	28	28	28	28
25.021	Iron Holdfast for steel windows	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
25.022	GI pipe 2½" dia (light quality)	P. Rft	276	276	276	276	276	276	276	276	276	276	276	276	276	276
25.023	Window hinges 1/4" thick with 3/16" dia pins	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
25.024	Brass casement handle 6" for steel windows	Each	57	57	57	57	57	57	57	57	57	57	57	57	57	57
25.025	Mild steel casement stay 15" long for steel windows	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36
25.026	Wooden strips for fixing glass pans	P.Rft	3	3	3	3	3	3	3	3	3	3	3	3	3	3
25.027	Steel glazing clips for fixing glass panes	Each	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25.028	Glass panes 2 mm thick	P. Sft.	31	31	31	31	31	31	31	31	31	31	31	31	31	31
25.029	Glass panes 2.5 mm thick	P. Sft.	33	33	33	33	33	33	33	33	33	33	33	33	33	33
25.030	Glass panes 3 mm thick	P. Sft.	36	36	36	36	36	36	36	36	36	36	36	36	36	36
25.031	Glass panes 4 mm thick	P. Sft.	41	41	41	41	41	41	41	41	41	41	41	41	41	41
25.032	Glass panes 5 mm thick	P. Sft.	52	52	52	52	52	52	52	52	52	52	52	52	52	52
25.033	M.S. moulded tubular pipe of 18 SWG	P.Kg.	52	52	52	52	52	52	52	52	52	52	52	52	52	52
25.034	Brass hinges (4" long)	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
25.035	Brass Handles (4" long)	Each	50	50	50	50	50	50	50	50	50	50	50	50	50	50
25.036	U' shapped rubber lining (½" thick)	P. Rft	3	3	3	3	3	3	3	3	3	3	3	3	3	3
25.037	Wire gauze galvanized 24 SWG (12x 12 mesh)	P.Sft.	15	15	15	15	15	15	15	15	15	15	15	15	15	15
25.038	½ x ½ M.S square box of 16 SWG for fixing wire gauge	P. Kg.	52	52	52	52	52	52	52	52	52	52	52	52	52	52
25.039	C.P. tower bolt (225 mm long)	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
25.040	Brass handle special type for steel windows	Each	57	57	57	57	57	57	57	57	57	57	57	57	57	57
25.041	G.I. Stay for windows	Each	29	29	29	29	29	29	29	29	29	29	29	29	29	29
25.042	Grill of M.S. flat ½"x1/8" with frame	P. Sft.	57	57	57	57	57	57	57	57	57	57	57	57	57	57
25.043	Cost of flaps including hinges for G.I. Pipes	Each	33	33	33	33	33	33	33	33	33	33	33	33	33	33
25.044	Steel grating	P.Sft	88	88	88	88	88	88	88	88	88	88	88	88	88	88
25.045	1½ ft. long M.S. U-Clamp 3/4" dia threaded at both ends including nuts complete.	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
25.046	Painting small detached articles not exceeding 1" sft.	Each	5	5	5	5	5	5	5	5	5	5	5	5	5	5
25.047	Aluminum frame 100x20mm (4"x3/4")	Rft	105	105	105	105	105	105	105	105	105	105	105	105	105	105
25.048	Aluminum frame 100x40mm (4" x1½")	Rft.	134	134	134	134	134	134	134	134	134	134	134	134	134	134
25.049	Aluminum frame 60x40mm (1½" x 2½")	Rft.	122	122	122	122	122	122	122	122	122	122	122	122	122	122
25.050	Aluminum frame 50x20mm (2" x 3/4")	Rft.	95	95	95	95	95	95	95	95	95	95	95	95	95	95
25.051	Aluminum leaf edging for aluminium windows	Rft.	7	7	7	7	7	7	7	7	7	7	7	7	7	7
25.052	Tinted glass 5mm thick (Imported)	Sft.	52	52	52	52	52	52	52	52	52	52	52	52	52	52

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
25.053	Aluminum triangular gola and gasket	Rft.	10	10	10	10	10	10	10	10	10	10	10	10	10	10
25.054	Pivot for aluminium doors	Each	258	258	258	258	258	258	258	258	258	258	258	258	258	258
25.055	Aluminum tower bolt 9" long	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
25.056	locking arrangement	Each	361	361	361	361	361	361	361	361	361	361	361	361	361	361
25.057	Handle Large	Rft	82	82	82	82	82	82	82	82	82	82	82	82	82	82
25.058	Rubber gasket for Aluminium Windows	Rft.	3	3	3	3	3	3	3	3	3	3	3	3	3	3
25.059	Latch for Aluminium Windows	Each	46	46	46	46	46	46	46	46	46	46	46	46	46	46
25.060	Steam Coal	P. Kg.	15	15	15	15	15	15	15	15	15	15	15	15	15	15
26.001	7 Strand barbed wire	P.Kg.	108	108	108	108	108	108	108	108	108	108	108	108	108	108
26.002	Anti termite (As per approved manufacturer)	P-Ltr	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050
26.003	Cane Singapore	Per Kg.	350	350	350	350	350	350	350	350	350	350	350	350	350	350
26.004	3/16" dia washers for straining posts, stiffening posts & intermediate posts	Dozen	10	10	10	10	10	10	10	10	10	10	10	10	10	10
26.005	Cost of bamboo 10' to 12' long	Each	72	72	72	72	72	72	72	72	72	72	72	72	72	72
26.006	Cost of iron shoes for survey Jhandy	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
26.007	Cost of red cloth for survey Jhandy	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
26.008	Cost of ordinary wood for pegs	P. Cft.	57	57	57	57	57	57	57	57	57	57	57	57	57	57
26.009	Hooks for fixing iron gauges	Dozen	25	25	25	25	25	25	25	25	25	25	25	25	25	25
26.010	Filling cement bags with coal	Per Kg.	15	15	15	15	15	15	15	15	15	15	15	15	15	15
26.011	Cost of manure	per Cart	113	113	113	113	113	113	113	113	113	113	113	113	113	113
26.012	Polythene sheet of 300 gauge (0.003 thick)	P.Kg.	185	185	185	185	185	185	185	185	185	185	185	185	185	185
26.013	Soap	P. Kg.	70	70	70	70	70	70	70	70	70	70	70	70	70	70
26.014	Eye bolt	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
26.015	Primer (Zinc)	P. Kg.	134	134	134	134	134	134	134	134	134	134	134	134	134	134
26.016	Weather Shield Paint / Weather Coat	P. Lt	258	258	258	258	258	258	258	258	258	258	258	258	258	258
23.438	Drilling bore holes with reverse rotary in ordinary soil except shingle gravel and rock. (upto 24" dia)	Per Rft	350	350	350	350	350	350	350	350	350	350	350	350	350	350
18.017	Bitumen (Packed) Grade 80/100 (NRL / PARCO) AT SITE (Ref # 10.023)	P. kg	89.969	88.732	89.807	89.856	89.768	91.205	92.205	91.332	90.765	90.257	90.276	90.765	90.580	89.768
23.439	Graded Pea Gravel 3/8" - 1/8" for Tubewell Boring (at site)	P.% Cft	6100	6100	6100	6100	6100	4100	4300	4100	4200	4400	5000	4900	4900	4600
18.018	Bitumen (Bulk) Grade 60/70 (only for plant premixed item # 10)	P.kg	81.712	80.567	81.562	81.608	81.526	82.856	83.856	82.974	82.449	81.979	81.996	82.449	82.277	81.526
10.040	Pre-cast PCC Paver / Tuff Tiles (7000 PSI) thickness -50mm (Grey) at site	PSft	54	54	54	54	54	53	54	54	57	57	56	59	58	58
10.041	Pre-cast PCC Paver / Tuff Tiles (7000 PSI) thickness -50mm (Coloured) at site	PSft	57	57	57	57	57	56	57	57	60	60	59	62	61	61
10.042	Pre-cast PCC Paver / Tuff Tiles (7000 PSI) thickness -60mm (Grey) at site	PSft	65	65	65	65	65	64	65	65	70	70	68	72	71	71
10.043	Pre-cast PCC Paver / Tuff Tiles (7000 PSI) thickness -60mm (Coloured) at site	PSft	68	68	68	68	68	67	68	68	73	73	71	75	74	74
10.044	Pre-cast PCC Paver / Tuff Tiles (7000 PSI) thickness -80mm (Grey) at site	PSft	84	84	84	84	84	83	84	84	87	87	86	89	88	88
10.045	Pre-cast PCC Paver / Tuff Tiles (7000 PSI) thickness -80mm (Coloured) at site	PSft	87	87	87	87	87	86	87	87	90	90	89	92	91	91
09.041	Insulation 1" thick (Extruded Polystyrene XPS in Rigid Insulation / Foam Board)	PSft	42	42	42	42	42	42	42	42	42	42	42	42	42	42
09.042	Insulation 1-1/2" thick (Extruded Polystyrene XPS in Rigid Insulation / Foam Board)	P.Sft	63	63	63	63	63	63	63	63	63	63	63	63	63	63
09.043	Insulation 2" thick (Extruded Polystyrene XPS in Rigid Insulation / Foam Board)	P.Sft	83	83	83	83	83	83	83	83	83	83	83	83	83	83
25.061	Aluminum frame 100mm x 30mm x 2mm (Champ)	P.Rft	249	249	249	249	249	249	249	249	249	249	249	249	249	249
25.062	Aluminum frame 45mm x 25mm x 2mm (Champ)	P.Rft	163	163	163	163	163	163	163	163	163	163	163	163	163	163
25.063	Aluminum frame 60mm x 23mm x 2mm (Champ)	P.Rft	142	142	142	142	142	142	142	142	142	142	142	142	142	142
25.064	Aluminum frame 45mm x 25mm x 2mm (Champ)	P.Rft	144	144	144	144	144	144	144	144	144	144	144	144	144	144
25.065	Top and Side Frame 100 mm x 30mm x 2mm (Champ)	P.Rft	224	224	224	224	224	224	224	224	224	224	224	224	224	224
25.066	Jali leaf frame 43mm x 13mm x 1.60mm (Champ)	P.Rft	66	66	66	66	66	66	66	66	66	66	66	66	66	66
25.067	Aluminum Jali (Champ)	P.Sft	18	18	18	18	18	18	18	18	18	18	18	18	18	18
25.068	Glass Frame Wheel	Each	60	60	60	60	60	60	60	60	60	60	60	60	60	60
25.069	Brush Chennel	P.Rft	2	2	2	2	2	2	2	2	2	2	2	2	2	2
25.070	Stopper for Aluminum Window	Each	5	5	5	5	5	5	5	5	5	5	5	5	5	5
25.071	Aluminum frame 100mm x 30mm x 1.6mm (Champ)	P.Rft	210	210	210	210	210	210	210	210	210	210	210	210	210	210
25.072	Aluminum frame 45mm x 25mm x 1.6mm (Champ)	P.Rft	136	136	136	136	136	136	136	136	136	136	136	136	136	136
25.073	Aluminum frame 60mm x 23mm x 1.6mm (Champ)	P.Rft	118	118	118	118	118	118	118	118	118	118	118	118	118	118
25.074	Aluminum frame 45mm x 25mm x 1.6mm (Champ)	P.Rft	121	121	121	121	121	121	121	121	121	121	121	121	121	121
25.075	Top and Side Frame 100 mm x 30mm x 1.6mm (Champ)	P.Rft	180	180	180	180	180	180	180	180	180	180	180	180	180	180
23.440	A.C/F.C pressure pipe 700 mm (28") dia Class 'B' BSS with comet joint and rubber rings.	P.Rft	7170	7170	7170	7170	7170	7170	7170	7170	7170	7170	7170	7170	7170	7170
23.441	A.C/F.C pressure pipe 800 mm (32") dia Class 'B' BSS with comet joint and rubber rings.	P.Rft	8210	8210	8210	8210	8210	8210	8210	8210	8210	8210	8210	8210	8210	8210
23.442	A.C/F.C pressure pipe 1000 mm (40") dia Class 'B' BSS with comet joint and rubber rings.	P.Rft	12720	12720	12720	12720	12720	12720	12720	12720	12720	12720	12720	12720	12720	12720
23.443	3" (90mm) High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	P.Rft	115	115	115	115	115	115	115	115	115	115	115	115	115	115
23.444	4" (110mm) High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	P.Rft	155	155	155	155	155	155	155	155	155	155	155	155	155	155
23.445	5" (125mm) High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	P.Rft	197	197	197	197	197	197	197	197	197	197	197	197	197	197
23.446	6" (160mm) High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	P.Rft	325	325	325	325	325	325	325	325	325	325	325	325	325	325
23.447	8" (200mm) High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	P.Rft	507	507	507	507	507	507	507	507	507	507	507	507	507	507
23.448	10" (250mm) High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	P.Rft	734	734	734	734	734	734	734	734	734	734	734	734	734	734
23.449	12" (315mm) High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	P.Rft	1267	1267	1267	1267	1267	1267	1267	1267	1267	1267	1267	1267	1267	1267
23.450	14" (355mm) High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	P.Rft	1609	1609	1609	1609	1609	1609	1609	1609	1609	1609	1609	1609	1609	1609

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Region														
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad	
23.451	3" (90mm) High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	P.Rft	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128
23.452	4" (110mm) High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	P.Rft	189	189	189	189	189	189	189	189	189	189	189	189	189	189	189
23.453	5" (125mm) High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	P.Rft	241	241	241	241	241	241	241	241	241	241	241	241	241	241	241
23.454	6" (160mm) High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	P.Rft	396	396	396	396	396	396	396	396	396	396	396	396	396	396	396
23.455	8" (200mm) High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	P.Rft	621	621	621	621	621	621	621	621	621	621	621	621	621	621	621
23.456	10" (250mm) High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	P.Rft	966	966	966	966	966	966	966	966	966	966	966	966	966	966	966
23.457	12" (315mm) High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	P.Rft	1559	1559	1559	1559	1559	1559	1559	1559	1559	1559	1559	1559	1559	1559	1559
23.458	14" (355mm) High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	P.Rft	1984	1984	1984	1984	1984	1984	1984	1984	1984	1984	1984	1984	1984	1984	1984
23.459	3" (90mm) High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	P.Rft	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154
23.46	4" (110mm) High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	P.Rft	221	221	221	221	221	221	221	221	221	221	221	221	221	221	221
23.461	5" (125mm) High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	P.Rft	295	295	295	295	295	295	295	295	295	295	295	295	295	295	295
23.462	6" (160mm) High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	P.Rft	485	485	485	485	485	485	485	485	485	485	485	485	485	485	485
23.463	8" (200mm) High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	P.Rft	756	756	756	756	756	756	756	756	756	756	756	756	756	756	756
23.464	10" (250mm) High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	P.Rft	1183	1183	1183	1183	1183	1183	1183	1183	1183	1183	1183	1183	1183	1183	1183
23.465	12" (315mm) High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	P.Rft	1904	1904	1904	1904	1904	1904	1904	1904	1904	1904	1904	1904	1904	1904	1904
23.466	14" (355mm) High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	P.Rft	2415	2415	2415	2415	2415	2415	2415	2415	2415	2415	2415	2415	2415	2415	2415
23.467	3" (90mm) High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	P.Rft	188	188	188	188	188	188	188	188	188	188	188	188	188	188	188
23.468	4" (110mm) High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	P.Rft	277	277	277	277	277	277	277	277	277	277	277	277	277	277	277
23.469	5" (125mm) High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	P.Rft	359	359	359	359	359	359	359	359	359	359	359	359	359	359	359
23.470	6" (160mm) High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	P.Rft	589	589	589	589	589	589	589	589	589	589	589	589	589	589	589
23.471	8" (200mm) High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	P.Rft	918	918	918	918	918	918	918	918	918	918	918	918	918	918	918
23.472	10" (250mm) High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	P.Rft	1433	1433	1433	1433	1433	1433	1433	1433	1433	1433	1433	1433	1433	1433	1433
23.473	12" (315mm) High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	P.Rft	2300	2300	2300	2300	2300	2300	2300	2300	2300	2300	2300	2300	2300	2300	2300
23.474	14" (355mm) High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	P.Rft	2919	2919	2919	2919	2919	2919	2919	2919	2919	2919	2919	2919	2919	2919	2919
13.024	Thermoplastic Paint (Reflective Paint)	P.Kg	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135
13.025	Glass Beads	P.Kg	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
13.026	LPG (Boiler & Machinery) for thermoplastic paint	P.Kg	118.60	118.60	118.60	118.60	118.60	118.60	118.60	118.60	118.60	118.60	118.60	118.60	118.60	118.60	118.60
ADDITIONAL ITEMS																	
A1	Bitumen (Packed) Grade 60/70 (NRL / PARCO) AT SITE	P.Kg	89.969	88.732	89.807	89.856	89.768	91.205	92.205	91.332	90.765	90.257	90.276	90.765	90.580	89.768	
A2	Mosaic marble chips tiles300 x 300 x 25 mm (12" x 12" x 1") White Cement	Each	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
B	WATER CHARGES	1000L	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
C	WALL & FLOOR TILES																
CA	MASTER TILES																
CA(1)	Master Tiles 12" X12"																
1	Salt'n paper (SPC) with Crystal & Metallic Printing Effect (Rectified)(Light color) SB	P.SQM	847	847	847	847	847	847	847	847	847	847	847	847	847	847	847
2	Salt'n paper (SPC) with Crystal & Metallic Printing Effect (Rectified)(Light color) ST	P.SQM	771	771	771	771	771	771	771	771	771	771	771	771	771	771	771
3	Salt'n paper (SPC) with Crystal & Metallic Printing Effect (Rectified)(Dark color) SB	P.SQM	907	907	907	907	907	907	907	907	907	907	907	907	907	907	907
4	Salt'n paper (SPC) with Crystal & Metallic Printing Effect (Rectified)(Dark color) ST	P.SQM	833	833	833	833	833	833	833	833	833	833	833	833	833	833	833
5	LPF Series Light Color (Rectified)SB	P.SQM	847	847	847	847	847	847	847	847	847	847	847	847	847	847	847
6	LPF Series Light Color (Rectified)ST	P.SQM	771	771	771	771	771	771	771	771	771	771	771	771	771	771	771
7	LPF Series Dark Color (Rectified)SB	P.SQM	907	907	907	907	907	907	907	907	907	907	907	907	907	907	907
8	LPF Series Dark Color (Rectified)ST	P.SQM	833	833	833	833	833	833	833	833	833	833	833	833	833	833	833
9	LPFS Series Light Color (Rectified)SB	P.SQM	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065
10	LPFS Series Light Color (Rectified)ST	P.SQM	992	992	992	992	992	992	992	992	992	992	992	992	992	992	992
11	LPFS Series Dark Color (Rectified)SB	P.SQM	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065
12	LPFS Series Dark Color (Rectified)ST	P.SQM	992	992	992	992	992	992	992	992	992	992	992	992	992	992	992
13	Stone effect in Plain Colors,SEM series (Rectified)(Light color)class SB	P.SQM	921	921	921	921	921	921	921	921	921	921	921	921	921	921	921
14	Stone effect in Plain Colors,SEM series (Rectified)(Light color)class ST	P.SQM	835	835	835	835	835	835	835	835	835	835	835	835	835	835	835
15	Stone effect in Plain Colors,SEM series (Rectified)(Dark color)class SB	P.SQM	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002
16	Stone effect in Plain Colors,SEM series (Rectified)(Dark color)class ST	P.SQM	916	916	916	916	916	916	916	916	916	916	916	916	916	916	916
17	Stone effect in Salt'n Pepper,SSP series (Rectified)(Light color)class SB	P.SQM	921	921	921	921	921	921	921	921	921	921	921	921	921	921	921
18	Stone effect in Salt'n Pepper,SSP series (Rectified)(Light color)class ST	P.SQM	835	835	835	835	835	835	835	835	835	835	835	835	835	835	835
19	Stone effect in Salt'n Pepper,SSP series (Rectified)(Dark color)class SB	P.SQM	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002	1002
20	Stone effect in Salt'n Pepper,SSP series (Rectified)(Dark color)class ST	P.SQM	916	916	916	916	916	916	916	916	916	916	916	916	916	916	916
21	Stone effect in Granite,SEG series (Rectified)(Light color)class SB	P.SQM	926	926	926	926	926	926	926	926	926	926	926	926	926	926	926
22	Stone effect in Granite,SEG series (Rectified)(Light color)class ST	P.SQM	842	842	842	842	842	842	842	842	842	842	842	842	842	842	842
23	Stone effect in Granite,SEG series (Rectified)(Dark color)class SB	P.SQM	990	990	990	990	990	990	990	990	990	990	990	990	990	990	990
24	Stone effect in Granite,SEG series (Rectified)(Dark color)class ST	P.SQM	902	902	902	902	902	902	902	902	902	902	902	902	902	902	902
25	LPD Series Light Rectified SB	P.SQM	847	847	847	847	847	847	847	847	847	847	847	847	847	847	847
26	LPD Series Light Rectified ST	P.SQM	771	771	771	771	771	771	771	771	771	771	771	771	771	771	771
27	LPD Series Dark Rectified SB	P.SQM	907	907	907	907	907	907	907	907	907	907	907	907	907	907	907
28	LPD Series Dark Rectified ST	P.SQM	833	833	833	833	833	833	833	833	833	833	833	833	833	833	833
29	SED Stone Effect Digital Light Rectified SB	P.SQM	847	847	847	847	847	847	847	847	847	847	847	847	847	847	847

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	City														
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad	
30	SED Stone Effect Digital Light Rectified ST	P.SQM	771	771	771	771	771	771	771	771	771	771	771	771	771	771	771
31	SED Stone Effect Digital Dark Rectified SB	P.SQM	907	907	907	907	907	907	907	907	907	907	907	907	907	907	907
32	SED Stone Effect Digital Dark Rectified ST	P.SQM	833	833	833	833	833	833	833	833	833	833	833	833	833	833	833
CA(2)	Master tiles 16" X 16"																
1	BCS Series (Light - Rectified) SB	P.SQM	929	929	929	929	929	929	929	929	929	929	929	929	929	929	929
2	BCS Series (Light - Rectified) ST	P.SQM	862	862	862	862	862	862	862	862	862	862	862	862	862	862	862
3	BCS Series (Dark - Rectified) SB	P.SQM	990	990	990	990	990	990	990	990	990	990	990	990	990	990	990
4	BCS Series (Dark - Rectified) ST	P.SQM	922	922	922	922	922	922	922	922	922	922	922	922	922	922	922
5	BCD Series (Light - Rectified) SB	P.SQM	929	929	929	929	929	929	929	929	929	929	929	929	929	929	929
6	BCD Series (Light - Rectified) ST	P.SQM	862	862	862	862	862	862	862	862	862	862	862	862	862	862	862
7	BCD Series (Dark - Rectified) SB	P.SQM	990	990	990	990	990	990	990	990	990	990	990	990	990	990	990
8	BCD Series (Dark - Rectified) ST	P.SQM	922	922	922	922	922	922	922	922	922	922	922	922	922	922	922
9	Salt'n Pepper SPM Dark Polished SB	P.SQM	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296
10	Salt'n Pepper SPM Dark Polished ST	P.SQM	1185	1185	1185	1185	1185	1185	1185	1185	1185	1185	1185	1185	1185	1185	1185
11	Salt'n Pepper SPMN Dark Polished SB	P.SQM	1166	1166	1166	1166	1166	1166	1166	1166	1166	1166	1166	1166	1166	1166	1166
12	Salt'n Pepper SPMN Dark Polished ST	P.SQM	1073	1073	1073	1073	1073	1073	1073	1073	1073	1073	1073	1073	1073	1073	1073
13	Salt'n Pepper (SPM 110) Light Polished SB	P.SQM	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126
14	Salt'n Pepper (SPM 110) Light Polished ST	P.SQM	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023
15	Salt'n Pepper (SPMN) Light Polished SB	P.SQM	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126	1126
16	Salt'n Pepper (SPMN) Light Polished ST	P.SQM	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023
17	Granite effect, GEM series Polished (Dark color) SB	P.SQM	1274	1274	1274	1274	1274	1274	1274	1274	1274	1274	1274	1274	1274	1274	1274
18	Granite effect, GEM series Polished (Dark color) ST	P.SQM	1171	1171	1171	1171	1171	1171	1171	1171	1171	1171	1171	1171	1171	1171	1171
19	Granite with dry/wet/venied application,DWV series Polished (Light color)class SB	P.SQM	1225	1225	1225	1225	1225	1225	1225	1225	1225	1225	1225	1225	1225	1225	1225
20	Granite with dry/wet/venied application,DWV series Polished (Light color)class ST	P.SQM	1122	1122	1122	1122	1122	1122	1122	1122	1122	1122	1122	1122	1122	1122	1122
21	Granite with dry/wet/venied application,DWV series Polished (Dark color)class SB	P.SQM	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321	1321
22	Granite with dry/wet/venied application,DWV series Polished (Dark color)class ST	P.SQM	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212
23	Coral Master (CLM) Dark Polished SB	P.SQM	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335
24	Coral Master (CLM) Dark Polished ST	P.SQM	1232	1232	1232	1232	1232	1232	1232	1232	1232	1232	1232	1232	1232	1232	1232
25	Imperial (IMPG) Dark Color Polished SB	P.SQM	1393	1393	1393	1393	1393	1393	1393	1393	1393	1393	1393	1393	1393	1393	1393
26	Imperial (IMPG) Dark Color Polished ST	P.SQM	1265	1265	1265	1265	1265	1265	1265	1265	1265	1265	1265	1265	1265	1265	1265
CA(3)	Master tiles 12" X 18"																
1	SP Series on matching color base (Glossy / Matt) Light Color Rectified SB	P.SQM	933	933	933	933	933	933	933	933	933	933	933	933	933	933	933
2	SP Series on matching color base (Glossy / Matt) Light Color Rectified ST	P.SQM	853	853	853	853	853	853	853	853	853	853	853	853	853	853	853
3	SP Series on matching color base (Glossy) Dark Color Rectified SB	P.SQM	996	996	996	996	996	996	996	996	996	996	996	996	996	996	996
4	SP Series on matching color base (Glossy) Dark Color Rectified ST	P.SQM	914	914	914	914	914	914	914	914	914	914	914	914	914	914	914
5	SP Series - Plain matching Light Colors (Glossy / Matt) SP PLN - SB	P.SQM	1010	1010	1010	1010	1010	1010	1010	1010	1010	1010	1010	1010	1010	1010	1010
6	SP Series - Plain matching Light Colors (Glossy / Matt) SP PLN - ST	P.SQM	927	927	927	927	927	927	927	927	927	927	927	927	927	927	927
7	SP Series - Plain matching Dark Colors (Glossy / Matt) SP PLN - SB	P.SQM	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074
8	SP Series - Plain matching Dark Colors (Glossy / Matt) SP PLN - ST	P.SQM	990	990	990	990	990	990	990	990	990	990	990	990	990	990	990
9	DFD Series Light SB	P.SQM	969	969	969	969	969	969	969	969	969	969	969	969	969	969	969
10	DFD Series Light ST	P.SQM	889	889	889	889	889	889	889	889	889	889	889	889	889	889	889
11	DFD Series Dark SB	P.SQM	1033	1033	1033	1033	1033	1033	1033	1033	1033	1033	1033	1033	1033	1033	1033
12	DFD Series Dark ST	P.SQM	953	953	953	953	953	953	953	953	953	953	953	953	953	953	953
CA(4)	Master tiles 24" X 24"																
1	Salt'Pepper (SPM) Dark Polished SB	P.SQM	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512
2	Salt'Pepper (SPM) Dark Polished ST	P.SQM	1388	1388	1388	1388	1388	1388	1388	1388	1388	1388	1388	1388	1388	1388	1388
3	Salt'Pepper (SPM-110) Light Polished SB	P.SQM	1495	1495	1495	1495	1495	1495	1495	1495	1495	1495	1495	1495	1495	1495	1495
4	Salt'Pepper (SPM-110) Light Polished ST	P.SQM	1370	1370	1370	1370	1370	1370	1370	1370	1370	1370	1370	1370	1370	1370	1370
5	Granite Effect (GEM) Dark Polished SB	P.SQM	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692
6	Granite Effect (GEM) Dark Polished ST	P.SQM	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569
7	Granite with dry/wet/venied application,DWV series Polished (Light color)class SB	P.SQM	1595	1595	1595	1595	1595	1595	1595	1595	1595	1595	1595	1595	1595	1595	1595
8	Granite with dry/wet/venied application,DWV series Polished (Light color)class ST	P.SQM	1472	1472	1472	1472	1472	1472	1472	1472	1472	1472	1472	1472	1472	1472	1472
9	Granite with dry/wet/venied application,DWV series Polished (Dark color)class SB	P.SQM	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692	1692
10	Granite with dry/wet/venied application,DWV series Polished (Dark color)class ST	P.SQM	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569	1569
11	Coral Master (CLM) Dark Polished SB	P.SQM	1802	1802	1802	1802	1802	1802	1802	1802	1802	1802	1802	1802	1802	1802	1802
12	Coral Master (CLM) Dark Polished ST	P.SQM	1678	1678	1678	1678	1678	1678	1678	1678	1678	1678	1678	1678	1678	1678	1678
13	IMPG Imperial Dark Polished SB	P.SQM	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783
14	IMPG Imperial Dark Polished ST	P.SQM	1636	1636	1636	1636	1636	1636	1636	1636	1636	1636	1636	1636	1636	1636	1636
15	GPM Glazed Polished Light SB	P.SQM	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324
16	GPM Glazed Polished Light ST	P.SQM	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205
17	GPM Glazed Polished Dark SB	P.SQM	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438
18	GPM Glazed Polished Dark ST	P.SQM	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319
19	GPD Series Light Polished SB	P.SQM	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad	
20	GPD Series Light Polished ST	P.SQM	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205
21	GPD Series Dark Polished SB	P.SQM	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438
22	GPD Series Dark Polished ST	P.SQM	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319
23	MCD Glazed Rectified Light SB	P.SQM	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324
24	MCD Glazed Rectified Light ST	P.SQM	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205	1205
25	MCD Glazed Rectified Dark SB	P.SQM	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438	1438
26	MCD Glazed Rectified Dark ST	P.SQM	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319	1319
CA(5)	Master Tiles 8"x8"																
1	SP Series on matching Light Color base (Glossy / Matt) SB	P.SQM	771	771	771	771	771	771	771	771	771	771	771	771	771	771	771
2	SP Series on matching Light Color base (Glossy / Matt) ST	P.SQM	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719
3	SP Series on matching Dark Color base (Glossy / Matt) SB	P.SQM	812	812	812	812	812	812	812	812	812	812	812	812	812	812	812
4	SP Series on matching Dark Color base (Glossy / Matt) ST	P.SQM	757	757	757	757	757	757	757	757	757	757	757	757	757	757	757
5	Solo executive on light color base Plain/Texture (Glossy/Matt)SE MATT series class SB	P.SQM	771	771	771	771	771	771	771	771	771	771	771	771	771	771	771
6	Solo executive on light color base Plain/Texture (Glossy/Matt)SE MATT series class ST	P.SQM	719	719	719	719	719	719	719	719	719	719	719	719	719	719	719
7	Solo executive on Dark color base Plain/Texture (Glossy/Matt)SE MATT series class SB	P.SQM	812	812	812	812	812	812	812	812	812	812	812	812	812	812	812
8	Solo executive on Dark color base Plain/Texture (Glossy/Matt)SE MATT series class ST	P.SQM	757	757	757	757	757	757	757	757	757	757	757	757	757	757	757
CA(6)	Master Tiles 8"x10"																
1	Solo executive on light color base. Plain/Texture (Glossy/Matt) SE series class SB	P.SQM	791	791	791	791	791	791	791	791	791	791	791	791	791	791	791
2	Solo executive on light color base. Plain/Texture (Glossy/Matt) SE series class ST	P.SQM	737	737	737	737	737	737	737	737	737	737	737	737	737	737	737
3	Solo executive on Dark color base. Plain/Texture (Glossy/Matt) SE series class SB	P.SQM	829	829	829	829	829	829	829	829	829	829	829	829	829	829	829
4	Solo executive on Dark color base. Plain/Texture (Glossy/Matt) SE series class ST	P.SQM	773	773	773	773	773	773	773	773	773	773	773	773	773	773	773
CB	NATIONAL CERAMIC TILES																
CB(1)	Code 6,7,8,9,102,515,317,318																
1	Floor Tiles 132mm x 268mm x 10mm (All Colors)	P.SQM	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740
2	Facing Strips 66mm x 268mm x 10mm (All Colors)	P.SQM	740	740	740	740	740	740	740	740	740	740	740	740	740	740	740
3	Step Tiles 190mm x 268mm x 10mm (All Colors)	P.SQM	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209
4	Angel 52 x 115 x 268 x 10mm	P.SQM	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209
CB(2)	Code 811,101,312																
1	Floor Tiles 132mm x 268mm x 10mm	P.SQM	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800
2	Facing Strips 66mm x 268mm x 10mm	P.SQM	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800
3	Step Tiles 190mm x 268mm x 10mm	P.SQM	236	236	236	236	236	236	236	236	236	236	236	236	236	236	236
4	Angel 52 x 115 x 268 x 10mm	P.SQM	236	236	236	236	236	236	236	236	236	236	236	236	236	236	236
CB(3)	Code 511,413,422																
1	Floor Tiles 132mm x 268mm x 10mm	P.SQM	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030
2	Facing Strips 66mm x 268mm x 10mm	P.SQM	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030	1030
3	Step Tiles 190mm x 268mm x 10mm	P.SQM	272	272	272	272	272	272	272	272	272	272	272	272	272	272	272
4	Angel 52 x 115 x 268 x 10mm	P.SQM	272	272	272	272	272	272	272	272	272	272	272	272	272	272	272
CB(4)	Code 101, 312																
1	Chequered Tile 115 x 268 x 10mm	P.SQM	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800
CC	STILE TILES (Shabbir Tiles)																
CC1	CERAMIC WALL TILES (PREMIUM) Size 6x6																
1	Plain White	P.Sqm	699	699	699	699	699	699	699	699	699	699	699	699	699	699	699
2	Plain Brown/Green	P.Sqm	828	828	828	828	828	828	828	828	828	828	828	828	828	828	828
3	Plain Mid Night Blue	P.Sqm	948	948	948	948	948	948	948	948	948	948	948	948	948	948	948
4	Plain Red	P.Sqm	1167	1167	1167	1167	1167	1167	1167	1167	1167	1167	1167	1167	1167	1167	1167
CC2	CERAMIC WALL TILES (PREMIUM) Size 8x8																
1	Plain Light Color	P.Sqm	668	668	668	668	668	668	668	668	668	668	668	668	668	668	668
2	Plain Dark Color	P.Sqm	694	694	694	694	694	694	694	694	694	694	694	694	694	694	694
3	Plain N.Blue / Burgundy	P.Sqm	796	796	796	796	796	796	796	796	796	796	796	796	796	796	796
4	Plain Red Yellow	P.Sqm	796	796	796	796	796	796	796	796	796	796	796	796	796	796	796
5	Texture Light	P.Sqm	652	652	652	652	652	652	652	652	652	652	652	652	652	652	652
6	Texture Dark	P.Sqm	678	678	678	678	678	678	678	678	678	678	678	678	678	678	678
7	Texture Burgundy	P.Sqm	780	780	780	780	780	780	780	780	780	780	780	780	780	780	780
8	Hala Design	P.Sqm	652	652	652	652	652	652	652	652	652	652	652	652	652	652	652
9	Die Punch Light	P.Sqm	689	689	689	689	689	689	689	689	689	689	689	689	689	689	689
10	Die Punch Dark	P.Sqm	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715
11	Die Punch Burgundy	P.Sqm	817	817	817	817	817	817	817	817	817	817	817	817	817	817	817
CC3	CERAMIC WALL TILES (PREMIUM) Size 8x10																
1	Plain Light Color	P.Sqm	664	664	664	664	664	664	664	664	664	664	664	664	664	664	664
2	Plain Dark Color	P.Sqm	690	690	690	690	690	690	690	690	690	690	690	690	690	690	690
3	Plain N.Blue / Burgundy / Exotic Brown	P.Sqm	802	802	802	802	802	802	802	802	802	802	802	802	802	802	802
4	Plain Red Yellow	P.Sqm	802	802	802	802	802	802	802	802	802	802	802	802	802	802	802
5	Texture Light	P.Sqm	647	647	647	647	647	647	647	647	647	647	647	647	647	647	647

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirre, Koty sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
6	Texture Dark	P.Sqm	674	674	674	674	674	674	674	674	674	674	674	674	674	674
7	Texture Burgundy	P.Sqm	775	775	775	775	775	775	775	775	775	775	775	775	775	775
8	Luster Light	P.Sqm	685	685	685	685	685	685	685	685	685	685	685	685	685	685
9	Luster Dark	P.Sqm	711	711	711	711	711	711	711	711	711	711	711	711	711	711
10	Luster Burgundy	P.Sqm	814	814	814	814	814	814	814	814	814	814	814	814	814	814
11	Hala Design	P.Sqm	647	647	647	647	647	647	647	647	647	647	647	647	647	647
12	Die Punch Light	P.Sqm	685	685	685	685	685	685	685	685	685	685	685	685	685	685
13	Die Punch Dark	P.Sqm	711	711	711	711	711	711	711	711	711	711	711	711	711	711
14	Die Punch Burgundy	P.Sqm	814	814	814	814	814	814	814	814	814	814	814	814	814	814
CC4	CERAMIC WALL TILES (PREMIUM) Size 8x12															
1	Plain Light Color	P.Sqm	704	704	704	704	704	704	704	704	704	704	704	704	704	704
2	Plain Dark Color	P.Sqm	729	729	729	729	729	729	729	729	729	729	729	729	729	729
3	Plain N.Blue / Burgundy / Exotic Brown	P.Sqm	842	842	842	842	842	842	842	842	842	842	842	842	842	842
4	Plain Red Yellow	P.Sqm	946	946	946	946	946	946	946	946	946	946	946	946	946	946
5	Texture Light	P.Sqm	677	677	677	677	677	677	677	677	677	677	677	677	677	677
6	Texture Dark	P.Sqm	703	703	703	703	703	703	703	703	703	703	703	703	703	703
7	Texture Burgundy	P.Sqm	805	805	805	805	805	805	805	805	805	805	805	805	805	805
8	Luster Light	P.Sqm	677	677	677	677	677	677	677	677	677	677	677	677	677	677
9	Luster Dark	P.Sqm	703	703	703	703	703	703	703	703	703	703	703	703	703	703
10	Luster Burgundy	P.Sqm	805	805	805	805	805	805	805	805	805	805	805	805	805	805
11	Hala Design	P.Sqm	677	677	677	677	677	677	677	677	677	677	677	677	677	677
12	Die Punch Light	P.Sqm	714	714	714	714	714	714	714	714	714	714	714	714	714	714
13	Die Punch Dark	P.Sqm	740	740	740	740	740	740	740	740	740	740	740	740	740	740
14	Die Punch Burgundy	P.Sqm	842	842	842	842	842	842	842	842	842	842	842	842	842	842
CC5	CERAMIC WALL TILES (PREMIUM) Size 10x13															
1	Plain Light Color	P.Sqm	702	702	702	702	702	702	702	702	702	702	702	702	702	702
2	Plain Dark Color	P.Sqm	729	729	729	729	729	729	729	729	729	729	729	729	729	729
3	Plain N.Blue / Burgundy / Exotic Brown	P.Sqm	831	831	831	831	831	831	831	831	831	831	831	831	831	831
4	Plain Red Yellow	P.Sqm	934	934	934	934	934	934	934	934	934	934	934	934	934	934
5	Texture Light	P.Sqm	709	709	709	709	709	709	709	709	709	709	709	709	709	709
6	Texture Dark	P.Sqm	709	709	709	709	709	709	709	709	709	709	709	709	709	709
7	Texture Burgundy	P.Sqm	816	816	816	816	816	816	816	816	816	816	816	816	816	816
8	Reactive Light	P.Sqm	709	709	709	709	709	709	709	709	709	709	709	709	709	709
9	Reactive Dark	P.Sqm	709	709	709	709	709	709	709	709	709	709	709	709	709	709
10	Luster Light	P.Sqm	723	723	723	723	723	723	723	723	723	723	723	723	723	723
11	Luster Dark	P.Sqm	748	748	748	748	748	748	748	748	748	748	748	748	748	748
12	Luster Burgundy	P.Sqm	853	853	853	853	853	853	853	853	853	853	853	853	853	853
13	Die Punch Light	P.Sqm	723	723	723	723	723	723	723	723	723	723	723	723	723	723
14	Die Punch Dark	P.Sqm	748	748	748	748	748	748	748	748	748	748	748	748	748	748
15	Die Punch Burgundy	P.Sqm	853	853	853	853	853	853	853	853	853	853	853	853	853	853
CC6	CERAMIC WALL TILES (PREMIUM) Size 12x24															
1	Texture Normal Gloss (Light)	P.Sqm	788	788	788	788	788	788	788	788	788	788	788	788	788	788
2	Texture Normal Gloss (Dark)	P.Sqm	913	913	913	913	913	913	913	913	913	913	913	913	913	913
3	Die Punch (All)	P.Sqm	923	923	923	923	923	923	923	923	923	923	923	923	923	923
CC7	CERAMIC WALL TILES (PREMIUM) Size 12x18															
1	Texture Normal Gloss (Light) inkjet	P.Sqm	753	753	753	753	753	753	753	753	753	753	753	753	753	753
2	Texture Normal Gloss (Dark) inkjet	P.Sqm	785	785	785	785	785	785	785	785	785	785	785	785	785	785
3	Die Punch (Light) inkjet	P.Sqm	823	823	823	823	823	823	823	823	823	823	823	823	823	823
4	Die Punch (Dark) inkjet	P.Sqm	855	855	855	855	855	855	855	855	855	855	855	855	855	855
5	Die Punch (Burgundy) inkjet	P.Sqm	953	953	953	953	953	953	953	953	953	953	953	953	953	953
6	Die Punch N.Blue/Burgundy inkjet	P.Sqm	953	953	953	953	953	953	953	953	953	953	953	953	953	953
7	Plain Light	P.Sqm	734	734	734	734	734	734	734	734	734	734	734	734	734	734
8	Plain Dark	P.Sqm	766	766	766	766	766	766	766	766	766	766	766	766	766	766
9	Plain N.Blue/Burgundy	P.Sqm	864	864	864	864	864	864	864	864	864	864	864	864	864	864
10	Plain Red/Yellow	P.Sqm	969	969	969	969	969	969	969	969	969	969	969	969	969	969
11	Texture Light	P.Sqm	718	718	718	718	718	718	718	718	718	718	718	718	718	718
12	Texture Dark	P.Sqm	749	749	749	749	749	749	749	749	749	749	749	749	749	749
13	Texture Burgundy	P.Sqm	848	848	848	848	848	848	848	848	848	848	848	848	848	848
14	Luster Light	P.Sqm	754	754	754	754	754	754	754	754	754	754	754	754	754	754
15	Luster Dark	P.Sqm	785	785	785	785	785	785	785	785	785	785	785	785	785	785
16	Luster Burgundy	P.Sqm	884	884	884	884	884	884	884	884	884	884	884	884	884	884
17	Die Punch Light	P.Sqm	754	754	754	754	754	754	754	754	754	754	754	754	754	754
18	Die Punch Dark	P.Sqm	785	785	785	785	785	785	785	785	785	785	785	785	785	785

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Khanuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
19	Die Punch Burgundy	P.Sqm	884	884	884	884	884	884	884	884	884	884	884	884	884	884
CC8	CERAMIC FLOOR TILES (PREMIUM) Size 12x12 (CFT MATT)															
1	Plain Light Color	P.Sqm	728	728	728	728	728	728	728	728	728	728	728	728	728	728
2	Plain Dark Color	P.Sqm	762	762	762	762	762	762	762	762	762	762	762	762	762	762
3	Texture Light	P.Sqm	728	728	728	728	728	728	728	728	728	728	728	728	728	728
4	Texture Dark	P.Sqm	762	762	762	762	762	762	762	762	762	762	762	762	762	762
CC9	CERAMIC FLOOR TILES (PREMIUM) Size 12x12 (CFT GLOSSY)															
1	Plain Light Color	P.Sqm	755	755	755	755	755	755	755	755	755	755	755	755	755	755
2	Plain Dark Color	P.Sqm	790	790	790	790	790	790	790	790	790	790	790	790	790	790
3	Texture Light	P.Sqm	755	755	755	755	755	755	755	755	755	755	755	755	755	755
4	Texture Dark	P.Sqm	790	790	790	790	790	790	790	790	790	790	790	790	790	790
CC10	PORCELAIN FLOOR TILES (PFT) NANO POLISHED Size 16x16 (PREMIUM)															
1	Plain Light	P.Sqm	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128
2	Plain Coffee Brown	P.Sqm	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543
3	Plain Redish Brown	P.Sqm	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378
4	Salt & Pepper light	P.Sqm	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140
5	Salt & Pepper Black White/ Dark Grey	P.Sqm	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543
CC11	PORCELAIN FLOOR TILES (PFT) NANO POLISHED Size 20x20 (PREMIUM)															
1	Plain Light Color	P.Sqm	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162
2	Plain Coffe Brown	P.Sqm	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577
3	Plain Redish Brown	P.Sqm	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405
4	Salt & Pepper light	P.Sqm	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170
D	Electrical & Gas Fitting															
DA	Circuit Brakers (As per approved manufacturers)															
DA(1)	Single Pole (LEGRAND)															
1	MCB 1 POLE 6A, 6KA (LR)	Each	330	330	330	330	330	330	330	330	330	330	330	330	330	330
2	MCB 1 POLE 20A, 6KA (LR)	Each	330	330	330	330	330	330	330	330	330	330	330	330	330	330
3	MCB 1 POLE 50A, 6KA (LR)	Each	550	550	550	550	550	550	550	550	550	550	550	550	550	550
4	MCB 1 POLE 63A, 6KA (LR)	Each	550	550	550	550	550	550	550	550	550	550	550	550	550	550
DA(2)	Double pole (LEGRAND)															
1	MCB 2 POLE 6A, 6KA (LR)	Each	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
2	MCB 2 POLE 20A, 6KA (LR)	Each	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
3	MCB 2 POLE 50A, 6KA (LR)	Each	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850
4	MCB 2 POLE 63A, 6KA (LR)	Each	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850
DA(3)	Tripple Pole (HITACHI)															
1	MCCB TP 5A 2.5KA	Each	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090
2	MCCB TP 20A 2.5KA	Each	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090
3	MCCB TP 50A 10KA	Each	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880
4	MCCB TP 125A 15KA	Each	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100
5	MCCB TP 200A 18KA	Each	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100
DB	FLEXIBLE CABLES (As per approved manufacturer made from imported copper)															
DB(1)	FLAT SHEATHED 2-CORE FLEXIBLE WIRE															
1	14/.0076	P.Mtr.	23	23	23	23	23	23	23	23	23	23	23	23	23	23
2	23/.0076	P.Mtr.	31	31	31	31	31	31	31	31	31	31	31	31	31	31
3	40/.0076	P.Mtr.	44	44	44	44	44	44	44	44	44	44	44	44	44	44
4	70/.0076	P.Mtr.	72	72	72	72	72	72	72	72	72	72	72	72	72	72
5	110/.0076	P.Mtr.	105	105	105	105	105	105	105	105	105	105	105	105	105	105
6	162/.0076	P.Mtr.	151	151	151	151	151	151	151	151	151	151	151	151	151	151
DB(2)	ROUND SHEATHED 3-CORE FLEXIBLE WIRE															
1	14/.0076	P.Mtr.	29	29	29	29	29	29	29	29	29	29	29	29	29	29
2	23/.0076	P.Mtr.	39	39	39	39	39	39	39	39	39	39	39	39	39	39
3	40/.0076	P.Mtr.	60	60	60	60	60	60	60	60	60	60	60	60	60	60
4	70/.0076	P.Mtr.	99	99	99	99	99	99	99	99	99	99	99	99	99	99
5	110/.0076	P.Mtr.	146	146	146	146	146	146	146	146	146	146	146	146	146	146
6	162/.0076	P.Mtr.	212	212	212	212	212	212	212	212	212	212	212	212	212	212
DB(3)	ROUND SHEATHED 4-CORE FLEXIBLE WIRE															
1	14/.0076	P.Mtr.	35	35	35	35	35	35	35	35	35	35	35	35	35	35
2	23/.0076	P.Mtr.	49	49	49	49	49	49	49	49	49	49	49	49	49	49
3	40/.0076	P.Mtr.	79	79	79	79	79	79	79	79	79	79	79	79	79	79
4	70/.0076	P.Mtr.	128	128	128	128	128	128	128	128	128	128	128	128	128	128
5	110/.0076	P.Mtr.	190	190	190	190	190	190	190	190	190	190	190	190	190	190
6	162/.0076	P.Mtr.	275	275	275	275	275	275	275	275	275	275	275	275	275	275

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Narawal	Mandi Bahaudin	Faisalabad	Chiniot	Jhung	Toba Tek Singh	Sargodha	Teh: Noshehra, Soan vally Khushab	Khushab	Mianwali	Bhakkar	Multan	Muzafargarh	Layyah	Dera Ghazi Khan	Fort Manro	Rejanpur	Sahiwal	Pakpattan	Vehari	Khanewal	Bahawalpur	Lodhran	Bahawal Nagar	Rahimyar Khan	Item		
884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	884	19		
728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	CC8	
762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	1	
728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	728	2	
762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	762	3	
755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	4	
790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	CC9	
755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	1	
790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	2	
755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	755	3	
790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	790	4	
1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	1128	CC10	
1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1	
1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	1378	2	
1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	1140	3	
1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	1543	4	
1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	CC11	
1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1577	1	
1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	1405	2	
1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	1170	3	
330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	330	4	
550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	DA(1)	
550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	1	
1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	2	
1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	3	
1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	4	
1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	DA(2)	
3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	1	
3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	3090	2	
4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	4880	3	
11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	4	
11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	11100	5	
23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	DB	
31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	DB(1)	
44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	1	
72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	2	
105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	3	
151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151	4	
29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	5	
39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	6	
60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	DB(2)	
99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	1	
146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	2	
212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212	3
35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	DB(3)	
49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	1	
79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	2	
128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	3	
190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190	4	
275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	5	
275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	275	6

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Khanuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad	
DC	POWER CABLE (As per approved manufacturer made from imported copper)																
1	70 mm sq s/c Cu.pvc/pvc (Sheathed)	P.Mtr.	849	849	849	849	849	849	849	849	849	849	849	849	849	849	
2	25 mm sq 4/c Cu.pvc/pvc (Sheathed)	P.Mtr.	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	
3	35 mm sq 4/c Cu.pvc/pvc (Sheathed)	P.Mtr.	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	
4	50 mm sq 4/c Cu.pvc/pvc (Sheathed)	P.Mtr.	2410	2410	2410	2410	2410	2410	2410	2410	2410	2410	2410	2410	2410	2410	
5	70 mm sq 4/c Cu.pvc/pvc (Sheathed)	P.Mtr.	3438	3438	3438	3438	3438	3438	3438	3438	3438	3438	3438	3438	3438	3438	
6	95 mm sq 4/c Cu.pvc/pvc (Sheathed)	P.Mtr.	4768	4768	4768	4768	4768	4768	4768	4768	4768	4768	4768	4768	4768	4768	
7	120 mm sq 4/c Cu.pvc/pvc (Sheathed)	P.Mtr.	5993	5993	5993	5993	5993	5993	5993	5993	5993	5993	5993	5993	5993	5993	
8	150 mm sq 4/c Cu.pvc/pvc (Sheathed)	P.Mtr.	7363	7363	7363	7363	7363	7363	7363	7363	7363	7363	7363	7363	7363	7363	
9	185 mm sq 4/c Cu.pvc/pvc (Sheathed)	P.Mtr.	9216	9216	9216	9216	9216	9216	9216	9216	9216	9216	9216	9216	9216	9216	
10	240 mm sq 4/c Cu.pvc/pvc (Sheathed)	P.Mtr.	12083	12083	12083	12083	12083	12083	12083	12083	12083	12083	12083	12083	12083	12083	
11	16 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	1004	1004	1004	1004	1004	1004	1004	1004	1004	1004	1004	1004	1004	1004	
12	25 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	1459	1459	1459	1459	1459	1459	1459	1459	1459	1459	1459	1459	1459	1459	
13	35 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	1956	1956	1956	1956	1956	1956	1956	1956	1956	1956	1956	1956	1956	1956	
14	50 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	2656	2656	2656	2656	2656	2656	2656	2656	2656	2656	2656	2656	2656	2656	
15	70 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	3724	3724	3724	3724	3724	3724	3724	3724	3724	3724	3724	3724	3724	3724	
16	95mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	5087	5087	5087	5087	5087	5087	5087	5087	5087	5087	5087	5087	5087	5087	
17	120 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	6425	6425	6425	6425	6425	6425	6425	6425	6425	6425	6425	6425	6425	6425	
18	150 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	7832	7832	7832	7832	7832	7832	7832	7832	7832	7832	7832	7832	7832	7832	
19	185 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	9747	9747	9747	9747	9747	9747	9747	9747	9747	9747	9747	9747	9747	9747	
20	240 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured)	P.Mtr.	12679	12679	12679	12679	12679	12679	12679	12679	12679	12679	12679	12679	12679	12679	
DD	FANS																
1	Bracket Fan 18" (As per approved manufacturers)	Each	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	2700	
2	Exhaust Fan 12" sweep with louver and shutter (As per approved manufacturers)	Each	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	
3	Exhaust Fan 10" sweep with louver and shutter (As per approved manufacturers)	Each	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	
4	Exhaust Fan 8" sweep with louver and shutter (As per approved manufacturers)	Each	1400	1400	1400	1400	1400	1400	1400	1400	1400	1400	1400	1400	1400	1400	
DE	Water geyser 14 SWG GI sheet tank , 22 guage SWG MS sheet external cover 4" thick high density glass wool (As per approved manufacturers)																
1	35 Gallon Capacity	Each	12500	12500	12500	12500	12500	12500	12500	12500	12500	12500	12500	12500	12500	12500	
2	50 Gallon Capacity	Each	14500	14500	14500	14500	14500	14500	14500	14500	14500	14500	14500	14500	14500	14500	
3	55 Gallon Capacity	Each	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000	15000	
4	Labour charges and cost of fitting	Each	500	500	500	500	500	500	500	500	500	500	500	500	500	500	
DF	Electric Water Geyser (As per approved manufacturers)																
1	10 Gallon	Each	5800	5800	5800	5800	5800	5800	5800	5800	5800	5800	5800	5800	5800	5800	
2	12 Gallon	Each	6300	6300	6300	6300	6300	6300	6300	6300	6300	6300	6300	6300	6300	6300	
3	15 Gallon	Each	6900	6900	6900	6900	6900	6900	6900	6900	6900	6900	6900	6900	6900	6900	
4	20 Gallon	Each	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500	9500	
5	25 Gallon	Each	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	
DG	Sui Gas Room Heaters (As per approved manufacturers)																
1	i) Sui gas room heater single plate.complete in all respect	Each	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	
2	ii) Sui gas room heater double plate.complete in all respect	Each	3800	3800	3800	3800	3800	3800	3800	3800	3800	3800	3800	3800	3800	3800	
E	Storage Water Tanks (Double Ply) (As per approved manufacturers)																
EA(1)	Vertical Water Tanks																
1	200 Gls Capacity (Vertical)	Each	9192	9192	9192	9192	9192	9192	9192	9192	9192	9192	9192	9192	9192	9192	
2	250 Gls Capacity (Vertical)	Each	11638	11638	11638	11638	11638	11638	11638	11638	11638	11638	11638	11638	11638	11638	
3	300 Gls Capacity (Vertical)	Each	12778	12778	12778	12778	12778	12778	12778	12778	12778	12778	12778	12778	12778	12778	
4	400 Gls Capacity (Vertical)	Each	15274	15274	15274	15274	15274	15274	15274	15274	15274	15274	15274	15274	15274	15274	
5	500 Gls Capacity (Vertical)	Each	19119	19119	19119	19119	19119	19119	19119	19119	19119	19119	19119	19119	19119	19119	
EA(2)	Horizontal Water Tanks (Double Ply) (As per approved manufacturers)																
1	200 Gls Capacity (Horizontal)	Each	11602	11602	11602	11602	11602	11602	11602	11602	11602	11602	11602	11602	11602	11602	
2	250 Gls Capacity (Horizontal)	Each	15628	15628	15628	15628	15628	15628	15628	15628	15628	15628	15628	15628	15628	15628	
3	300 Gls Capacity (Horizontal)	Each	17214	17214	17214	17214	17214	17214	17214	17214	17214	17214	17214	17214	17214	17214	
F	Water Supply Pumps (As per approved manufacturers)																
1	0.5 H.P motor. 15 m suction & 15 head (non automatic)	Each	6634	6634	6634	6634	6634	6634	6634	6634	6634	6634	6634	6634	6634	6634	
2	0.5 H.P motor. 15 m suction & 15 m head (Automatic with tank)	Each	9900	9900	9900	9900	9900	9900	9900	9900	9900	9900	9900	9900	9900	9900	
3	1 H.P motor. 21 m suction & 21 m head (non automatic)	Each	8845	8845	8845	8845	8845	8845	8845	8845	8845	8845	8845	8845	8845	8845	
4	1 H.P motor. 21 m suction & 21 m head (Automatic with Tank)	Each	12151	12151	12151	12151	12151	12151	12151	12151	12151	12151	12151	12151	12151	12151	
5	2 H.P motor. 27 m suction & 35 m head (non automatic)	Each	11057	11057	11057	11057	11057	11057	11057	11057	11057	11057	11057	11057	11057	11057	
6	2.5 H.P motor. 38 m suction & 38 m head (non automatic)	Each	13268	13268	13268	13268	13268	13268	13268	13268	13268	13268	13268	13268	13268	13268	
7	Ejector	Each	237	237	237	237	237	237	237	237	237	237	237	237	237	237	
G	MASTER SANITARY FITTINGS																
GA	COMPLETE SETS (8 PCS) 1/2" (CP)																
1	Common Bath Set (3002)	P.Set	11708	11708	11708	11708	11708	11708	11708	11708	11708	11708	11708	11708	11708	11708	

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Shikot	Gujrat	Hafizabad
2	Charisma Set (3006)	P.Set	13624	13624	13624	13624	13624	13624	13624	13624	13624	13624	13624	13624	13624	13624
3	Common Bath Set (3007)	P.Set	12564	12564	12564	12564	12564	12564	12564	12564	12564	12564	12564	12564	12564	12564
4	Charisma Set (3008)	P.Set	14528	14528	14528	14528	14528	14528	14528	14528	14528	14528	14528	14528	14528	14528
5	Jazz Set (3013) CP	P.Set	16087	16087	16087	16087	16087	16087	16087	16087	16087	16087	16087	16087	16087	16087
6	Jazz Set (3013A) CP	P.Set	16836	16836	16836	16836	16836	16836	16836	16836	16836	16836	16836	16836	16836	16836
7	Jazz Set (3013B) CP	P.Set	17382	17382	17382	17382	17382	17382	17382	17382	17382	17382	17382	17382	17382	17382
8	Lever Profit Plus Set (3060) CP	P.Set	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400
9	Lever Profit Plus Set (3060A) CP	P.Set	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506
10	Fab Set (3081) CP	P.Set	18480	18480	18480	18480	18480	18480	18480	18480	18480	18480	18480	18480	18480	18480
11	Fab Set (3081A) CP	P.Set	21214	21214	21214	21214	21214	21214	21214	21214	21214	21214	21214	21214	21214	21214
12	Fab Set (3081B) CP	P.Set	19395	19395	19395	19395	19395	19395	19395	19395	19395	19395	19395	19395	19395	19395
13	Sapphire Set (3082) CP	P.Set	16750	16750	16750	16750	16750	16750	16750	16750	16750	16750	16750	16750	16750	16750
14	Sapphire Set (3082A) CP	P.Set	19225	19225	19225	19225	19225	19225	19225	19225	19225	19225	19225	19225	19225	19225
15	Sapphire Set (3082B) CP	P.Set	17432	17432	17432	17432	17432	17432	17432	17432	17432	17432	17432	17432	17432	17432
16	Caspian Set (3083) CP	P.Set	19335	19335	19335	19335	19335	19335	19335	19335	19335	19335	19335	19335	19335	19335
17	Caspian Set (3083A) CP	P.Set	21836	21836	21836	21836	21836	21836	21836	21836	21836	21836	21836	21836	21836	21836
18	Caspian Set (3083B) CP	P.Set	20017	20017	20017	20017	20017	20017	20017	20017	20017	20017	20017	20017	20017	20017
19	Topaz Set (3084) CP	P.Set	14783	14783	14783	14783	14783	14783	14783	14783	14783	14783	14783	14783	14783	14783
20	Topaz Set (3084A) CP	P.Set	16314	16314	16314	16314	16314	16314	16314	16314	16314	16314	16314	16314	16314	16314
21	Topaz Set (3084B) CP	P.Set	15465	15465	15465	15465	15465	15465	15465	15465	15465	15465	15465	15465	15465	15465
22	Emerald Set (3085) CP	P.Set	18818	18818	18818	18818	18818	18818	18818	18818	18818	18818	18818	18818	18818	18818
23	Emerald Set (3085A) CP	P.Set	21956	21956	21956	21956	21956	21956	21956	21956	21956	21956	21956	21956	21956	21956
24	Emerald Set (3085B) CP	P.Set	20136	20136	20136	20136	20136	20136	20136	20136	20136	20136	20136	20136	20136	20136
25	Oasis Set (3086) CP	P.Set	17183	17183	17183	17183	17183	17183	17183	17183	17183	17183	17183	17183	17183	17183
26	Oasis Set (3086A) CP	P.Set	18636	18636	18636	18636	18636	18636	18636	18636	18636	18636	18636	18636	18636	18636
27	Oasis Set (3086B) CP	P.Set	17866	17866	17866	17866	17866	17866	17866	17866	17866	17866	17866	17866	17866	17866
28	Ornate Set (3087) CP	P.Set	14802	14802	14802	14802	14802	14802	14802	14802	14802	14802	14802	14802	14802	14802
29	Ornate Set (3087A) CP	P.Set	16286	16286	16286	16286	16286	16286	16286	16286	16286	16286	16286	16286	16286	16286
30	Ornate Set (3087B) CP	P.Set	15484	15484	15484	15484	15484	15484	15484	15484	15484	15484	15484	15484	15484	15484
31	Arco Set (3089) / (3089A) CP	P.Set	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024
32	Crest Set (3090) / (3090A) CP	P.Set	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024	12024
33	Caper Set (3015) CP	P.Set	24649	24649	24649	24649	24649	24649	24649	24649	24649	24649	24649	24649	24649	24649
34	Caper Set (3015A) CP	P.Set	27471	27471	27471	27471	27471	27471	27471	27471	27471	27471	27471	27471	27471	27471
35	Victorian Set (3017) CP	P.Set	13123	13123	13123	13123	13123	13123	13123	13123	13123	13123	13123	13123	13123	13123
36	Victorian Set (3017A) CP	P.Set	13373	13373	13373	13373	13373	13373	13373	13373	13373	13373	13373	13373	13373	13373
37	Tempo Set (3025) CP	P.Set	16615	16615	16615	16615	16615	16615	16615	16615	16615	16615	16615	16615	16615	16615
38	Tempo Set (3025A) CP	P.Set	17543	17543	17543	17543	17543	17543	17543	17543	17543	17543	17543	17543	17543	17543
39	Tempo Set (3025B) CP	P.Set	18097	18097	18097	18097	18097	18097	18097	18097	18097	18097	18097	18097	18097	18097
40	Solo Set (3031) CP	P.Set	10955	10955	10955	10955	10955	10955	10955	10955	10955	10955	10955	10955	10955	10955
41	Solo Set (3031A) CP	P.Set	12171	12171	12171	12171	12171	12171	12171	12171	12171	12171	12171	12171	12171	12171
42	Orient Set (3033) CP	P.Set	17028	17028	17028	17028	17028	17028	17028	17028	17028	17028	17028	17028	17028	17028
43	Orient Set (3033A) CP	P.Set	17876	17876	17876	17876	17876	17876	17876	17876	17876	17876	17876	17876	17876	17876
44	Orient Set (3033B) CP	P.Set	18432	18432	18432	18432	18432	18432	18432	18432	18432	18432	18432	18432	18432	18432
45	Bello Set (3040) CP	P.Set	11848	11848	11848	11848	11848	11848	11848	11848	11848	11848	11848	11848	11848	11848
46	Bello Set (3040A) CP	P.Set	13228	13228	13228	13228	13228	13228	13228	13228	13228	13228	13228	13228	13228	13228
47	Alba Set (3042) CP	P.Set	11966	11966	11966	11966	11966	11966	11966	11966	11966	11966	11966	11966	11966	11966
48	Alba Set (3042A) CP	P.Set	13218	13218	13218	13218	13218	13218	13218	13218	13218	13218	13218	13218	13218	13218
49	Alba Set (3042B) CP	P.Set	12618	12618	12618	12618	12618	12618	12618	12618	12618	12618	12618	12618	12618	12618
50	Alba Set (3042C) CP	P.Set	13871	13871	13871	13871	13871	13871	13871	13871	13871	13871	13871	13871	13871	13871
51	Alba Set (3042D) CP	P.Set	13008	13008	13008	13008	13008	13008	13008	13008	13008	13008	13008	13008	13008	13008
52	Alba Set (3042E) CLC	P.Set	14261	14261	14261	14261	14261	14261	14261	14261	14261	14261	14261	14261	14261	14261
53	Cello Set (3046) CP	P.Set	11810	11810	11810	11810	11810	11810	11810	11810	11810	11810	11810	11810	11810	11810
54	Cello Set (3046A) CP	P.Set	13062	13062	13062	13062	13062	13062	13062	13062	13062	13062	13062	13062	13062	13062
55	Cello Set (3046B) CP	P.Set	12480	12480	12480	12480	12480	12480	12480	12480	12480	12480	12480	12480	12480	12480
56	Cello Set (3046C) CP	P.Set	13733	13733	13733	13733	13733	13733	13733	13733	13733	13733	13733	13733	13733	13733
57	Cello Set (3046D) CP	P.Set	12878	12878	12878	12878	12878	12878	12878	12878	12878	12878	12878	12878	12878	12878
58	Cello Set (3046E) CP	P.Set	14130	14130	14130	14130	14130	14130	14130	14130	14130	14130	14130	14130	14130	14130
59	Lever Profit Set (3050) CP	P.Set	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400	11400
60	Lever Profit Set (3050A) CP	P.Set	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506	11506
61	Bold Set (3051) CP	P.Set	20918	20918	20918	20918	20918	20918	20918	20918	20918	20918	20918	20918	20918	20918
62	Bold Set (3051A) CP	P.Set	22502	22502	22502	22502	22502	22502	22502	22502	22502	22502	22502	22502	22502	22502
63	Bold Set (3051B) CP	P.Set	22310	22310	22310	22310	22310	22310	22310	22310	22310	22310	22310	22310	22310	22310
64	ECO Set (3055) CP	P.Set	12447	12447	12447	12447	12447	12447	12447	12447	12447	12447	12447	12447	12447	12447

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
65	ECO Set (3055A) CP	P.Set	12336	12336	12336	12336	12336	12336	12336	12336	12336	12336	12336	12336	12336	12336
66	Susan Plus Set (3056) CP	P.Set	12577	12577	12577	12577	12577	12577	12577	12577	12577	12577	12577	12577	12577	12577
67	Susan Plus Set (3056A) CP	P.Set	13235	13235	13235	13235	13235	13235	13235	13235	13235	13235	13235	13235	13235	13235
68	Siesta Set (3057) CP	P.Set	18307	18307	18307	18307	18307	18307	18307	18307	18307	18307	18307	18307	18307	18307
69	Siesta Set (3057A) CP	P.Set	19988	19988	19988	19988	19988	19988	19988	19988	19988	19988	19988	19988	19988	19988
70	Siesta Set (3057B) CP	P.Set	19796	19796	19796	19796	19796	19796	19796	19796	19796	19796	19796	19796	19796	19796
71	Siesta Set (3057D) CP	P.Set	19501	19501	19501	19501	19501	19501	19501	19501	19501	19501	19501	19501	19501	19501
72	Siesta Set (3057E) CP	P.Set	21182	21182	21182	21182	21182	21182	21182	21182	21182	21182	21182	21182	21182	21182
73	Siesta Set (3057F) CP	P.Set	20990	20990	20990	20990	20990	20990	20990	20990	20990	20990	20990	20990	20990	20990
74	Pelican Set (3058) CP	P.Set	15290	15290	15290	15290	15290	15290	15290	15290	15290	15290	15290	15290	15290	15290
75	Pelican Set (3058A) CP	P.Set	16437	16437	16437	16437	16437	16437	16437	16437	16437	16437	16437	16437	16437	16437
76	Pelican Set (3058B) CP	P.Set	17851	17851	17851	17851	17851	17851	17851	17851	17851	17851	17851	17851	17851	17851
77	Pelican Set (3058D) CP	P.Set	16342	16342	16342	16342	16342	16342	16342	16342	16342	16342	16342	16342	16342	16342
78	Pelican Set (3058E) CP	P.Set	17489	17489	17489	17489	17489	17489	17489	17489	17489	17489	17489	17489	17489	17489
79	Pelican Set (3058F) CP	P.Set	18903	18903	18903	18903	18903	18903	18903	18903	18903	18903	18903	18903	18903	18903
80	Profit Plus Set (3059) / (3059A) CP	P.Set	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964
81	Quad Set (3061) CP	P.Set	18245	18245	18245	18245	18245	18245	18245	18245	18245	18245	18245	18245	18245	18245
82	Quad Set (3061A) CP	P.Set	21671	21671	21671	21671	21671	21671	21671	21671	21671	21671	21671	21671	21671	21671
83	Hexa Set (3065) CP	P.Set	19349	19349	19349	19349	19349	19349	19349	19349	19349	19349	19349	19349	19349	19349
84	Hexa Set (3065A) CP	P.Set	23481	23481	23481	23481	23481	23481	23481	23481	23481	23481	23481	23481	23481	23481
85	Galaxy Set (3066) CP	P.Set	18747	18747	18747	18747	18747	18747	18747	18747	18747	18747	18747	18747	18747	18747
86	Galaxy Set (3066A) CP	P.Set	20667	20667	20667	20667	20667	20667	20667	20667	20667	20667	20667	20667	20667	20667
87	Phantom Set (3088) CP	P.Set	25569	25569	25569	25569	25569	25569	25569	25569	25569	25569	25569	25569	25569	25569
88	Phantom Set (3088A) CP	P.Set	28706	28706	28706	28706	28706	28706	28706	28706	28706	28706	28706	28706	28706	28706
89	Phantom Set (3088B) CP	P.Set	26887	26887	26887	26887	26887	26887	26887	26887	26887	26887	26887	26887	26887	26887
90	Vista Set (3071) CP	P.Set	16465	16465	16465	16465	16465	16465	16465	16465	16465	16465	16465	16465	16465	16465
91	Vista Set (3071A) CP	P.Set	18545	18545	18545	18545	18545	18545	18545	18545	18545	18545	18545	18545	18545	18545
92	Grace Set (3073) CP	P.Set	8189	8189	8189	8189	8189	8189	8189	8189	8189	8189	8189	8189	8189	8189
93	Grace Set (3073A) CP	P.Set	8224	8224	8224	8224	8224	8224	8224	8224	8224	8224	8224	8224	8224	8224
94	Fancy Set (3080) CP	P.Set	12430	12430	12430	12430	12430	12430	12430	12430	12430	12430	12430	12430	12430	12430
95	Fancy Set (3080A) CP	P.Set	12674	12674	12674	12674	12674	12674	12674	12674	12674	12674	12674	12674	12674	12674
96	Aston Set (3091) / (3091A) CP	P.Set	8744	8744	8744	8744	8744	8744	8744	8744	8744	8744	8744	8744	8744	8744
GB	ECONOMY COMPLETE SETS (1/2") CP															
1	Master Economy Set (088)	Each	9289	9289	9289	9289	9289	9289	9289	9289	9289	9289	9289	9289	9289	9289
2	Master Economy Set (088A)	Each	9881	9881	9881	9881	9881	9881	9881	9881	9881	9881	9881	9881	9881	9881
3	Master Economy Set (091)	Each	9713	9713	9713	9713	9713	9713	9713	9713	9713	9713	9713	9713	9713	9713
4	Master Economy Set (091A)	Each	10305	10305	10305	10305	10305	10305	10305	10305	10305	10305	10305	10305	10305	10305
GC	TEE STOP COCKS 1/2" (CP)															
1	(size 1/2") (081)	Each	560	560	560	560	560	560	560	560	560	560	560	560	560	560
2	(size 1/2") (076)	Each	896	896	896	896	896	896	896	896	896	896	896	896	896	896
3	(size 1/2") (075)	Each	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248
4	(size 1/2") (068)	Each	622	622	622	622	622	622	622	622	622	622	622	622	622	622
5	(size 1/2") (067)	Each	785	785	785	785	785	785	785	785	785	785	785	785	785	785
6	(size 1/2") (010)	Each	690	690	690	690	690	690	690	690	690	690	690	690	690	690
GD	BATH MIXER 1/2" (CP)															
1	Profit Set (3048) / (3048A) (CP)	Each	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964	7964
2	Profit Set (3049) (CP)	Each	6967	6967	6967	6967	6967	6967	6967	6967	6967	6967	6967	6967	6967	6967
3	Profit Set (3049A) (CP)	Each	7010	7010	7010	7010	7010	7010	7010	7010	7010	7010	7010	7010	7010	7010
4	Regal Set (3018) (CP)	Each	10766	10766	10766	10766	10766	10766	10766	10766	10766	10766	10766	10766	10766	10766
5	Regal Set (3018A) (CP)	Each	11067	11067	11067	11067	11067	11067	11067	11067	11067	11067	11067	11067	11067	11067
GE	SINK MIXER 1/2" (CP)															
1	063, (CP)	Each	752	752	752	752	752	752	752	752	752	752	752	752	752	752
2	056A, (CP)	Each	7154	7154	7154	7154	7154	7154	7154	7154	7154	7154	7154	7154	7154	7154
3	056, (CP)	Each	7437	7437	7437	7437	7437	7437	7437	7437	7437	7437	7437	7437	7437	7437
4	022A, (CP)	Each	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216
5	022, (CP)	Each	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216	1216
6	021, (CP)	Each	2165	2165	2165	2165	2165	2165	2165	2165	2165	2165	2165	2165	2165	2165
GF	BIB COCKS (1/2") CP															
1	108, (CP)	Each	796	796	796	796	796	796	796	796	796	796	796	796	796	796
2	083/084, (CP)	Each	609	609	609	609	609	609	609	609	609	609	609	609	609	609
3	012, (CP)	Each	991	991	991	991	991	991	991	991	991	991	991	991	991	991
4	008, (CP)	Each	877	877	877	877	877	877	877	877	877	877	877	877	877	877
5	007, (CP)	Each	971	971	971	971	971	971	971	971	971	971	971	971	971	971

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
6	005, (CP)	Each	905	905	905	905	905	905	905	905	905	905	905	905	905	905
7	004, (CP)	Each	740	740	740	740	740	740	740	740	740	740	740	740	740	740
8	003, (CP)	Each	701	701	701	701	701	701	701	701	701	701	701	701	701	701
GH	BIB COCK (DOUBLE) 1/2" (CP)															
1	123, (CP)	Each	2491	2491	2491	2491	2491	2491	2491	2491	2491	2491	2491	2491	2491	2491
2	092, (CP)	Each	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104
3	078, (CP)	Each	1925	1925	1925	1925	1925	1925	1925	1925	1925	1925	1925	1925	1925	1925
4	077, (CP)	Each	2414	2414	2414	2414	2414	2414	2414	2414	2414	2414	2414	2414	2414	2414
5	070, (CP)	Each	1399	1399	1399	1399	1399	1399	1399	1399	1399	1399	1399	1399	1399	1399
6	069, (CP)	Each	1806	1806	1806	1806	1806	1806	1806	1806	1806	1806	1806	1806	1806	1806
7	009, (CP)	Each	1431	1431	1431	1431	1431	1431	1431	1431	1431	1431	1431	1431	1431	1431
H	M.S SHEETS															
1	M.S. Sheet 1/8" thick (3mm) Best Quality	Per Ton	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600
2	M.S. Sheet 3/16" thick (5mm) Best Quality	Per Ton	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600	96600
3	M.S. Sheet 1/4" thick (6mm) Best Quality	Per Ton	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900
4	M.S. Sheet 3/8" thick (10mm) Best Quality	Per Ton	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900
5	M.S. Sheet 1/2" thick (12mm) Best Quality	Per Ton	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900
6	M.S. Sheet 5/8" thick (16mm) Best Quality	Per Ton	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900
7	M.S. Sheet 3/4" thick (20mm) Best Quality	Per Ton	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900
8	M.S. Sheet 1" thick (25mm) Best Quality	Per Ton	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750
9	M.S. Sheet 1-1/4" thick (32mm) Best Quality	Per Ton	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750
10	M.S. Sheet 1-1/2" thick (40mm) Best Quality	Per Ton	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900	98900
11	M.S. Sheet 1-3/4" thick (44mm) Best Quality	Per Ton	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750
12	M.S. Sheet 2" thick (50mm) Best Quality	Per Ton	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750
13	M.S. Sheet 3" thick (75mm) Best Quality	Per Ton	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750	97750
14	M.S. Checker (3mm & 5 mm thick) Best Quality	Per Ton	109250	109250	109250	109250	109250	109250	109250	109250	109250	109250	109250	109250	109250	109250
I	Commercial Ply															
1	Commercial Ply 3/4" Thick (Best Quality)	P.Sft	55	55	55	55	55	55	55	55	55	55	55	55	55	55
2	Laminated board (both side)3/4"thick (Best Quality)	P.Sft	55	55	55	55	55	55	55	55	55	55	55	55	55	55
3	Lasani board 1/2" thick (Imported)	P.Sft	35	35	35	35	35	35	35	35	35	35	35	35	35	35
4	Lasani board 1/2" thick (Local) Best Quality	P.Sft	32	32	32	32	32	32	32	32	32	32	32	32	32	32
5	Lasani board 3/4" thick (Imported)	P.Sft	48	48	48	48	48	48	48	48	48	48	48	48	48	48
6	Lasani board 3/4" thick (Local) Best Quality	P.Sft	40	40	40	40	40	40	40	40	40	40	40	40	40	40
JA	Pre-cast / Pre-Cast Slabs (As per approved manufacturer) at site															
1	2'-6"x1'-6"	Each	158	158	158	158	158	158	158	158	158	158	158	158	158	158
2	3'x1'-6"	Each	201	201	201	201	201	201	201	201	201	201	201	201	201	201
3	3'-6"x1'-6"	Each	241	241	241	241	241	241	241	241	241	241	241	241	241	241
4	3'-6"x2'	Each	324	324	324	324	324	324	324	324	324	324	324	324	324	324
5	4'x1'-6"	Each	293	293	293	293	293	293	293	293	293	293	293	293	293	293
6	4'-6"x1'-6"	Each	346	346	346	346	346	346	346	346	346	346	346	346	346	346
7	5'x1'-6"	Each	420	420	420	420	420	420	420	420	420	420	420	420	420	420
8	5'-6"x1'-6"	Each	455	455	455	455	455	455	455	455	455	455	455	455	455	455
9	6'x1'-6"	Each	652	652	652	652	652	652	652	652	652	652	652	652	652	652
10	6'-6"x1'-6"	Each	700	700	700	700	700	700	700	700	700	700	700	700	700	700
11	7'x1'-6"	Each	803	803	803	803	803	803	803	803	803	803	803	803	803	803
12	3'x1'	Each	158	158	158	158	158	158	158	158	158	158	158	158	158	158
13	3'-6"x1'	Each	175	175	175	175	175	175	175	175	175	175	175	175	175	175
14	4'x1'	Each	206	206	206	206	206	206	206	206	206	206	206	206	206	206
15	4'-6"x1'	Each	245	245	245	245	245	245	245	245	245	245	245	245	245	245
16	5'x1'	Each	302	302	302	302	302	302	302	302	302	302	302	302	302	302
17	5'-6"x1'	Each	338	338	338	338	338	338	338	338	338	338	338	338	338	338
18	6'x1'	Each	406	406	406	406	406	406	406	406	406	406	406	406	406	406
19	6'-6"x1'	Each	434	434	434	434	434	434	434	434	434	434	434	434	434	434
JB	Precast Boundary Wall Columns / Beams (As per approved manufacturer) at site															
1	Column 6" x 6-1/2"	P.Rft	131	131	131	131	131	131	131	131	131	131	131	131	131	131
2	Column 8" x 9"	P.Rft	248	248	248	248	248	248	248	248	248	248	248	248	248	248
3	Column 4" x 9"	P.Rft	86	86	86	86	86	86	86	86	86	86	86	86	86	86
4	Plinth Beam	P.Rft	90	90	90	90	90	90	90	90	90	90	90	90	90	90
5	Planks 2 x12 x 8	P.Rft	90	90	90	90	90	90	90	90	90	90	90	90	90	90
6	Planks 2 x 8 x 8	P.Rft	64	64	64	64	64	64	64	64	64	64	64	64	64	64
7	Color Stip 2 x 3 x 8	P.Rft	56	56	56	56	56	56	56	56	56	56	56	56	56	56
8	Boundary wall cap (each)	P.Rft	86	86	86	86	86	86	86	86	86	86	86	86	86	86
JC	Kerb Stones PCC (3500 PSI) (As per approved manufacturer) at site															

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Koty sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
1	300 mm x 300 mm x 100 mm	Rft	79	79	79	79	79	79	79	79	79	79	79	79	79	79
2	300 mm x 350 mm x 150 mm	Rft	109	109	109	109	109	109	109	109	109	109	109	109	109	109
3	300 mm x 450 mm x 150 mm	Rft	127	127	127	127	127	127	127	127	127	127	127	127	127	127
JD	Edge Stone (As per approved manufacturer) at site															
1	300mm x 150mm x 50mm	Each	32	32	32	32	32	32	32	32	32	32	32	32	32	32
K	DRILLING OF RCC PILES															
1	Drilling bore holes with percussion/reverse rotary mehtod in all type of soils i/c shingle gravel and rock.(upto 24" dia)	Per Rft	500	500	500	500	500	500	500	500	500	500	500	500	500	500
2	Drilling bore holes with reverse rotary in ordinary soil except shingle gravel and rock.(from 25" to 30" dia)	Per Rft	450	450	450	450	450	450	450	450	450	450	450	450	450	450
3	Drilling bore holes with percussion/reverse rotary mehtod in all type of soils i/c shingle gravel and rock.(from 25"to 30"dia)	Per Rft	600	600	600	600	600	600	600	600	600	600	600	600	600	600
4	Drilling bore holes with reverse rotary in ordinary soil except shingle gravel and rock.(from 31" to 55" dia)	Per Rft	800	800	800	800	800	800	800	800	800	800	800	800	800	800
5	Drilling bore holes with percussion/reverse rotary mehtod in all type of soils i/c shingle gravel and rock.(from 31"to 55"dia)	Per Rft	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600
6	Drilling bore holes with reverse rotary in ordinary soil except shingle gravel and rock.(from 56" to 86" dia)	Per Rft	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500
7	Drilling bore holes with percussion/reverse rotary mehtod in all type of soils i/c shingle gravel and rock.(from 56"to 86"dia)	Per Rft	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
LA	POLYPROPYLENE RANDOM COPOLYMER (PPRC)(As per approved manufacturers)															
LA(1)	Pipes (PN-20)															
1	20mm	PM	63	63	63	63	63	63	63	63	63	63	63	63	63	63
2	25mm	PM	89	89	89	89	89	89	89	89	89	89	89	89	89	89
3	32mm	PM	149	149	149	149	149	149	149	149	149	149	149	149	149	149
4	40mm	PM	230	230	230	230	230	230	230	230	230	230	230	230	230	230
5	50mm	PM	393	393	393	393	393	393	393	393	393	393	393	393	393	393
6	63mm	PM	604	604	604	604	604	604	604	604	604	604	604	604	604	604
7	75mm	PM	1022	1022	1022	1022	1022	1022	1022	1022	1022	1022	1022	1022	1022	1022
8	90mm	PM	1468	1468	1468	1468	1468	1468	1468	1468	1468	1468	1468	1468	1468	1468
9	110mm	PM	2188	2188	2188	2188	2188	2188	2188	2188	2188	2188	2188	2188	2188	2188
LB	PPRC Fittings (As per approved manufacturers)															
LB(1)	Elbow 90°															
1	20 mm	Each	20	20	20	20	20	20	20	20	20	20	20	20	20	20
2	25 mm	Each	13	13	13	13	13	13	13	13	13	13	13	13	13	13
3	32 mm	Each	23	23	23	23	23	23	23	23	23	23	23	23	23	23
4	40 mm	Each	38	38	38	38	38	38	38	38	38	38	38	38	38	38
5	50 mm	Each	120	120	120	120	120	120	120	120	120	120	120	120	120	120
6	63 mm	Each	183	183	183	183	183	183	183	183	183	183	183	183	183	183
7	75 mm	Each	800	800	800	800	800	800	800	800	800	800	800	800	800	800
8	90 mm	Each	1540	1540	1540	1540	1540	1540	1540	1540	1540	1540	1540	1540	1540	1540
9	110 mm	Each	2438	2438	2438	2438	2438	2438	2438	2438	2438	2438	2438	2438	2438	2438
LB(2)	Elbow 45°															
1	20 mm	Each	22	22	22	22	22	22	22	22	22	22	22	22	22	22
2	25 mm	Each	25	25	25	25	25	25	25	25	25	25	25	25	25	25
3	32 mm	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41
4	40 mm	Each	57	57	57	57	57	57	57	57	57	57	57	57	57	57
5	50mm	Each	198	198	198	198	198	198	198	198	198	198	198	198	198	198
6	63 mm	Each	425	425	425	425	425	425	425	425	425	425	425	425	425	425
7	75 mm	Each	756	756	756	756	756	756	756	756	756	756	756	756	756	756
8	90 mm	Each	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065
LB(3)	Equal Tee															
1	20 mm	Each	22	22	22	22	22	22	22	22	22	22	22	22	22	22
2	25 mm	Each	16	16	16	16	16	16	16	16	16	16	16	16	16	16
3	32 mm	Each	30	30	30	30	30	30	30	30	30	30	30	30	30	30
4	40 mm	Each	46	46	46	46	46	46	46	46	46	46	46	46	46	46
5	50 mm	Each	132	132	132	132	132	132	132	132	132	132	132	132	132	132
6	63 mm	Each	269	269	269	269	269	269	269	269	269	269	269	269	269	269
7	75 mm	Each	896	896	896	896	896	896	896	896	896	896	896	896	896	896
8	90 mm	Each	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098
9	110 mm	Each	2722	2722	2722	2722	2722	2722	2722	2722	2722	2722	2722	2722	2722	2722
LB(4)	Socket															
1	20 mm	Each	16	16	16	16	16	16	16	16	16	16	16	16	16	16
2	25 mm	Each	9	9	9	9	9	9	9	9	9	9	9	9	9	9
3	32 mm	Each	16	16	16	16	16	16	16	16	16	16	16	16	16	16
4	40 mm	Each	27	27	27	27	27	27	27	27	27	27	27	27	27	27
5	50 mm	Each	76	76	76	76	76	76	76	76	76	76	76	76	76	76
6	63 mm	Each	132	132	132	132	132	132	132	132	132	132	132	132	132	132
7	75 mm	Each	480	480	480	480	480	480	480	480	480	480	480	480	480	480
8	90 mm	Each	655	655	655	655	655	655	655	655	655	655	655	655	655	655

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
			1068	1068	1068	1068	1068	1068	1068	1068	1068	1068	1068	1068	1068	1068
9	110 mm	Each	1068	1068	1068	1068	1068	1068	1068	1068	1068	1068	1068	1068	1068	1068
LB(5)	Reducing Elbow															
1	25-20	Each	54	54	54	54	54	54	54	54	54	54	54	54	54	54
2	32-25	Each	60	60	60	60	60	60	60	60	60	60	60	60	60	60
LB(6)	Reducing Socket															
1	25-20	Each	16	16	16	16	16	16	16	16	16	16	16	16	16	16
2	32-20	Each	19	19	19	19	19	19	19	19	19	19	19	19	19	19
3	32-25	Each	17	17	17	17	17	17	17	17	17	17	17	17	17	17
4	40-20	Each	47	47	47	47	47	47	47	47	47	47	47	47	47	47
5	40-25	Each	44	44	44	44	44	44	44	44	44	44	44	44	44	44
6	40-32	Each	33	33	33	33	33	33	33	33	33	33	33	33	33	33
7	50-20	Each	54	54	54	54	54	54	54	54	54	54	54	54	54	54
8	50-25	Each	47	47	47	47	47	47	47	47	47	47	47	47	47	47
9	50-32	Each	47	47	47	47	47	47	47	47	47	47	47	47	47	47
10	50-40	Each	88	88	88	88	88	88	88	88	88	88	88	88	88	88
11	63-20	Each	126	126	126	126	126	126	126	126	126	126	126	126	126	126
12	63-25	Each	102	102	102	102	102	102	102	102	102	102	102	102	102	102
13	63-32	Each	104	104	104	104	104	104	104	104	104	104	104	104	104	104
14	63-40	Each	107	107	107	107	107	107	107	107	107	107	107	107	107	107
15	63-50	Each	151	151	151	151	151	151	151	151	151	151	151	151	151	151
16	75-40	Each	630	630	630	630	630	630	630	630	630	630	630	630	630	630
17	75-50	Each	561	561	561	561	561	561	561	561	561	561	561	561	561	561
18	75-63	Each	559	559	559	559	559	559	559	559	559	559	559	559	559	559
19	90-63	Each	488	488	488	488	488	488	488	488	488	488	488	488	488	488
20	90-75	Each	536	536	536	536	536	536	536	536	536	536	536	536	536	536
21	110-75	Each	662	662	662	662	662	662	662	662	662	662	662	662	662	662
22	110-90	Each	825	825	825	825	825	825	825	825	825	825	825	825	825	825
LB(7)	End Cap															
1	20 mm	Each	17	17	17	17	17	17	17	17	17	17	17	17	17	17
2	25 mm	Each	10	10	10	10	10	10	10	10	10	10	10	10	10	10
3	32 mm	Each	15	15	15	15	15	15	15	15	15	15	15	15	15	15
4	40 mm	Each	68	68	68	68	68	68	68	68	68	68	68	68	68	68
5	50 mm	Each	76	76	76	76	76	76	76	76	76	76	76	76	76	76
6	63 mm	Each	110	110	110	110	110	110	110	110	110	110	110	110	110	110
7	75 mm	Each	570	570	570	570	570	570	570	570	570	570	570	570	570	570
LB(8)	Reducing Tee															
1	20 X 25 X 20 mm	Each	35	35	35	35	35	35	35	35	35	35	35	35	35	35
2	25 X 20 X 25 mm	Each	22	22	22	22	22	22	22	22	22	22	22	22	22	22
3	32 x 25 x 32mm	Each	32	32	32	32	32	32	32	32	32	32	32	32	32	32
4	32 x 25 x 20mm	Each	51	51	51	51	51	51	51	51	51	51	51	51	51	51
5	32 X 20 X 20 mm	Each	50	50	50	50	50	50	50	50	50	50	50	50	50	50
6	32 X 20 X 32 mm	Each	44	44	44	44	44	44	44	44	44	44	44	44	44	44
7	40 X 20 X 40 mm	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
8	40 X 25 X 40 mm	Each	55	55	55	55	55	55	55	55	55	55	55	55	55	55
9	40 X 32 X 40 mm	Each	60	60	60	60	60	60	60	60	60	60	60	60	60	60
10	50 X 20 X 50 mm	Each	181	181	181	181	181	181	181	181	181	181	181	181	181	181
11	50 X 25 X 50 mm	Each	181	181	181	181	181	181	181	181	181	181	181	181	181	181
12	50 X 32 X 50 mm	Each	189	189	189	189	189	189	189	189	189	189	189	189	189	189
13	50 X 40 X 50 mm	Each	189	189	189	189	189	189	189	189	189	189	189	189	189	189
14	63 x 20 x 63 mm	Each	440	440	440	440	440	440	440	440	440	440	440	440	440	440
15	63 X 25 X 63 mm	Each	214	214	214	214	214	214	214	214	214	214	214	214	214	214
16	63 X 32 X 63 mm	Each	233	233	233	233	233	233	233	233	233	233	233	233	233	233
17	63 X 40 X 63 mm	Each	302	302	302	302	302	302	302	302	302	302	302	302	302	302
18	63 X 50 X 63 mm	Each	315	315	315	315	315	315	315	315	315	315	315	315	315	315
19	75 x 25 x 75 mm	Each	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092
20	75 x 32 x 75 mm	Each	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248	1248
21	75 x 40 x 75 mm	Each	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590
22	75 x 50 x 75 mm	Each	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590	1590
23	75 X 63 X 75 mm	Each	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040
24	90 x 50 x 90 mm	Each	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249
25	90 x 63 x 90 mm	Each	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249	3249
26	110 x 50 x 110 mm	Each	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263
27	110 x 63 x 110 mm	Each	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263	5263

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location														
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad	
LB(9)	Elbow Female																
1	20 X 1/2"	Each	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
2	20 X 3/4"	Each	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
3	25 X 1/2"	Each	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59
4	25 X 3/4"	Each	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78
5	32 X 1/2"	Each	102	102	102	102	102	102	102	102	102	102	102	102	102	102	102
6	32 X 3/4"	Each	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
7	32 X 1"	Each	151	151	151	151	151	151	151	151	151	151	151	151	151	151	151
8	40 X 1-1/4"	Each	272	272	272	272	272	272	272	272	272	272	272	272	272	272	272
9	50 X 1-1/2"	Each	882	882	882	882	882	882	882	882	882	882	882	882	882	882	882
10	63 X 2"	Each	1531	1531	1531	1531	1531	1531	1531	1531	1531	1531	1531	1531	1531	1531	1531
LB(10)	Elbow Male																
1	20 X 1/2"	Each	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88
2	20 X 3/4"	Each	312	312	312	312	312	312	312	312	312	312	312	312	312	312	312
3	25 X 1/2"	Each	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97
4	25 X 3/4"	Each	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
5	32 X 1/2"	Each	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125
6	32 X 3/4"	Each	145	145	145	145	145	145	145	145	145	145	145	145	145	145	145
7	32 X 1"	Each	198	198	198	198	198	198	198	198	198	198	198	198	198	198	198
8	40 X 1-1/4"	Each	662	662	662	662	662	662	662	662	662	662	662	662	662	662	662
9	50 X 1-1/2"	Each	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008
10	63 X 2"	Each	1789	1789	1789	1789	1789	1789	1789	1789	1789	1789	1789	1789	1789	1789	1789
LB(11)	Crossover																
1	20 mm	Each	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
2	25 mm	Each	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
3	32 mm	Each	63	63	63	63	63	63	63	63	63	63	63	63	63	63	63
4	40 mm	Each	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170
LB(12)	Male Tee																
1	20 X 1/2"	Each	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158
2	20 X 3/4"	Each	359	359	359	359	359	359	359	359	359	359	359	359	359	359	359
3	25 X 1/2"	Each	101	101	101	101	101	101	101	101	101	101	101	101	101	101	101
4	25 X 3/4"	Each	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125
5	32 X 1/2"	Each	280	280	280	280	280	280	280	280	280	280	280	280	280	280	280
6	32 X 3/4"	Each	145	145	145	145	145	145	145	145	145	145	145	145	145	145	145
7	32 X 1"	Each	197	197	197	197	197	197	197	197	197	197	197	197	197	197	197
8	40 X 1-1/4"	Each	631	631	631	631	631	631	631	631	631	631	631	631	631	631	631
9	50 X 1-1/2"	Each	901	901	901	901	901	901	901	901	901	901	901	901	901	901	901
10	63 X 2"	Each	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065
LB(13)	Female Tee																
1	20 X 1/2"	Each	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158
2	20 X 3/4"	Each	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216
3	25 X 1/2"	Each	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
4	25 X 3/4"	Each	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86
5	32 X 1/2"	Each	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255
6	32 X 3/4"	Each	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
7	32 X 1"	Each	157	157	157	157	157	157	157	157	157	157	157	157	157	157	157
8	40 X 1-1/4"	Each	573	573	573	573	573	573	573	573	573	573	573	573	573	573	573
9	50 X 1-1/2"	Each	706	706	706	706	706	706	706	706	706	706	706	706	706	706	706
10	63 X 2"	Each	1292	1292	1292	1292	1292	1292	1292	1292	1292	1292	1292	1292	1292	1292	1292
LB(14)	Union Female																
1	20-1/2"	Each	293	293	293	293	293	293	293	293	293	293	293	293	293	293	293
2	25-1/2"	Each	422	422	422	422	422	422	422	422	422	422	422	422	422	422	422
3	25-3/4"	Each	460	460	460	460	460	460	460	460	460	460	460	460	460	460	460
4	32-1/2"	Each	482	482	482	482	482	482	482	482	482	482	482	482	482	482	482
5	32-3/4"	Each	507	507	507	507	507	507	507	507	507	507	507	507	507	507	507
6	32-1"	Each	677	677	677	677	677	677	677	677	677	677	677	677	677	677	677
7	50-1-1/2"	Each	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670	1670
8	63-2"	Each	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287	2287
LB(15)	Union Male																
1	20-1/2"	Each	227	227	227	227	227	227	227	227	227	227	227	227	227	227	227
2	25-1/2"	Each	440	440	440	440	440	440	440	440	440	440	440	440	440	440	440
3	25-3/4"	Each	377	377	377	377	377	377	377	377	377	377	377	377	377	377	377
4	32-1/2"	Each	529	529	529	529	529	529	529	529	529	529	529	529	529	529	529

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location														
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad	
5	32-3/4"	Each	542	542	542	542	542	542	542	542	542	542	542	542	542	542	542
6	32-1"	Each	547	547	547	547	547	547	547	547	547	547	547	547	547	547	547
7	40-1-1/4"	Each	1194	1194	1194	1194	1194	1194	1194	1194	1194	1194	1194	1194	1194	1194	1194
8	50-1-1/2"	Each	1865	1865	1865	1865	1865	1865	1865	1865	1865	1865	1865	1865	1865	1865	1865
9	60-2"	Each	2451	2451	2451	2451	2451	2451	2451	2451	2451	2451	2451	2451	2451	2451	2451
LB(16) Union																	
1	20mm	Each	284	284	284	284	284	284	284	284	284	284	284	284	284	284	284
2	25mm	Each	252	252	252	252	252	252	252	252	252	252	252	252	252	252	252
3	32mm	Each	406	406	406	406	406	406	406	406	406	406	406	406	406	406	406
4	40mm	Each	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008
5	50mm	Each	1386	1386	1386	1386	1386	1386	1386	1386	1386	1386	1386	1386	1386	1386	1386
6	63mm	Each	2604	2604	2604	2604	2604	2604	2604	2604	2604	2604	2604	2604	2604	2604	2604
LB(17) Cross Tee																	
1	20mm	Each	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
2	25mm	Each	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76
3	32mm	Each	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88
4	40 mm	Each	256	256	256	256	256	256	256	256	256	256	256	256	256	256	256
LB(18) Throttel Valve																	
1	20mm	Each	473	473	473	473	473	473	473	473	473	473	473	473	473	473	473
2	25mm	Each	495	495	495	495	495	495	495	495	495	495	495	495	495	495	495
3	32mm	Each	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800
4	40mm	Each	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512	1512
5	50mm	Each	1607	1607	1607	1607	1607	1607	1607	1607	1607	1607	1607	1607	1607	1607	1607
6	63mm	Each	2835	2835	2835	2835	2835	2835	2835	2835	2835	2835	2835	2835	2835	2835	2835
LB(19) Threaded Plug																	
1	20mm	Each	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
2	25mm	Each	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
3	32mm	Each	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
4	40mm	Each	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41
LB(20) Pipe Clamp																	
1	20mm	Each	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
2	25mm	Each	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
3	32mm	Each	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
4	40mm	Each	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
5	50mm	Each	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69
6	63mm	Each	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96
LB(21) Female Socket																	
1	20 X 1/2"	Each	124	124	124	124	124	124	124	124	124	124	124	124	124	124	124
2	20 X 3/4"	Each	216	216	216	216	216	216	216	216	216	216	216	216	216	216	216
3	25 X 1/2"	Each	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
4	25 X 3/4"	Each	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73
5	32 X 1/2"	Each	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99
6	32 X 3/4"	Each	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108
7	32 X 1"	Each	139	139	139	139	139	139	139	139	139	139	139	139	139	139	139
8	40 X 1-1/4"	Each	259	259	259	259	259	259	259	259	259	259	259	259	259	259	259
9	50 X 1-1/2"	Each	825	825	825	825	825	825	825	825	825	825	825	825	825	825	825
10	63 X 2"	Each	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260	1260
11	75 X 1-1/2"	Each	4486	4486	4486	4486	4486	4486	4486	4486	4486	4486	4486	4486	4486	4486	4486
12	75 X 2-1/2"	Each	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
13	90 X 3"	Each	9482	9482	9482	9482	9482	9482	9482	9482	9482	9482	9482	9482	9482	9482	9482
LB(22) Male Socket																	
1	20 X 1/2"	Each	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120
2	20 X 3/4"	Each	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
3	25 X 1/2"	Each	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84
4	25 X 3/4"	Each	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106
5	32 X 1/2"	Each	124	124	124	124	124	124	124	124	124	124	124	124	124	124	124
6	32 X 3/4"	Each	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137
7	32 X 1"	Each	177	177	177	177	177	177	177	177	177	177	177	177	177	177	177
8	40 X 1-1/4"	Each	693	693	693	693	693	693	693	693	693	693	693	693	693	693	693
9	50 X 1-1/2"	Each	819	819	819	819	819	819	819	819	819	819	819	819	819	819	819
10	63 X 2"	Each	1323	1323	1323	1323	1323	1323	1323	1323	1323	1323	1323	1323	1323	1323	1323
11	75 X 1-1/2"	Each	2148	2148	2148	2148	2148	2148	2148	2148	2148	2148	2148	2148	2148	2148	2148
12	90 X 3"	Each	4898	4898	4898	4898	4898	4898	4898	4898	4898	4898	4898	4898	4898	4898	4898

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
LD	PVC-U SOIL WASTE VENT (SWV) PIPES AND FITTINGS (As per approved manufacturers)															
LD(1)	uPVC Plain Ends Socketed Pipes															
1	32 mm	PM	119	119	119	119	119	119	119	119	119	119	119	119	119	119
2	40 mm	PM	136	136	136	136	136	136	136	136	136	136	136	136	136	136
3	50 mm	PM	192	192	192	192	192	192	192	192	192	192	192	192	192	192
4	82 mm	PM	316	316	316	316	316	316	316	316	316	316	316	316	316	316
5	110 mm	PM	413	413	413	413	413	413	413	413	413	413	413	413	413	413
6	160 mm	PM	750	750	750	750	750	750	750	750	750	750	750	750	750	750
LE(1)	SWV Fittings (As per approved manufacturers)															
1	Socket 32mm	Each	34	34	34	34	34	34	34	34	34	34	34	34	34	34
2	Socket 40mm	Each	43	43	43	43	43	43	43	43	43	43	43	43	43	43
3	Socket 50mm	Each	55	55	55	55	55	55	55	55	55	55	55	55	55	55
4	Socket 82mm	Each	88	88	88	88	88	88	88	88	88	88	88	88	88	88
5	Socket 110mm	Each	125	125	125	125	125	125	125	125	125	125	125	125	125	125
6	Socket 160mm	Each	218	218	218	218	218	218	218	218	218	218	218	218	218	218
7	Bend Plain 32 mm 900	Each	72	72	72	72	72	72	72	72	72	72	72	72	72	72
8	Bend Plain 40 mm 900	Each	106	106	106	106	106	106	106	106	106	106	106	106	106	106
9	Bend Plain 50 mm 900	Each	49	49	49	49	49	49	49	49	49	49	49	49	49	49
10	Bend Plain 82 mm 900	Each	130	130	130	130	130	130	130	130	130	130	130	130	130	130
11	Bend Plain 110 mm 900	Each	179	179	179	179	179	179	179	179	179	179	179	179	179	179
12	Bend Plain 160 mm 900	Each	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212	1212
13	Bend Plug 40 mm 900	Each	162	162	162	162	162	162	162	162	162	162	162	162	162	162
14	Bend Plug 50 mm 900	Each	103	103	103	103	103	103	103	103	103	103	103	103	103	103
15	Bend Plug 82 mm 900	Each	211	211	211	211	211	211	211	211	211	211	211	211	211	211
16	Bend Plug 110 mm 900	Each	263	263	263	263	263	263	263	263	263	263	263	263	263	263
17	Bend Plug 160 mm 900	Each	1583	1583	1583	1583	1583	1583	1583	1583	1583	1583	1583	1583	1583	1583
18	Bend Plain 32 mm 450	Each	89	89	89	89	89	89	89	89	89	89	89	89	89	89
19	Bend Plain 40 mm 450	Each	101	101	101	101	101	101	101	101	101	101	101	101	101	101
20	Bend Plain 50 mm 450	Each	55	55	55	55	55	55	55	55	55	55	55	55	55	55
21	Bend Plain 82 mm 450	Each	109	109	109	109	109	109	109	109	109	109	109	109	109	109
22	Bend Plain 110 mm 450	Each	153	153	153	153	153	153	153	153	153	153	153	153	153	153
23	Bend Plain 160 mm 450	Each	1095	1095	1095	1095	1095	1095	1095	1095	1095	1095	1095	1095	1095	1095
24	Bend Plug 50 mm 450	Each	146	146	146	146	146	146	146	146	146	146	146	146	146	146
25	Bend Plug 82 mm 450	Each	146	146	146	146	146	146	146	146	146	146	146	146	146	146
26	Bend Plug 110 mm 450	Each	625	625	625	625	625	625	625	625	625	625	625	625	625	625
27	Bend Plug 160 mm 450	Each	1520	1520	1520	1520	1520	1520	1520	1520	1520	1520	1520	1520	1520	1520
28	Tee Equal Plain 32mm	Each	155	155	155	155	155	155	155	155	155	155	155	155	155	155
29	Tee Equal Plain 40mm	Each	176	176	176	176	176	176	176	176	176	176	176	176	176	176
30	Tee Equal Plain 50mm	Each	64	64	64	64	64	64	64	64	64	64	64	64	64	64
31	Tee Equal Plain 82mm	Each	179	179	179	179	179	179	179	179	179	179	179	179	179	179
32	Tee Equal Plain 110mm	Each	244	244	244	244	244	244	244	244	244	244	244	244	244	244
33	Tee Equal Plain 160mm	Each	2093	2093	2093	2093	2093	2093	2093	2093	2093	2093	2093	2093	2093	2093
34	Tee Equal Plug 40mm	Each	335	335	335	335	335	335	335	335	335	335	335	335	335	335
35	Tee Equal Plug 50mm	Each	236	236	236	236	236	236	236	236	236	236	236	236	236	236
36	Tee Equal Plug 82mm	Each	254	254	254	254	254	254	254	254	254	254	254	254	254	254
37	Tee Equal Plug 110mm	Each	325	325	325	325	325	325	325	325	325	325	325	325	325	325
38	Tee Equal Plug 160mm	Each	2328	2328	2328	2328	2328	2328	2328	2328	2328	2328	2328	2328	2328	2328
39	End Cap 40mm	Each	227	227	227	227	227	227	227	227	227	227	227	227	227	227
40	End Cap 50mm	Each	276	276	276	276	276	276	276	276	276	276	276	276	276	276
41	End Cap 82mm	Each	94	94	94	94	94	94	94	94	94	94	94	94	94	94
42	End Cap 110mm	Each	127	127	127	127	127	127	127	127	127	127	127	127	127	127
43	End Cap 160mm	Each	1383	1383	1383	1383	1383	1383	1383	1383	1383	1383	1383	1383	1383	1383
44	Yee Plain 50 mm	Each	129	129	129	129	129	129	129	129	129	129	129	129	129	129
45	Yee Plain 82 mm	Each	215	215	215	215	215	215	215	215	215	215	215	215	215	215
46	Yee Plain 110 mm	Each	273	273	273	273	273	273	273	273	273	273	273	273	273	273
47	Yee Plug 82mm	Each	338	338	338	338	338	338	338	338	338	338	338	338	338	338
48	Yee Plug 110mm	Each	1088	1088	1088	1088	1088	1088	1088	1088	1088	1088	1088	1088	1088	1088
49	Access Plug Clean Out 32mm	Each	188	188	188	188	188	188	188	188	188	188	188	188	188	188
50	Access Plug Clean Out 40mm	Each	227	227	227	227	227	227	227	227	227	227	227	227	227	227
51	Access Plug Clean Out 50mm	Each	276	276	276	276	276	276	276	276	276	276	276	276	276	276
52	Access Plug Clean Out 82mm	Each	556	556	556	556	556	556	556	556	556	556	556	556	556	556
53	Access Plug Clean Out 110mm	Each	568	568	568	568	568	568	568	568	568	568	568	568	568	568
54	Access Plug Clean Out 160mm	Each	1384	1384	1384	1384	1384	1384	1384	1384	1384	1384	1384	1384	1384	1384

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
55	Vent Cowl 50mm	Each	33	33	33	33	33	33	33	33	33	33	33	33	33	33
56	Vent Cowl 82mm	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62
57	Vent Cowl 110mm	Each	85	85	85	85	85	85	85	85	85	85	85	85	85	85
58	Vent Cowl 160mm	Each	508	508	508	508	508	508	508	508	508	508	508	508	508	508
59	Expansion Coupling 82mm	Each	396	396	396	396	396	396	396	396	396	396	396	396	396	396
60	Expansion Coupling 110mm	Each	584	584	584	584	584	584	584	584	584	584	584	584	584	584
61	Expansion Coupling 160mm	Each	1106	1106	1106	1106	1106	1106	1106	1106	1106	1106	1106	1106	1106	1106
62	Seal Ring Adaptor 82mm	Each	217	217	217	217	217	217	217	217	217	217	217	217	217	217
63	Seal Ring Adaptor 110mm	Each	277	277	277	277	277	277	277	277	277	277	277	277	277	277
64	Seal Ring Adaptor 160mm	Each	371	371	371	371	371	371	371	371	371	371	371	371	371	371
65	S-Clamp 110mm	Each	26	26	26	26	26	26	26	26	26	26	26	26	26	26
66	S-Clamp 82mm	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
67	S-Clamp 50mm	Each	16	16	16	16	16	16	16	16	16	16	16	16	16	16
68	Cross Plain 50mm	Each	408	408	408	408	408	408	408	408	408	408	408	408	408	408
69	Cross Plain 110mm	Each	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
70	Cross Plug 50mm	Each	595	595	595	595	595	595	595	595	595	595	595	595	595	595
71	Cross Plug 110mm	Each	1371	1371	1371	1371	1371	1371	1371	1371	1371	1371	1371	1371	1371	1371
72	P-Trap (2 pcs) 82mm	Each	247	247	247	247	247	247	247	247	247	247	247	247	247	247
73	P-Trap (2 pcs) 110mm	Each	390	390	390	390	390	390	390	390	390	390	390	390	390	390
74	Floor Gully Trap (FGT) 82mm	Each	293	293	293	293	293	293	293	293	293	293	293	293	293	293
75	Floor Gully Trap (FGT) 110mm	Each	358	358	358	358	358	358	358	358	358	358	358	358	358	358
76	Bottle Traps (PP) 32mm	Each	481	481	481	481	481	481	481	481	481	481	481	481	481	481
77	Bottle Traps (PP) 40mm	Each	550	550	550	550	550	550	550	550	550	550	550	550	550	550
78	B.S.R 40x32mm	Each	80	80	80	80	80	80	80	80	80	80	80	80	80	80
79	B.S.R 50x32mm	Each	107	107	107	107	107	107	107	107	107	107	107	107	107	107
80	B.S.R 50x40mm	Each	151	151	151	151	151	151	151	151	151	151	151	151	151	151
81	B.S.R 82x50mm	Each	130	130	130	130	130	130	130	130	130	130	130	130	130	130
82	B.S.R 110x50mm	Each	130	130	130	130	130	130	130	130	130	130	130	130	130	130
83	B.S.R 110x82mm	Each	146	146	146	146	146	146	146	146	146	146	146	146	146	146
84	B.S.R 160x110mm	Each	681	681	681	681	681	681	681	681	681	681	681	681	681	681
85	L.I.R 50X32mm	Each	85	85	85	85	85	85	85	85	85	85	85	85	85	85
86	L.I.R 82X50mm	Each	270	270	270	270	270	270	270	270	270	270	270	270	270	270
87	L.I.R 110X50mm	Each	390	390	390	390	390	390	390	390	390	390	390	390	390	390
88	L.I.R 110X82mm	Each	437	437	437	437	437	437	437	437	437	437	437	437	437	437
89	L.I.R 160X110mm	Each	683	683	683	683	683	683	683	683	683	683	683	683	683	683
90	Tee Reducing Plain 160x110mm	Each	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100
91	Tee Reducing Plug 160x110mm	Each	2749	2749	2749	2749	2749	2749	2749	2749	2749	2749	2749	2749	2749	2749
92	Yee Reducing Plain 110x82mm	Each	1006	1006	1006	1006	1006	1006	1006	1006	1006	1006	1006	1006	1006	1006
93	Yee Reducing Plain 160x110mm	Each	2278	2278	2278	2278	2278	2278	2278	2278	2278	2278	2278	2278	2278	2278
94	Yee Reducing Plug 160x110mm	Each	2417	2417	2417	2417	2417	2417	2417	2417	2417	2417	2417	2417	2417	2417
95	Boss Con W.Brakt 82x32mm	Each	21	21	21	21	21	21	21	21	21	21	21	21	21	21
96	Boss Con W.Brakt 82x40mm	Each	241	241	241	241	241	241	241	241	241	241	241	241	241	241
97	Boss Con W.Brakt 82x50mm	Each	250	250	250	250	250	250	250	250	250	250	250	250	250	250
98	Boss Con W.Brakt 110x32mm	Each	259	259	259	259	259	259	259	259	259	259	259	259	259	259
99	Boss Con W.Brakt 110x40mm	Each	267	267	267	267	267	267	267	267	267	267	267	267	267	267
100	Boss Con W.Brakt 110x50mm	Each	325	325	325	325	325	325	325	325	325	325	325	325	325	325
101	Boss Con W.Brakt 110x82mm	Each	400	400	400	400	400	400	400	400	400	400	400	400	400	400
102	Boss Con W.Brakt 160x82mm	Each	813	813	813	813	813	813	813	813	813	813	813	813	813	813
103	Boss Con W.Brakt Plug 82x50mm	Each	371	371	371	371	371	371	371	371	371	371	371	371	371	371
104	Boss Con W.Brakt Plug 110x50mm	Each	449	449	449	449	449	449	449	449	449	449	449	449	449	449
105	Boss Con W.Brakt Plug 110x82mm	Each	649	649	649	649	649	649	649	649	649	649	649	649	649	649
106	Boss Con W.Brakt Plug 160x82mm	Each	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040
107	WC Pan Connector 110mm	Each	517	517	517	517	517	517	517	517	517	517	517	517	517	517
108	WC Pan Elbow Connector 110mm	Each	728	728	728	728	728	728	728	728	728	728	728	728	728	728
109	Solvent Cement Local 100G with Brush	Each	85	85	85	85	85	85	85	85	85	85	85	85	85	85
110	Solvent Cement Local 500G with Brush	Each	307	307	307	307	307	307	307	307	307	307	307	307	307	307
LF	GRP/ FRP Pipe (As per approved manufacturer)															
LF(1)	Class-B (Pipe + Bell Coupler) Complete															
1	Size 4"(100mm)	P.Rft	290	290	290	290	290	290	290	290	290	290	290	290	290	290
2	Size 6"(150mm)	P.Rft	415	415	415	415	415	415	415	415	415	415	415	415	415	415
3	Size 8"(200mm)	P.Rft	575	575	575	575	575	575	575	575	575	575	575	575	575	575
4	Size 10"(250mm)	P.Rft	697	697	697	697	697	697	697	697	697	697	697	697	697	697
5	Size 12"(300mm)	P.Rft	862	862	862	862	862	862	862	862	862	862	862	862	862	862

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirree, Koty sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad	
6	Size 14"(350mm)	P.Rft	1090	1090	1090	1090	1090	1090	1090	1090	1090	1090	1090	1090	1090	1090	1090
7	Size 16"(400mm)	P.Rft	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392
8	Size 18"(450mm)	P.Rft	1728	1728	1728	1728	1728	1728	1728	1728	1728	1728	1728	1728	1728	1728	1728
9	Size 20"(500mm)	P.Rft	2061	2061	2061	2061	2061	2061	2061	2061	2061	2061	2061	2061	2061	2061	2061
10	Size 24"(600mm)	P.Rft	2923	2923	2923	2923	2923	2923	2923	2923	2923	2923	2923	2923	2923	2923	2923
11	Size 28"(700mm)	P.Rft	3866	3866	3866	3866	3866	3866	3866	3866	3866	3866	3866	3866	3866	3866	3866
12	Size 32"(800mm)	P.Rft	5184	5184	5184	5184	5184	5184	5184	5184	5184	5184	5184	5184	5184	5184	5184
13	Size 36"(900mm)	P.Rft	5832	5832	5832	5832	5832	5832	5832	5832	5832	5832	5832	5832	5832	5832	5832
14	Size 40"(1000mm)	P.Rft	7835	7835	7835	7835	7835	7835	7835	7835	7835	7835	7835	7835	7835	7835	7835
LF(2)	Class-B (GRP/ FRP-Flanges) Complete																
1	Size 4"(100mm)	Each	3298	3298	3298	3298	3298	3298	3298	3298	3298	3298	3298	3298	3298	3298	3298
2	Size 6"(150mm)	Each	4947	4947	4947	4947	4947	4947	4947	4947	4947	4947	4947	4947	4947	4947	4947
3	Size 8"(200mm)	Each	6803	6803	6803	6803	6803	6803	6803	6803	6803	6803	6803	6803	6803	6803	6803
4	Size 10"(250mm)	Each	7695	7695	7695	7695	7695	7695	7695	7695	7695	7695	7695	7695	7695	7695	7695
5	Size 12"(300mm)	Each	9471	9471	9471	9471	9471	9471	9471	9471	9471	9471	9471	9471	9471	9471	9471
6	Size 14"(350mm)	Each	10650	10650	10650	10650	10650	10650	10650	10650	10650	10650	10650	10650	10650	10650	10650
7	Size 16"(400mm)	Each	10786	10786	10786	10786	10786	10786	10786	10786	10786	10786	10786	10786	10786	10786	10786
8	Size 18"(450mm)	Each	13321	13321	13321	13321	13321	13321	13321	13321	13321	13321	13321	13321	13321	13321	13321
9	Size 20"(500mm)	Each	15762	15762	15762	15762	15762	15762	15762	15762	15762	15762	15762	15762	15762	15762	15762
10	Size 24"(600mm)	Each	21138	21138	21138	21138	21138	21138	21138	21138	21138	21138	21138	21138	21138	21138	21138
11	Size 28"(700mm)	Each	26534	26534	26534	26534	26534	26534	26534	26534	26534	26534	26534	26534	26534	26534	26534
12	Size 32"(800mm)	Each	32065	32065	32065	32065	32065	32065	32065	32065	32065	32065	32065	32065	32065	32065	32065
13	Size 36"(900mm)	Each	36074	36074	36074	36074	36074	36074	36074	36074	36074	36074	36074	36074	36074	36074	36074
14	Size 40"(1000mm)	Each	44424	44424	44424	44424	44424	44424	44424	44424	44424	44424	44424	44424	44424	44424	44424
LF(3)	Class-B (GRP/ FRP-Tees) Complete																
1	Size 4"(100mm)	Each	8375	8375	8375	8375	8375	8375	8375	8375	8375	8375	8375	8375	8375	8375	8375
2	Size 6"(150mm)	Each	12563	12563	12563	12563	12563	12563	12563	12563	12563	12563	12563	12563	12563	12563	12563
3	Size 8"(200mm)	Each	17274	17274	17274	17274	17274	17274	17274	17274	17274	17274	17274	17274	17274	17274	17274
4	Size 10"(250mm)	Each	19539	19539	19539	19539	19539	19539	19539	19539	19539	19539	19539	19539	19539	19539	19539
5	Size 12"(300mm)	Each	24048	24048	24048	24048	24048	24048	24048	24048	24048	24048	24048	24048	24048	24048	24048
6	Size 14"(350mm)	Each	27055	27055	27055	27055	27055	27055	27055	27055	27055	27055	27055	27055	27055	27055	27055
7	Size 16"(400mm)	Each	27389	27389	27389	27389	27389	27389	27389	27389	27389	27389	27389	27389	27389	27389	27389
8	Size 18"(450mm)	Each	33186	33186	33186	33186	33186	33186	33186	33186	33186	33186	33186	33186	33186	33186	33186
9	Size 20"(500mm)	Each	38794	38794	38794	38794	38794	38794	38794	38794	38794	38794	38794	38794	38794	38794	38794
10	Size 24"(600mm)	Each	51613	51613	51613	51613	51613	51613	51613	51613	51613	51613	51613	51613	51613	51613	51613
11	Size 28"(700mm)	Each	64265	64265	64265	64265	64265	64265	64265	64265	64265	64265	64265	64265	64265	64265	64265
12	Size 32"(800mm)	Each	76929	76929	76929	76929	76929	76929	76929	76929	76929	76929	76929	76929	76929	76929	76929
13	Size 36"(900mm)	Each	86545	86545	86545	86545	86545	86545	86545	86545	86545	86545	86545	86545	86545	86545	86545
14	Size 40"(1000mm)	Each	104845	104845	104845	104845	104845	104845	104845	104845	104845	104845	104845	104845	104845	104845	104845
LF(4)	Class-B (GRP/ FRP-Bend) Complete																
1	Size 4"(100mm)	Each	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352
2	Size 6"(150mm)	Each	8327	8327	8327	8327	8327	8327	8327	8327	8327	8327	8327	8327	8327	8327	8327
3	Size 8"(200mm)	Each	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085
4	Size 10"(250mm)	Each	12951	12951	12951	12951	12951	12951	12951	12951	12951	12951	12951	12951	12951	12951	12951
5	Size 12"(300mm)	Each	15939	15939	15939	15939	15939	15939	15939	15939	15939	15939	15939	15939	15939	15939	15939
6	Size 14"(350mm)	Each	17932	17932	17932	17932	17932	17932	17932	17932	17932	17932	17932	17932	17932	17932	17932
7	Size 16"(400mm)	Each	18153	18153	18153	18153	18153	18153	18153	18153	18153	18153	18153	18153	18153	18153	18153
8	Size 18"(450mm)	Each	21979	21979	21979	21979	21979	21979	21979	21979	21979	21979	21979	21979	21979	21979	21979
9	Size 20"(500mm)	Each	25681	25681	25681	25681	25681	25681	25681	25681	25681	25681	25681	25681	25681	25681	25681
10	Size 24"(600mm)	Each	34157	34157	34157	34157	34157	34157	34157	34157	34157	34157	34157	34157	34157	34157	34157
11	Size 28"(700mm)	Each	42516	42516	42516	42516	42516	42516	42516	42516	42516	42516	42516	42516	42516	42516	42516
12	Size 32"(800mm)	Each	50874	50874	50874	50874	50874	50874	50874	50874	50874	50874	50874	50874	50874	50874	50874
13	Size 36"(900mm)	Each	57234	57234	57234	57234	57234	57234	57234	57234	57234	57234	57234	57234	57234	57234	57234
14	Size 40"(1000mm)	Each	69290	69290	69290	69290	69290	69290	69290	69290	69290	69290	69290	69290	69290	69290	69290
LF(5)	Class-C (Pipe + Bell Coupler) Complete																
1	Size 4"(100mm)	P.Rft	377	377	377	377	377	377	377	377	377	377	377	377	377	377	377
2	Size 6"(150mm)	P.Rft	561	561	561	561	561	561	561	561	561	561	561	561	561	561	561
3	Size 8"(200mm)	P.Rft	760	760	760	760	760	760	760	760	760	760	760	760	760	760	760
4	Size 10"(250mm)	P.Rft	886	886	886	886	886	886	886	886	886	886	886	886	886	886	886
5	Size 12"(300mm)	P.Rft	1031	1031	1031	1031	1031	1031	1031	1031	1031	1031	1031	1031	1031	1031	1031
6	Size 14"(350mm)	P.Rft	1254	1254	1254	1254	1254	1254	1254	1254	1254	1254	1254	1254	1254	1254	1254
7	Size 16"(400mm)	P.Rft	1725	1725	1725	1725	1725	1725	1725	1725	1725	1725	1725	1725	1725	1725	1725
8	Size 18"(450mm)	P.Rft	2084	2084	2084	2084	2084	2084	2084	2084	2084	2084	2084	2084	2084	2084	2084

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
9	Size 20"(500mm)	P.Rft	2534	2534	2534	2534	2534	2534	2534	2534	2534	2534	2534	2534	2534	2534
10	Size 24"(600mm)	P.Rft	3643	3643	3643	3643	3643	3643	3643	3643	3643	3643	3643	3643	3643	3643
11	Size 28"(700mm)	P.Rft	4368	4368	4368	4368	4368	4368	4368	4368	4368	4368	4368	4368	4368	4368
12	Size 32"(800mm)	P.Rft	5784	5784	5784	5784	5784	5784	5784	5784	5784	5784	5784	5784	5784	5784
13	Size 36"(900mm)	P.Rft	6885	6885	6885	6885	6885	6885	6885	6885	6885	6885	6885	6885	6885	6885
14	Size 40"(1000mm)	P.Rft	9022	9022	9022	9022	9022	9022	9022	9022	9022	9022	9022	9022	9022	9022
LF(6)	Class-C (GRP/ FRP-Flanges) Complete															
1	Size 4"(100mm)	Each	3475	3475	3475	3475	3475	3475	3475	3475	3475	3475	3475	3475	3475	3475
2	Size 6"(150mm)	Each	5213	5213	5213	5213	5213	5213	5213	5213	5213	5213	5213	5213	5213	5213
3	Size 8"(200mm)	Each	7168	7168	7168	7168	7168	7168	7168	7168	7168	7168	7168	7168	7168	7168
4	Size 10"(250mm)	Each	8108	8108	8108	8108	8108	8108	8108	8108	8108	8108	8108	8108	8108	8108
5	Size 12"(300mm)	Each	9978	9978	9978	9978	9978	9978	9978	9978	9978	9978	9978	9978	9978	9978
6	Size 14"(350mm)	Each	11226	11226	11226	11226	11226	11226	11226	11226	11226	11226	11226	11226	11226	11226
7	Size 16"(400mm)	Each	12461	12461	12461	12461	12461	12461	12461	12461	12461	12461	12461	12461	12461	12461
8	Size 18"(450mm)	Each	14201	14201	14201	14201	14201	14201	14201	14201	14201	14201	14201	14201	14201	14201
9	Size 20"(500mm)	Each	16926	16926	16926	16926	16926	16926	16926	16926	16926	16926	16926	16926	16926	16926
10	Size 24"(600mm)	Each	22802	22802	22802	22802	22802	22802	22802	22802	22802	22802	22802	22802	22802	22802
11	Size 28"(700mm)	Each	28753	28753	28753	28753	28753	28753	28753	28753	28753	28753	28753	28753	28753	28753
12	Size 32"(800mm)	Each	34930	34930	34930	34930	34930	34930	34930	34930	34930	34930	34930	34930	34930	34930
13	Size 36"(900mm)	Each	39295	39295	39295	39295	39295	39295	39295	39295	39295	39295	39295	39295	39295	39295
14	Size 40"(1000mm)	Each	48843	48843	48843	48843	48843	48843	48843	48843	48843	48843	48843	48843	48843	48843
LF(7)	Class-C (GRP/ FRP-Tees) Complete															
1	Size 4"(100mm)	Each	8617	8617	8617	8617	8617	8617	8617	8617	8617	8617	8617	8617	8617	8617
2	Size 6"(150mm)	Each	12927	12927	12927	12927	12927	12927	12927	12927	12927	12927	12927	12927	12927	12927
3	Size 8"(200mm)	Each	17774	17774	17774	17774	17774	17774	17774	17774	17774	17774	17774	17774	17774	17774
4	Size 10"(250mm)	Each	20105	20105	20105	20105	20105	20105	20105	20105	20105	20105	20105	20105	20105	20105
5	Size 12"(300mm)	Each	24745	24745	24745	24745	24745	24745	24745	24745	24745	24745	24745	24745	24745	24745
6	Size 14"(350mm)	Each	27838	27838	27838	27838	27838	27838	27838	27838	27838	27838	27838	27838	27838	27838
7	Size 16"(400mm)	Each	31149	31149	31149	31149	31149	31149	31149	31149	31149	31149	31149	31149	31149	31149
8	Size 18"(450mm)	Each	34536	34536	34536	34536	34536	34536	34536	34536	34536	34536	34536	34536	34536	34536
9	Size 20"(500mm)	Each	40668	40668	40668	40668	40668	40668	40668	40668	40668	40668	40668	40668	40668	40668
10	Size 24"(600mm)	Each	54356	54356	54356	54356	54356	54356	54356	54356	54356	54356	54356	54356	54356	54356
11	Size 28"(700mm)	Each	68003	68003	68003	68003	68003	68003	68003	68003	68003	68003	68003	68003	68003	68003
12	Size 32"(800mm)	Each	81855	81855	81855	81855	81855	81855	81855	81855	81855	81855	81855	81855	81855	81855
13	Size 36"(900mm)	Each	92087	92087	92087	92087	92087	92087	92087	92087	92087	92087	92087	92087	92087	92087
14	Size 40"(1000mm)	Each	112681	112681	112681	112681	112681	112681	112681	112681	112681	112681	112681	112681	112681	112681
LF(8)	Class-C (GRP/ FRP-Bend) Complete															
1	Size 4"(100mm)	Each	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352
2	Size 6"(150mm)	Each	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354
3	Size 8"(200mm)	Each	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085	11085
4	Size 10"(250mm)	Each	13313	13313	13313	13313	13313	13313	13313	13313	13313	13313	13313	13313	13313	13313
5	Size 12"(300mm)	Each	16386	16386	16386	16386	16386	16386	16386	16386	16386	16386	16386	16386	16386	16386
6	Size 14"(350mm)	Each	18435	18435	18435	18435	18435	18435	18435	18435	18435	18435	18435	18435	18435	18435
7	Size 16"(400mm)	Each	20639	20639	20639	20639	20639	20639	20639	20639	20639	20639	20639	20639	20639	20639
8	Size 18"(450mm)	Each	22852	22852	22852	22852	22852	22852	22852	22852	22852	22852	22852	22852	22852	22852
9	Size 20"(500mm)	Each	26896	26896	26896	26896	26896	26896	26896	26896	26896	26896	26896	26896	26896	26896
10	Size 24"(600mm)	Each	35937	35937	35937	35937	35937	35937	35937	35937	35937	35937	35937	35937	35937	35937
11	Size 28"(700mm)	Each	44946	44946	44946	44946	44946	44946	44946	44946	44946	44946	44946	44946	44946	44946
12	Size 32"(800mm)	Each	54081	54081	54081	54081	54081	54081	54081	54081	54081	54081	54081	54081	54081	54081
13	Size 36"(900mm)	Each	60842	60842	60842	60842	60842	60842	60842	60842	60842	60842	60842	60842	60842	60842
14	Size 40"(1000mm)	Each	74399	74399	74399	74399	74399	74399	74399	74399	74399	74399	74399	74399	74399	74399
LF(9)	Class-D (Pipe + Bell Coupler) Complete															
1	Size 4"(100mm)	P.Rft	524	524	524	524	524	524	524	524	524	524	524	524	524	524
2	Size 6"(150mm)	P.Rft	720	720	720	720	720	720	720	720	720	720	720	720	720	720
3	Size 8"(200mm)	P.Rft	995	995	995	995	995	995	995	995	995	995	995	995	995	995
4	Size 10"(250mm)	P.Rft	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134
5	Size 12"(300mm)	P.Rft	1396	1396	1396	1396	1396	1396	1396	1396	1396	1396	1396	1396	1396	1396
6	Size 14"(350mm)	P.Rft	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570
7	Size 16"(400mm)	P.Rft	2006	2006	2006	2006	2006	2006	2006	2006	2006	2006	2006	2006	2006	2006
8	Size 18"(450mm)	P.Rft	2464	2464	2464	2464	2464	2464	2464	2464	2464	2464	2464	2464	2464	2464
9	Size 20"(500mm)	P.Rft	3051	3051	3051	3051	3051	3051	3051	3051	3051	3051	3051	3051	3051	3051
10	Size 24"(600mm)	P.Rft	4432	4432	4432	4432	4432	4432	4432	4432	4432	4432	4432	4432	4432	4432
11	Size 28"(700mm)	P.Rft	5245	5245	5245	5245	5245	5245	5245	5245	5245	5245	5245	5245	5245	5245

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
12	Size 32"(800mm)	P.Rft	8162	8162	8162	8162	8162	8162	8162	8162	8162	8162	8162	8162	8162	8162
13	Size 36"(900mm)	P.Rft	9343	9343	9343	9343	9343	9343	9343	9343	9343	9343	9343	9343	9343	9343
14	Size 40"(1000mm)	P.Rft	11836	11836	11836	11836	11836	11836	11836	11836	11836	11836	11836	11836	11836	11836
LF(10)	Class-D (GRP/ FRP-Flanges) Complete															
1	Size 4"(100mm)	Each	3740	3740	3740	3740	3740	3740	3740	3740	3740	3740	3740	3740	3740	3740
2	Size 6"(150mm)	Each	5889	5889	5889	5889	5889	5889	5889	5889	5889	5889	5889	5889	5889	5889
3	Size 8"(200mm)	Each	7731	7731	7731	7731	7731	7731	7731	7731	7731	7731	7731	7731	7731	7731
4	Size 10"(250mm)	Each	9164	9164	9164	9164	9164	9164	9164	9164	9164	9164	9164	9164	9164	9164
5	Size 12"(300mm)	Each	11278	11278	11278	11278	11278	11278	11278	11278	11278	11278	11278	11278	11278	11278
6	Size 14"(350mm)	Each	12688	12688	12688	12688	12688	12688	12688	12688	12688	12688	12688	12688	12688	12688
7	Size 16"(400mm)	Each	13317	13317	13317	13317	13317	13317	13317	13317	13317	13317	13317	13317	13317	13317
8	Size 18"(450mm)	Each	16346	16346	16346	16346	16346	16346	16346	16346	16346	16346	16346	16346	16346	16346
9	Size 20"(500mm)	Each	19706	19706	19706	19706	19706	19706	19706	19706	19706	19706	19706	19706	19706	19706
10	Size 24"(600mm)	Each	26739	26739	26739	26739	26739	26739	26739	26739	26739	26739	26739	26739	26739	26739
11	Size 28"(700mm)	Each	33961	33961	33961	33961	33961	33961	33961	33961	33961	33961	33961	33961	33961	33961
12	Size 32"(800mm)	Each	41596	41596	41596	41596	41596	41596	41596	41596	41596	41596	41596	41596	41596	41596
13	Size 36"(900mm)	Each	46795	46795	46795	46795	46795	46795	46795	46795	46795	46795	46795	46795	46795	46795
14	Size 40"(1000mm)	Each	58948	58948	58948	58948	58948	58948	58948	58948	58948	58948	58948	58948	58948	58948
LF(11)	Class-D (GRP/ FRP-Tees) Complete															
1	Size 4"(100mm)	Each	8990	8990	8990	8990	8990	8990	8990	8990	8990	8990	8990	8990	8990	8990
2	Size 6"(150mm)	Each	14029	14029	14029	14029	14029	14029	14029	14029	14029	14029	14029	14029	14029	14029
3	Size 8"(200mm)	Each	18463	18463	18463	18463	18463	18463	18463	18463	18463	18463	18463	18463	18463	18463
4	Size 10"(250mm)	Each	21821	21821	21821	21821	21821	21821	21821	21821	21821	21821	21821	21821	21821	21821
5	Size 12"(300mm)	Each	26856	26856	26856	26856	26856	26856	26856	26856	26856	26856	26856	26856	26856	26856
6	Size 14"(350mm)	Each	30214	30214	30214	30214	30214	30214	30214	30214	30214	30214	30214	30214	30214	30214
7	Size 16"(400mm)	Each	31698	31698	31698	31698	31698	31698	31698	31698	31698	31698	31698	31698	31698	31698
8	Size 18"(450mm)	Each	38201	38201	38201	38201	38201	38201	38201	38201	38201	38201	38201	38201	38201	38201
9	Size 20"(500mm)	Each	45533	45533	45533	45533	45533	45533	45533	45533	45533	45533	45533	45533	45533	45533
10	Size 24"(600mm)	Each	61339	61339	61339	61339	61339	61339	61339	61339	61339	61339	61339	61339	61339	61339
11	Size 28"(700mm)	Each	77349	77349	77349	77349	77349	77349	77349	77349	77349	77349	77349	77349	77349	77349
12	Size 32"(800mm)	Each	93964	93964	93964	93964	93964	93964	93964	93964	93964	93964	93964	93964	93964	93964
13	Size 36"(900mm)	Each	105710	105710	105710	105710	105710	105710	105710	105710	105710	105710	105710	105710	105710	105710
14	Size 40"(1000mm)	Each	131363	131363	131363	131363	131363	131363	131363	131363	131363	131363	131363	131363	131363	131363
LF(12)	Class-D (GRP/ FRP-Bend) Complete															
1	Size 4"(100mm)	Each	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352	5352
2	Size 6"(150mm)	Each	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354	8354
3	Size 8"(200mm)	Each	12194	12194	12194	12194	12194	12194	12194	12194	12194	12194	12194	12194	12194	12194
4	Size 10"(250mm)	Each	14426	14426	14426	14426	14426	14426	14426	14426	14426	14426	14426	14426	14426	14426
5	Size 12"(300mm)	Each	17755	17755	17755	17755	17755	17755	17755	17755	17755	17755	17755	17755	17755	17755
6	Size 14"(350mm)	Each	19975	19975	19975	19975	19975	19975	19975	19975	19975	19975	19975	19975	19975	19975
7	Size 16"(400mm)	Each	21997	21997	21997	21997	21997	21997	21997	21997	21997	21997	21997	21997	21997	21997
8	Size 18"(450mm)	Each	25237	25237	25237	25237	25237	25237	25237	25237	25237	25237	25237	25237	25237	25237
9	Size 20"(500mm)	Each	30066	30066	30066	30066	30066	30066	30066	30066	30066	30066	30066	30066	30066	30066
10	Size 24"(600mm)	Each	40490	40490	40490	40490	40490	40490	40490	40490	40490	40490	40490	40490	40490	40490
11	Size 28"(700mm)	Each	51042	51042	51042	51042	51042	51042	51042	51042	51042	51042	51042	51042	51042	51042
12	Size 32"(800mm)	Each	57908	57908	57908	57908	57908	57908	57908	57908	57908	57908	57908	57908	57908	57908
13	Size 36"(900mm)	Each	69733	69733	69733	69733	69733	69733	69733	69733	69733	69733	69733	69733	69733	69733
14	Size 40"(1000mm)	Each	86604	86604	86604	86604	86604	86604	86604	86604	86604	86604	86604	86604	86604	86604
LG	Polyethylene Pipes PE-100 (As per approved manufacturers)															
5	400 mm High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	Per Mtr.	7445	7445	7445	7445	7445	7445	7445	7445	7445	7445	7445	7445	7445	7445
6	450 mm High Density Polyethylene Pipe (PE-100) (PN-8) SDR-21	Per Mtr.	9416	9416	9416	9416	9416	9416	9416	9416	9416	9416	9416	9416	9416	9416
7	400 mm High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	Per Mtr.	9197	9197	9197	9197	9197	9197	9197	9197	9197	9197	9197	9197	9197	9197
8	450 mm High Density Polyethylene Pipe (PE-100) (PN-10) SDR-17	Per Mtr.	11697	11697	11697	11697	11697	11697	11697	11697	11697	11697	11697	11697	11697	11697
8	400 mm High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	Per Mtr.	11271	11271	11271	11271	11271	11271	11271	11271	11271	11271	11271	11271	11271	11271
9	450 mm High Density Polyethylene Pipe (PE-100) (PN-12.5) SDR-13.6	Per Mtr.	14274	14274	14274	14274	14274	14274	14274	14274	14274	14274	14274	14274	14274	14274
8	400 mm High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	Per Mtr.	13637	13637	13637	13637	13637	13637	13637	13637	13637	13637	13637	13637	13637	13637
9	450 mm High Density Polyethylene Pipe (PE-100) (PN-16) SDR-11	Per Mtr.	17271	17271	17271	17271	17271	17271	17271	17271	17271	17271	17271	17271	17271	17271
LH	Compression Fitting For Polyethylene Pipes (PE-100)															
LH(1)	Straight Coupler															
1	20 mm X 20 mm	Each	90	90	90	90	90	90	90	90	90	90	90	90	90	90
2	25 mm X 25 mm	Each	111	111	111	111	111	111	111	111	111	111	111	111	111	111
3	32 mm X 32 mm	Each	162	162	162	162	162	162	162	162	162	162	162	162	162	162
4	40 mm X 40 mm	Each	316	316	316	316	316	316	316	316	316	316	316	316	316	316

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Koty sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
5	50 mm X 50 mm	Each	435	435	435	435	435	435	435	435	435	435	435	435	435	435
6	63 mm X 63 mm	Each	677	677	677	677	677	677	677	677	677	677	677	677	677	677
7	75 mm X 75 mm	Each	1014	1014	1014	1014	1014	1014	1014	1014	1014	1014	1014	1014	1014	1014
8	90 mm X 90 mm	Each	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501
9	110mm X 110mm	Each	4574	4574	4574	4574	4574	4574	4574	4574	4574	4574	4574	4574	4574	4574
LH(2)	Equal Bend															
1	20 mm X 20 mm	Each	94	94	94	94	94	94	94	94	94	94	94	94	94	94
2	25 mm X 25 mm	Each	121	121	121	121	121	121	121	121	121	121	121	121	121	121
3	32 mm X 32 mm	Each	182	182	182	182	182	182	182	182	182	182	182	182	182	182
4	40 mm X 40 mm	Each	354	354	354	354	354	354	354	354	354	354	354	354	354	354
5	50 mm X 50 mm	Each	537	537	537	537	537	537	537	537	537	537	537	537	537	537
6	63 mm X 63 mm	Each	769	769	769	769	769	769	769	769	769	769	769	769	769	769
7	75 mm X 75 mm	Each	1163	1163	1163	1163	1163	1163	1163	1163	1163	1163	1163	1163	1163	1163
8	90 mm X 90 mm	Each	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501	1501
LH(3)	Equal Tee															
1	20 mm X 20 mm	Each	131	131	131	131	131	131	131	131	131	131	131	131	131	131
2	25 mm X 25 mm	Each	162	162	162	162	162	162	162	162	162	162	162	162	162	162
3	32 mm X 32 mm	Each	253	253	253	253	253	253	253	253	253	253	253	253	253	253
4	40 mm X 40 mm	Each	561	561	561	561	561	561	561	561	561	561	561	561	561	561
5	50 mm X 50 mm	Each	749	749	749	749	749	749	749	749	749	749	749	749	749	749
6	63 mm X 63 mm	Each	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133
7	75 mm X 75 mm	Each	1767	1767	1767	1767	1767	1767	1767	1767	1767	1767	1767	1767	1767	1767
8	90 mm X 90 mm	Each	2505	2505	2505	2505	2505	2505	2505	2505	2505	2505	2505	2505	2505	2505
LH(4)	End Cap															
1	20 mm X 20 mm	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
2	25 mm X 25 mm	Each	62	62	62	62	62	62	62	62	62	62	62	62	62	62
3	32 mm X 32 mm	Each	92	92	92	92	92	92	92	92	92	92	92	92	92	92
4	40 mm X 40 mm	Each	172	172	172	172	172	172	172	172	172	172	172	172	172	172
5	50 mm X 50 mm	Each	303	303	303	303	303	303	303	303	303	303	303	303	303	303
6	63 mm X 63 mm	Each	408	408	408	408	408	408	408	408	408	408	408	408	408	408
7	75 mm X 75 mm	Each	613	613	613	613	613	613	613	613	613	613	613	613	613	613
8	90 mm X 90 mm	Each	890	890	890	890	890	890	890	890	890	890	890	890	890	890
9	110mm X 110mm	Each	3541	3541	3541	3541	3541	3541	3541	3541	3541	3541	3541	3541	3541	3541
LH(5)	Reducing Coupler															
1	25 mm X 20 mm	Each	114	114	114	114	114	114	114	114	114	114	114	114	114	114
2	32 mm X 20 mm	Each	162	162	162	162	162	162	162	162	162	162	162	162	162	162
3	32 mm X 25 mm	Each	168	168	168	168	168	168	168	168	168	168	168	168	168	168
4	40 mm X 25 mm	Each	214	214	214	214	214	214	214	214	214	214	214	214	214	214
5	40 mm X 32 mm	Each	259	259	259	259	259	259	259	259	259	259	259	259	259	259
6	50 mm X 25 mm	Each	287	287	287	287	287	287	287	287	287	287	287	287	287	287
7	50 mm X 32 mm	Each	330	330	330	330	330	330	330	330	330	330	330	330	330	330
8	50 mm X 40 mm	Each	385	385	385	385	385	385	385	385	385	385	385	385	385	385
9	63 mm X 32 mm	Each	471	471	471	471	471	471	471	471	471	471	471	471	471	471
10	63 mm X 50 mm	Each	472	472	472	472	472	472	472	472	472	472	472	472	472	472
11	75 mm X 50 mm	Each	821	821	821	821	821	821	821	821	821	821	821	821	821	821
12	75 mm X 63 mm	Each	845	845	845	845	845	845	845	845	845	845	845	845	845	845
13	90 mm X 63 mm	Each	1197	1197	1197	1197	1197	1197	1197	1197	1197	1197	1197	1197	1197	1197
14	90mm X 75mm	Each	1419	1419	1419	1419	1419	1419	1419	1419	1419	1419	1419	1419	1419	1419
LH(6)	Reducing Tee															
1	25 mm X 20 mm	Each	172	172	172	172	172	172	172	172	172	172	172	172	172	172
2	32 mm X 20 mm	Each	234	234	234	234	234	234	234	234	234	234	234	234	234	234
3	32 mm X 25 mm	Each	244	244	244	244	244	244	244	244	244	244	244	244	244	244
4	40 mm X 32 mm	Each	456	456	456	456	456	456	456	456	456	456	456	456	456	456
5	50 mm X 25 mm	Each	513	513	513	513	513	513	513	513	513	513	513	513	513	513
6	50 mm X 32 mm	Each	638	638	638	638	638	638	638	638	638	638	638	638	638	638
7	50 mm X 40 mm	Each	671	671	671	671	671	671	671	671	671	671	671	671	671	671
8	63 mm X 32 mm	Each	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005
9	63 mm X 50 mm	Each	1041	1041	1041	1041	1041	1041	1041	1041	1041	1041	1041	1041	1041	1041
10	75 mm X 63 mm	Each	1922	1922	1922	1922	1922	1922	1922	1922	1922	1922	1922	1922	1922	1922
11	90 mm X 63 mm	Each	2394	2394	2394	2394	2394	2394	2394	2394	2394	2394	2394	2394	2394	2394
12	90 mm X 75 mm	Each	2592	2592	2592	2592	2592	2592	2592	2592	2592	2592	2592	2592	2592	2592
LH(7)	Female Bend															
1	20 mm X 1/2"	Each	71	71	71	71	71	71	71	71	71	71	71	71	71	71

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Location													
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
2	20 mm X 3/4"	Each	74	74	74	74	74	74	74	74	74	74	74	74	74	74
3	25 mm X 1/2"	Each	94	94	94	94	94	94	94	94	94	94	94	94	94	94
4	25 mm X 3/4"	Each	93	93	93	93	93	93	93	93	93	93	93	93	93	93
5	25 mm X 1"	Each	90	90	90	90	90	90	90	90	90	90	90	90	90	90
6	32 mm X 3/4"	Each	141	141	141	141	141	141	141	141	141	141	141	141	141	141
7	32 mm X 1"	Each	144	144	144	144	144	144	144	144	144	144	144	144	144	144
8	50 mm X 1-1/2"	Each	455	455	455	455	455	455	455	455	455	455	455	455	455	455
9	63 mm X 2"	Each	657	657	657	657	657	657	657	657	657	657	657	657	657	657
10	90 mm X 3"	Each	1355	1355	1355	1355	1355	1355	1355	1355	1355	1355	1355	1355	1355	1355
LH(8) Male Bend																
1	20 mm X 1/2"	Each	71	71	71	71	71	71	71	71	71	71	71	71	71	71
2	20 mm X 3/4"	Each	74	74	74	74	74	74	74	74	74	74	74	74	74	74
3	25 mm X 1/2"	Each	84	84	84	84	84	84	84	84	84	84	84	84	84	84
4	25 mm X 3/4"	Each	82	82	82	82	82	82	82	82	82	82	82	82	82	82
5	25 mm X 1"	Each	80	80	80	80	80	80	80	80	80	80	80	80	80	80
6	32 mm X 3/4"	Each	111	111	111	111	111	111	111	111	111	111	111	111	111	111
7	32 mm X 1"	Each	113	113	113	113	113	113	113	113	113	113	113	113	113	113
8	40 mm X 1-1/4"	Each	292	292	292	292	292	292	292	292	292	292	292	292	292	292
9	50 mm X 1-1/4"	Each	328	328	328	328	328	328	328	328	328	328	328	328	328	328
10	50 mm X 1-1/2"	Each	349	349	349	349	349	349	349	349	349	349	349	349	349	349
11	63 mm X 2"	Each	537	537	537	537	537	537	537	537	537	537	537	537	537	537
12	90 mm X 3"	Each	1234	1234	1234	1234	1234	1234	1234	1234	1234	1234	1234	1234	1234	1234
LH(9) Male Adapter																
1	20 mm X 1/2"	Each	51	51	51	51	51	51	51	51	51	51	51	51	51	51
2	20 mm X 3/4"	Each	52	52	52	52	52	52	52	52	52	52	52	52	52	52
3	25 mm X 1/2"	Each	70	70	70	70	70	70	70	70	70	70	70	70	70	70
4	25 mm X 3/4"	Each	72	72	72	72	72	72	72	72	72	72	72	72	72	72
5	25 mm X 1"	Each	74	74	74	74	74	74	74	74	74	74	74	74	74	74
6	32 mm X 1/2"	Each	70	70	70	70	70	70	70	70	70	70	70	70	70	70
7	32 mm X 3/4"	Each	90	90	90	90	90	90	90	90	90	90	90	90	90	90
8	32 mm X 1"	Each	92	92	92	92	92	92	92	92	92	92	92	92	92	92
9	40 mm X 1"	Each	195	195	195	195	195	195	195	195	195	195	195	195	195	195
10	40 mm X 1-1/4"	Each	197	197	197	197	197	197	197	197	197	197	197	197	197	197
11	40 mm X 1-1/2"	Each	201	201	201	201	201	201	201	201	201	201	201	201	201	201
12	50 mm X 1-1/4"	Each	246	246	246	246	246	246	246	246	246	246	246	246	246	246
13	50 mm X 1-1/2"	Each	262	262	262	262	262	262	262	262	262	262	262	262	262	262
14	63 mm X 2"	Each	387	387	387	387	387	387	387	387	387	387	387	387	387	387
15	75 mm X 2-1/2"	Each	582	582	582	582	582	582	582	582	582	582	582	582	582	582
16	90 mm X 3"	Each	879	879	879	879	879	879	879	879	879	879	879	879	879	879
17	110 mm X 4"	Each	3791	3791	3791	3791	3791	3791	3791	3791	3791	3791	3791	3791	3791	3791
LH(10) Female Adapter																
1	20 mm X 1/2"	Each	61	61	61	61	61	61	61	61	61	61	61	61	61	61
2	20 mm X 3/4"	Each	70	70	70	70	70	70	70	70	70	70	70	70	70	70
3	25 mm X 1/2"	Each	80	80	80	80	80	80	80	80	80	80	80	80	80	80
4	25 mm X 3/4"	Each	83	83	83	83	83	83	83	83	83	83	83	83	83	83
5	25 mm X 1"	Each	86	86	86	86	86	86	86	86	86	86	86	86	86	86
6	32 mm X 3/4"	Each	111	111	111	111	111	111	111	111	111	111	111	111	111	111
7	32 mm X 1"	Each	113	113	113	113	113	113	113	113	113	113	113	113	113	113
8	40 mm X 1"	Each	197	197	197	197	197	197	197	197	197	197	197	197	197	197
9	40 mm X 1-1/4"	Each	198	198	198	198	198	198	198	198	198	198	198	198	198	198
10	40 mm X 1-1/2"	Each	198	198	198	198	198	198	198	198	198	198	198	198	198	198
11	50 mm X 1-1/4"	Each	361	361	361	361	361	361	361	361	361	361	361	361	361	361
12	50 mm X 1-1/2"	Each	363	363	363	363	363	363	363	363	363	363	363	363	363	363
13	63 mm X 2"	Each	556	556	556	556	556	556	556	556	556	556	556	556	556	556
14	75 mm X 2-1/2"	Each	789	789	789	789	789	789	789	789	789	789	789	789	789	789
15	90 mm X 3"	Each	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142
LH(11) Male Tee																
1	20 mm X 1/2"	Each	111	111	111	111	111	111	111	111	111	111	111	111	111	111
2	20 mm X 3/4"	Each	115	115	115	115	115	115	115	115	115	115	115	115	115	115
3	25 mm X 3/4"	Each	144	144	144	144	144	144	144	144	144	144	144	144	144	144
4	25 mm X 1"	Each	146	146	146	146	146	146	146	146	146	146	146	146	146	146
5	32 mm X 3/4"	Each	202	202	202	202	202	202	202	202	202	202	202	202	202	202
6	32 mm X 1"	Each	203	203	203	203	203	203	203	203	203	203	203	203	203	203

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Koty sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
7	50 mm X 1-1/4"	Each	426	426	426	426	426	426	426	426	426	426	426	426	426	426
8	50 mm X 1-1/2"	Each	556	556	556	556	556	556	556	556	556	556	556	556	556	556
9	63 mm X 2"	Each	827	827	827	827	827	827	827	827	827	827	827	827	827	827
10	90 mm X 3"	Each	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098	2098
LH(12) Female Tee																
1	20 mm X 1/2"	Each	111	111	111	111	111	111	111	111	111	111	111	111	111	111
2	20 mm X 3/4"	Each	115	115	115	115	115	115	115	115	115	115	115	115	115	115
3	25 mm X 1/2"	Each	141	141	141	141	141	141	141	141	141	141	141	141	141	141
4	25 mm X 3/4"	Each	144	144	144	144	144	144	144	144	144	144	144	144	144	144
5	25 mm X 1"	Each	144	144	144	144	144	144	144	144	144	144	144	144	144	144
6	32 mm X 3/4"	Each	212	212	212	212	212	212	212	212	212	212	212	212	212	212
7	32 mm X 1"	Each	213	213	213	213	213	213	213	213	213	213	213	213	213	213
8	50 mm X 1-1/2"	Each	646	646	646	646	646	646	646	646	646	646	646	646	646	646
9	63 mm X 2"	Each	980	980	980	980	980	980	980	980	980	980	980	980	980	980
10	90 mm X 3"	Each	2271	2271	2271	2271	2271	2271	2271	2271	2271	2271	2271	2271	2271	2271
LH(13) Tapping Saddle																
1	25 mm X 1/2"	Each	121	121	121	121	121	121	121	121	121	121	121	121	121	121
2	25 mm X 3/4"	Each	125	125	125	125	125	125	125	125	125	125	125	125	125	125
3	32 mm X 1/2"	Each	172	172	172	172	172	172	172	172	172	172	172	172	172	172
4	32 mm X 3/4"	Each	172	172	172	172	172	172	172	172	172	172	172	172	172	172
5	40 mm X 1/2"	Each	172	172	172	172	172	172	172	172	172	172	172	172	172	172
6	40 mm X 3/4"	Each	185	185	185	185	185	185	185	185	185	185	185	185	185	185
7	40 mm X 1"	Each	193	193	193	193	193	193	193	193	193	193	193	193	193	193
8	50 mm X 1/2"	Each	197	197	197	197	197	197	197	197	197	197	197	197	197	197
9	50 mm X 3/4"	Each	197	197	197	197	197	197	197	197	197	197	197	197	197	197
10	50 mm X 1"	Each	201	201	201	201	201	201	201	201	201	201	201	201	201	201
11	63 mm X 1/2"	Each	262	262	262	262	262	262	262	262	262	262	262	262	262	262
12	63 mm X 3/4"	Each	267	267	267	267	267	267	267	267	267	267	267	267	267	267
13	63 mm X 1"	Each	272	272	272	272	272	272	272	272	272	272	272	272	272	272
14	63 mm X 1-1/4"	Each	301	301	301	301	301	301	301	301	301	301	301	301	301	301
15	75 mm X 1/2"	Each	425	425	425	425	425	425	425	425	425	425	425	425	425	425
16	75 mm X 3/4"	Each	425	425	425	425	425	425	425	425	425	425	425	425	425	425
17	75 mm X 1-1/4"	Each	425	425	425	425	425	425	425	425	425	425	425	425	425	425
18	75 mm X 1-1/2"	Each	425	425	425	425	425	425	425	425	425	425	425	425	425	425
19	90 mm X 3/4"	Each	465	465	465	465	465	465	465	465	465	465	465	465	465	465
20	90 mm X 1/2"	Each	465	465	465	465	465	465	465	465	465	465	465	465	465	465
21	90 mm X 1"	Each	496	496	496	496	496	496	496	496	496	496	496	496	496	496
22	90 mm X 1-1/4"	Each	541	541	541	541	541	541	541	541	541	541	541	541	541	541
23	90 mm X 1-1/2"	Each	549	549	549	549	549	549	549	549	549	549	549	549	549	549
24	90 mm X 2"	Each	586	586	586	586	586	586	586	586	586	586	586	586	586	586
LI Fittings PE-100 (As per approved manufacturers)																
LI(1) Spigot Elbow 90 degrees (PN 10)																
1	63 mm	Each	863	863	863	863	863	863	863	863	863	863	863	863	863	863
2	75 mm	Each	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151
3	90 mm	Each	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247
4	110 mm	Each	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303
5	125 mm	Each	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878
6	160 mm	Each	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317
7	180 mm	Each	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989
8	200 mm	Each	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716
9	250mm	Each	15350	15350	15350	15350	15350	15350	15350	15350	15350	15350	15350	15350	15350	15350
LI(2) Spigot Elbow 90 degrees (PN 16)																
1	63 mm	Each	902	902	902	902	902	902	902	902	902	902	902	902	902	902
2	75 mm	Each	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
3	90 mm	Each	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343
4	110 mm	Each	2494	2494	2494	2494	2494	2494	2494	2494	2494	2494	2494	2494	2494	2494
5	125 mm	Each	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262
6	160 mm	Each	4797	4797	4797	4797	4797	4797	4797	4797	4797	4797	4797	4797	4797	4797
7	180 mm	Each	5565	5565	5565	5565	5565	5565	5565	5565	5565	5565	5565	5565	5565	5565
8	200 mm	Each	7483	7483	7483	7483	7483	7483	7483	7483	7483	7483	7483	7483	7483	7483
9	250mm	Each	17269	17269	17269	17269	17269	17269	17269	17269	17269	17269	17269	17269	17269	17269
LI(3) Spigot Elbow 45 degrees (PN 10)																
1	63 mm	Each	863	863	863	863	863	863	863	863	863	863	863	863	863	863

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Mirre, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
2	75 mm	Each	959	959	959	959	959	959	959	959	959	959	959	959	959	959
3	90 mm	Each	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247
4	110 mm	Each	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111
5	125 mm	Each	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878
6	160 mm	Each	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029
7	180 mm	Each	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989
8	200 mm	Each	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428
9	250mm	Each	13911	13911	13911	13911	13911	13911	13911	13911	13911	13911	13911	13911	13911	13911
LI(4)	Spigot Elbow 45 degrees (PN 16)	Each														
1	63 mm	Each	863	863	863	863	863	863	863	863	863	863	863	863	863	863
2	75 mm	Each	959	959	959	959	959	959	959	959	959	959	959	959	959	959
3	90 mm	Each	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247
4	110 mm	Each	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303	2303
5	125 mm	Each	3166	3166	3166	3166	3166	3166	3166	3166	3166	3166	3166	3166	3166	3166
6	160 mm	Each	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317
7	180 mm	Each	5277	5277	5277	5277	5277	5277	5277	5277	5277	5277	5277	5277	5277	5277
8	200 mm	Each	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716
9	250mm	Each	14391	14391	14391	14391	14391	14391	14391	14391	14391	14391	14391	14391	14391	14391
LI(5)	Stub End (Long Collar) PN 10															
1	63 mm	Each	863	863	863	863	863	863	863	863	863	863	863	863	863	863
2	75 mm	Each	1007	1007	1007	1007	1007	1007	1007	1007	1007	1007	1007	1007	1007	1007
3	90 mm	Each	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338
4	110 mm	Each	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919
5	125 mm	Each	2279	2279	2279	2279	2279	2279	2279	2279	2279	2279	2279	2279	2279	2279
6	160 mm	Each	2543	2543	2543	2543	2543	2543	2543	2543	2543	2543	2543	2543	2543	2543
7	180 mm	Each	3742	3742	3742	3742	3742	3742	3742	3742	3742	3742	3742	3742	3742	3742
8	200 mm	Each	4334	4334	4334	4334	4334	4334	4334	4334	4334	4334	4334	4334	4334	4334
9	250mm	Each	5948	5948	5948	5948	5948	5948	5948	5948	5948	5948	5948	5948	5948	5948
LI(6)	Stub End (Long Collar) PN 16															
1	63 mm	Each	941	941	941	941	941	941	941	941	941	941	941	941	941	941
2	75 mm	Each	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074	1074
3	90 mm	Each	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392	1392
4	110 mm	Each	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015
5	125 mm	Each	2351	2351	2351	2351	2351	2351	2351	2351	2351	2351	2351	2351	2351	2351
6	160 mm	Each	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590
7	180 mm	Each	3838	3838	3838	3838	3838	3838	3838	3838	3838	3838	3838	3838	3838	3838
8	200 mm	Each	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605
9	250mm	Each	6236	6236	6236	6236	6236	6236	6236	6236	6236	6236	6236	6236	6236	6236
LI(7)	End Cap PN 10															
1	63 mm	Each	653	653	653	653	653	653	653	653	653	653	653	653	653	653
2	75 mm	Each	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151
3	90 mm	Each	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296	1296
4	110 mm	Each	1631	1631	1631	1631	1631	1631	1631	1631	1631	1631	1631	1631	1631	1631
5	125 mm	Each	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919
6	160 mm	Each	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590
7	180 mm	Each	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646
8	200 mm	Each	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605	4605
9	250mm	Each	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716	6716
LI(8)	End Cap PN 16															
1	63 mm	Each	653	653	653	653	653	653	653	653	653	653	653	653	653	653
2	75 mm	Each	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151
3	90 mm	Each	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439
4	110 mm	Each	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919	1919
5	125 mm	Each	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111	2111
6	160 mm	Each	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878
7	180 mm	Each	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029
8	200 mm	Each	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989	4989
9	250mm	Each	6908	6908	6908	6908	6908	6908	6908	6908	6908	6908	6908	6908	6908	6908
LI(9)	Spigot Reduce Coupler PN 10															
1	110 mm X 75 mm	Each	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
2	110 mm X 90 mm	Each	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
3	125 mm X 90 mm	Each	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343
4	125 mm X 110 mm	Each	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343	1343

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit															
			Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad	
5	160 mm X 90 mm	Each	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686
6	160 mm X 110 mm	Each	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686
7	160 mm X 125 mm	Each	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686	2686
8	180 mm X 125 mm	Each	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358
9	180 mm X 160 mm	Each	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358	3358
10	200 mm X 110 mm	Each	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029
11	200 mm X 160 mm	Each	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029
12	250 mm X 160 mm	Each	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594
13	250 mm X 180 mm	Each	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594
14	250 mm X 200 mm	Each	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594	9594
LI(10)	Spigot Reduce Coupler PN 16																
1	110 mm X 75 mm	Each	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439
2	110 mm X 90 mm	Each	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439	1439
3	125 mm X 90 mm	Each	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727
4	125 mm X 110 mm	Each	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727	1727
5	160 mm X 90 mm	Each	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878
6	160 mm X 110 mm	Each	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878
7	160 mm X 125 mm	Each	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878
8	180 mm X 125 mm	Each	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646
9	180 mm X 160 mm	Each	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646
10	200 mm X 110 mm	Each	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317
11	200 mm X 160 mm	Each	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317
12	250 mm X 160 mm	Each	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074
13	250 mm X 180 mm	Each	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074
14	250 mm X 200 mm	Each	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074
LI(11)	Spigot Equal Tee PN 10																
1	63 mm	Each	845	845	845	845	845	845	845	845	845	845	845	845	845	845	845
2	75 mm	Each	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247	1247
3	90 mm	Each	1823	1823	1823	1823	1823	1823	1823	1823	1823	1823	1823	1823	1823	1823	1823
4	110 mm	Each	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590	2590
5	125 mm	Each	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646	3646
6	160 mm	Each	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428	6428
7	180 mm	Each	9402	9402	9402	9402	9402	9402	9402	9402	9402	9402	9402	9402	9402	9402	9402
8	200 mm	Each	13432	13432	13432	13432	13432	13432	13432	13432	13432	13432	13432	13432	13432	13432	13432
9	250mm	Each	22834	22834	22834	22834	22834	22834	22834	22834	22834	22834	22834	22834	22834	22834	22834
LI(12)	Spigot Equal Tee PN 16																
1	63 mm	Each	863	863	863	863	863	863	863	863	863	863	863	863	863	863	863
2	75 mm	Each	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324	1324
3	90 mm	Each	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015	2015
4	110 mm	Each	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878	2878
5	125 mm	Each	4078	4078	4078	4078	4078	4078	4078	4078	4078	4078	4078	4078	4078	4078	4078
6	160 mm	Each	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196
7	180 mm	Each	10362	10362	10362	10362	10362	10362	10362	10362	10362	10362	10362	10362	10362	10362	10362
8	200 mm	Each	15063	15063	15063	15063	15063	15063	15063	15063	15063	15063	15063	15063	15063	15063	15063
9	250mm	Each	25424	25424	25424	25424	25424	25424	25424	25424	25424	25424	25424	25424	25424	25424	25424
LI(13)	Spigot Reducing Tee PN 10																
1	110 mm X 90 mm	Each	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262	3262
2	125 mm X 90 mm	Each	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029	4029
3	160 mm X 90 mm	Each	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196
4	160 mm X 110 mm	Each	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196	7196
5	180 mm X 90 mm	Each	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074
6	180 mm X 110 mm	Each	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074
7	180 mm X 125 mm	Each	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074	10074
8	200 mm X 110 mm	Each	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871
9	200 mm X 160 mm	Each	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871	14871
10	250 mm X 90 mm	Each	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944
11	250 mm X 110 mm	Each	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944
12	250 mm X 160 mm	Each	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944	24944
LI(14)	Spigot Reducing Tee PN 16																
1	110 mm X 90 mm	Each	3454	3454	3454	3454	3454	3454	3454	3454	3454	3454	3454	3454	3454	3454	3454
2	125 mm X 90 mm	Each	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317	4317

INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Item	Material	Unit	Lahore	Okara	Kasur	Sheikhupura	Nankana Sahib	Rawalpindi	Murree, Kotly sattin, Kahuta	Attock	Jhelum	Chakwal	G/Wala	Sialkot	Gujrat	Hafizabad
3	160 mm X 90 mm	Each	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675
4	160 mm X 110 mm	Each	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675
5	180 mm X 90 mm	Each	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553
6	180 mm X 110 mm	Each	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553
7	180 mm X 125 mm	Each	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553
8	200 mm X 110 mm	Each	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310
9	200 mm X 160 mm	Each	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310
10	250 mm X 90 mm	Each	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384
11	250 mm X 110 mm	Each	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384
12	250 mm X 160 mm	Each	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384



INPUT RATES OF MATERIAL FOR 2nd BI-ANNUAL-2019 (01.07.2019 TO 31.12.2019)A

Narawal	Mandi Bahaudin	Faisalabad	Chiniot	Jhung	Toba Tek Singh	Sargodha	Teh: Noshehra, Soan vally Khushab	Khushab	Mianwali	Bhakkar	Multan	Muzafargarh	Layyah	Dera Ghazi Khan	Fort Manro	Rejanpur	Sahiwal	Pakpattan	Vehari	Khanewal	Bahawalpur	Lodhran	Bahawal Nagar	Rahimyar Khan	Item	
7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	3	
7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	7675	4
10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	5	
10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	6	
10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	10553	7	
16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	8	
16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	16310	9	
26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	10	
26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	11	
26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	26384	12	

