

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|--------------|--------|--------|--------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 01.001 | Cotton waste | Per Kg | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 |
| 01.002 | Grease | Per Kg | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 |
| 01.003 | H.S. Diesel oil | Per Ltr. | 75.79 | 75.79 | 75.79 | 75.79 | 75.79 | 75.79 | 75.79 | 75.79 | 75.79 | 75.79 | 75.79 | 75.79 | 75.79 |
| 01.004 | Kerosine oil (Ref # 13.022) | Per Ltr. | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 |
| 01.005 | Mobil oil | Per Ltr. | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 |
| 01.006 | Average diesel consumption of a truck | miles/gallon | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 01.007 | Average mobile oil consumption of a truck | miles/gallon | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 |
| 03.001 | Gun powder and fuse for blasting (1 pound and 1 fuse) | Each | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 |
| 03.002 | Jhams | Each | 525 | 525 | 525 | 525 | 525 | 525 | 525 | 525 | 525 | 525 | 525 | 525 | 525 |
| 03.003 | Charakharies complete | Each | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 03.004 | Manila Rope 1" | Rft | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 03.005 | Cost of repair and replacement of 4 Nos. picks axes and 8 Nos. Belchas | Per Day | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 03.006 | Palana with namda for one donkey | Each | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 |
| 03.007 | Repair and replacement of sacks | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 03.008 | Tent | Each | 4600 | 4600 | 4600 | 4600 | 4600 | 4600 | 4600 | 4600 | 4600 | 4600 | 4600 | 4600 | 4600 |
| 03.009 | Donkey hut | Each | 2780 | 2780 | 2780 | 2780 | 2780 | 2780 | 2780 | 2780 | 2780 | 2780 | 2780 | 2780 | 2780 |
| 03.010 | Royalty for pit sand | % Cft | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 03.011 | Nail bolts and nuts | Kg. | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 |
| 03.012 | Aatta | P.Kg. | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 03.013 | Phak | per Md | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 |
| 03.014 | Grams | per Md | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 |
| 06.001 | Brick Ballast 1½" (at site) | 100 Cft | 1450 | 1250 | 1300 | 1450 | 1450 | 1500 | 1600 | 1300 | 1200 | 1200 | 1300 | 1200 | 1200 |
| 06.002 | Brick Ballast 1" to 1½" (at site) | 100 Cft | 1450 | 1250 | 1300 | 1450 | 1450 | 1500 | 1600 | 1300 | 1200 | 1200 | 1300 | 1200 | 1200 |
| 06.003 | Stone Ballast 1" to 1½" (at source) | 100 Cft | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1300 | 1300 | 1250 | 1250 | 1250 |
| 06.004 | Brick Bats | 100 Cft | 800 | 600 | 750 | 750 | 750 | 800 | 800 | 700 | 700 | 650 | 700 | 700 | 700 |
| 06.005 | Coarse sand (Chenab) (at site) | 100 Cft | 2600 | 2600 | 2600 | 2600 | 2500 | 1900 | 2000 | 1600 | 1700 | 1900 | 1900 | 1900 | 1900 |
| 06.006 | Harrow / Coarse Sand (at site) | 100 Cft | 3700 | 3700 | 3700 | 3700 | 3700 | 1900 | 2100 | 1750 | 2400 | 2400 | 3100 | 3100 | 3100 |
| 06.007 | Sand (Local) (at site) | 100 Cft | 1050 | 950 | 950 | 950 | 1000 | 950 | 1100 | 850 | 1050 | 1050 | 1000 | 950 | 950 |
| 06.008 | Cement (OPC) | Per Bag | 502 | 502 | 502 | 502 | 502 | 502 | 503 | 502 | 502 | 502 | 502 | 502 | 502 |
| 06.009 | Cement (White) | Per Bag | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 |
| 06.010 | Shingle (Naturally Graded) at site (Bajri) | 100 Cft | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 |
| 06.011 | Aggregate / Stone Crushed 3/8" to 1" (Graded) Quarry Site | 100 Cft | 3000 | 3000 | 3000 | 3000 | 3000 | 2500 | 2500 | 2500 | 2500 | 2500 | 3000 | 3000 | 3000 |
| 06.012 | M.S. Bars (Plain) ½" and above (36000 PSI) | M. Ton | 55000 | 55128 | 55039 | 55036 | 55045 | 55290 | 55350 | 55330 | 55160 | 55270 | 55067 | 55117 | 55115 |
| 06.013 | M.S. Bars (Deformed) (40 grade) Local Billet | M. Ton | 75500 | 75628 | 75539 | 75536 | 75545 | 75790 | 75850 | 75830 | 75660 | 75770 | 75567 | 75617 | 75615 |
| 06.014 | M.S. bars (Deformed) (60 grade) Billet from Pakistan Steel Mills Karachi | M. Ton | 79800 | 79928 | 79839 | 79836 | 79845 | 80090 | 80150 | 80130 | 79960 | 80070 | 79867 | 79917 | 79915 |
| 06.015 | Cost of casing pipe of 18" dia | Per Rft | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 |
| 06.016 | Cost of casing pipe of 20" dia | Per Rft | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 |
| 06.017 | Cost of casing pipe of 22" dia | Per Rft | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 |
| 06.018 | Cost of casing pipe of 24" dia | Per Rft | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 |
| 06.019 | Nail and Screw (Copper) | Per. Kg. | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 |
| 06.020 | Brush (Large) | Each | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 |
| 06.021 | Brush (Small) | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 06.022 | Binding wire | Kg | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 06.023 | Special Clamps with bolts and nuts | Each | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 |
| 06.024 | Welding electrode | P.Bundle | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 |
| 06.025 | Prestressing Cable having 12 Nos. wire | P.Ton | 107500 | 107628 | 107539 | 107536 | 107545 | 107790 | 107850 | 107830 | 107660 | 107770 | 107567 | 107617 | 107615 |
| 06.026 | Anchorage cone | per set | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 |
| 06.027 | Corrugated sheath of 1-9/16" for 12/0.276" (7mm) cable | per metre | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 06.028 | Making good recesses | Each end | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 06.029 | Steel rope 1" Ø | Rft | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 06.030 | U Clamp i/c 5/8" bolts & nuts | each | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| 06.031 | Steel rope ¾" dia | Rft | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 06.032 | Railway track including sleepers bolts & nuts complete | Rft | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 |
| 06.033 | Crow bar (10 Kg) | Each | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 |
| 06.034 | Aluminum powder | per kg | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 |
| 06.035 | Aluminum sheet 1/16" to 1/8" (1.6 to 3 mm) thick | per kg | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 |
| 06.036 | Helical core (compressed for 10 tons) | per metre | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| 06.037 | G.I. Sheet special "V shaped " | each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|----------------|--------|--------|--------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 06.038 | Mastic strip | P.Rft | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 06.039 | Copper flashing 1/16" thick | P.Sft | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| 06.040 | Rubber water stopper 10" wide and 1/4" thick | P.Rft | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 06.041 | Bitumen (Bulk) (80/100) AT SITE (NRL / PARCO) | P.Kg | 65.387 | 64.460 | 65.258 | 65.294 | 65.229 | 66.299 | 66.300 | 66.389 | 65.968 | 65.591 | 65.613 | 65.993 | 65.838 |
| 06.042 | Sawdust | P.Cft | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 06.043 | Wood for heating | P.Kg. | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 06.044 | Thermopore sheet 1 1/2" (40 mm) thick density 15 kb/m ³ | m ² | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 |
| 06.045 | Thermopore sheet 1" (25 mm) thick density 15 kb/m ³ | m ² | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| 06.046 | Polythene @ 1.13 kg % Sft | P.Kg. | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |
| 06.047 | Broken glass | % kg | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 |
| 07.001 | 1st Class Bricks 9" x 4 1/2" x 3" (225 x 112.5 x 75 mm) | % Nos. | 8200 | 6500 | 7000 | 7000 | 7000 | 8000 | 8200 | 6900 | 6900 | 6900 | 7400 | 7400 | 7300 |
| 07.002 | Fire Clay Bricks 225 x 112.5 x 75 mm | Each | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 07.003 | Good earth/clay | 100 Cft | 465 | 465 | 465 | 465 | 465 | 565 | 565 | 365 | 515 | 515 | 465 | 465 | 465 |
| 07.004 | Fire resistant cement | 40 Kg per bag | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 |
| 07.005 | Moulded Special bricks (9" x 4 1/2" x 3") | % Nos. | 10500 | 10500 | 10500 | 10500 | 10500 | 10500 | 10500 | 10500 | 10500 | 10500 | 10500 | 10500 | 10500 |
| 07.006 | Sun dried bricks | % Nos. | 825 | 625 | 625 | 625 | 625 | 825 | 825 | 625 | 625 | 525 | 625 | 625 | 625 |
| 07.007 | Lime (Slaked) | Kg | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 07.008 | Lime (Unslaked) | Kg | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 07.009 | Brick grinded and sand | Cft | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 |
| 07.010 | Hoop Iron | Per Kg. | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 08.001 | Quarried Stone at quarry (To be used in stone masonry) | 100 Cft | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 |
| 08.002 | Headers or through stone (1.5" x 8" x 10") | Each | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 08.003 | Pitching stone at quarry | % Cft | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 |
| 08.004 | Charcoal | Per Kg | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 08.005 | Wood preservative (As per approved manufacturer) | Per Ltr. | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 |
| 08.006 | Steel | Per Kg. | 55.00 | 55.13 | 55.04 | 55.04 | 55.05 | 55.29 | 55.35 | 55.33 | 55.16 | 55.27 | 55.07 | 55.12 | 55.12 |
| 08.007 | Hand dressed stone average (2 Cft) | Each | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 08.008 | Hand dressed stone average (4 Cft.) | Each | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 |
| 09.001 | Brick tiles 300 x 150 x 50 mm (12"x6"x2") | % Nos. | 5600 | 4900 | 5200 | 5200 | 5200 | 5600 | 5700 | 5600 | 5300 | 5200 | 5200 | 5200 | 5200 |
| 09.002 | Brick tiles 300 x 150 x 40 mm (12"x6"x1 1/2") | % Nos. | 5400 | 4700 | 5000 | 5000 | 5000 | 5400 | 5500 | 5400 | 5100 | 5000 | 5000 | 5000 | 5000 |
| 09.003 | Brick tiles 300 x 150 x 32 mm (12"x6"x1 1/4") | % Nos. | 5200 | 4500 | 4800 | 4800 | 4800 | 5200 | 5300 | 5200 | 4900 | 4800 | 4800 | 4800 | 4800 |
| 09.004 | Brick tiles 225 x 112.5 x 50 mm (9"x4 1/2"x2") | % Nos. | 3600 | 2800 | 3200 | 3200 | 3200 | 4100 | 4200 | 3600 | 3300 | 3200 | 3300 | 3300 | 3500 |
| 09.005 | Brick Tiles 225 x 112.5 x 40 mm (9"x4-1/2"x1 1/2") | % Nos. | 6200 | 5800 | 5800 | 5800 | 5600 | 6000 | 6800 | 5800 | 6000 | 6000 | 6200 | 6300 | 6300 |
| 09.006 | G.I. Plain Sheet 18 - 20 SWG | Per kg | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| 09.007 | G.I. Plain Sheet 22 - 24 SWG | Per kg | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| 09.008 | G.I. Corrugated sheet 18 - SWG | Per Kg | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| 09.009 | G.I. Corrugated sheet 22 - 24 SWG | Per Kg | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| 09.010 | G.I. Corrugated sheet 20 SWG | Per Kg | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| 09.011 | G.I. Hook, Nuts and Bolts | Per Dozen | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 09.012 | G.I. Washers | Per Kg | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 09.013 | Washers Limpet | Per Dozen | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 09.014 | Bhoosa | Kg | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 09.015 | Pig lead | Kg | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| 09.016 | Cowdung (wet) | % Kg | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| 09.017 | A.C. T-bend 100 mm | Each | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 09.018 | A.C. Shoe 100 mm | Each | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 |
| 09.019 | A.C. Ridge Sheet (6mm) | Rft | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 09.020 | Fuel wood | Per Kg. | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 09.021 | Wire Nails | Per Kg. | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| 09.022 | Wind tie (rod) | P Kg. | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 09.023 | Bitumen washers | Per Dozen | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 09.024 | Brick Aggregate | P. Cft | 14.5 | 12.5 | 13 | 14.5 | 14.5 | 15 | 16 | 13 | 12 | 12 | 13 | 12 | 12 |
| 09.025 | Lead flashing 1/16" thick | P. Sft | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| 09.026 | C.I. Heads 4" Ø | Each | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 |
| 09.027 | Clamps with hold fasts etc. (For Rain Water Pipe) | Each | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 09.028 | C.I. water down pipe 4" (100mm) dia | P. Rft | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 |
| 09.029 | C.I. water down pipe down 3" (75mm) dia | P. Rft. | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 |
| 09.030 | C.I. shoes bend or offsets 4" Ø | Each | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 |
| 09.031 | Corrugated A.C. sheets | P.Sft | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|------------|--------|--------|--------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 09.032 | G.I. or limpet washers and bitumastic washers | Per Dozen | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 09.033 | Wrought iron bracket complete with bolts, Nuts and rivets etc. | Each | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 09.034 | Polythene 0.03" (0.08 mm) | Pr. Kg. | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| 09.035 | Thermopore ½" (12mm) thick | Per Sft. | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 09.036 | Thermopore ¾" (19mm) thick | Per Sft. | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 09.037 | Thermopore 1" (25mm) thick | Per Sft. | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 09.038 | A.C. pipe 4" (100mm) dia | P.Rft | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 |
| 09.039 | U.I. Clips | Kg. | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 09.040 | Screws 3" & 2" | Kg. | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 10.001 | Murum powder fine. | % Cft | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 |
| 10.002 | Cement concrete tiles 200 x 200 x 20 mm (8" x 8" x ¾") | Each | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 10.003 | Cement Concrete tiles 300 x 300 x 25 mm (12" x 12" x 1") | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 10.004 | Cement Concrete tiles 225 x 225 x 20 mm (9" x 9" x ¾") | Each | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 10.005 | Cement concrete tiles 150 x 150 x 20 mm (6" x 6" x ¾") | Each | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 10.006 | White Tile (Glazed) 6"x6"x¼" | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 10.007 | Coloured Glazed tiles 150 x 150 x 6 mm (6" x 6" x ¼") | Each | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 10.008 | Coloured Glazed tiles 300 x 300 x 6 mm (12" x 12" x ¼") | Each | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 10.009 | Mosaic marble chips tiles 300 x 300 x 25 mm (12" x 12" x 1") Grey Cement | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 10.010 | Rubber tiles 300 x 300 x 3 mm (12" x 12" x 1/8") | Each | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 10.011 | White glazed tiles 300 x 300 x 6mm (12" x 12" x ¼") | Each | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 10.012 | Dressed Stone 2'x2'x2" | Each | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 |
| 10.013 | Dressed Stone 2'x2'x3" | Each | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 |
| 10.014 | Carborandum Stone | Each | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 |
| 10.015 | Pigment for Cement/Concrete | Per Kg | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| 10.016 | Marble Chips | Per Kg | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 10.017 | Marble Powder | 100 Kg | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 |
| 10.018 | Neoprene strip 100 x 6 mm | P. Foot | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 10.019 | Wax Polish | 3 Kg. | 675 | 675 | 675 | 675 | 675 | 675 | 675 | 675 | 675 | 675 | 675 | 675 | 675 |
| 10.020 | Tartaric Acid | Per Kg | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 10.021 | Hessian Cloth | Per Mtr. | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 10.022 | Linen Cloth | P. Kg. | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 10.023 | Asphalt (packed) 80/100 (AT SITE) | P. Kg. | 74.618 | 73.617 | 74.450 | 74.518 | 74.447 | 75.603 | 75.604 | 75.700 | 75.246 | 74.839 | 74.862 | 75.272 | 75.105 |
| 10.024 | Sand Paper/Water Proof | Per Doz. | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| 10.025 | Brass Screws 50 mm long | Per Doz. | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 10.026 | Glass stip 3 mm thick 40 mm wide | % Rft | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| 10.027 | Glass Strips 4 mm thick 40 mm wide | % Rft | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 |
| 10.028 | Glass Strips 5 mm thick 50 mm wide | % Rft | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 |
| 10.029 | Marble strips 6 mm thick 40 mm wide | Rft | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 10.030 | Marble strips 10 mm thick 40 mm wide | Rft | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 10.031 | Sutli | Per Kg | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 10.032 | Steam coal | Kg | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 10.033 | 9" thick rubble or broken hard bricks | %Cft. | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 |
| 10.034 | Hard Marrum | %Cft. | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 |
| 10.035 | Floor Polish | P. Kg. | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 |
| 10.036 | Adhesive Mixture dry | Per Kg. | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 |
| 10.037 | Surkhi | P. % Cft. | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 |
| 10.038 | Fine crushed Aggregate for two coat work | % Cft. | 3050 | 3050 | 3050 | 3050 | 3050 | 1650 | 1850 | 1650 | 1750 | 1950 | 2550 | 2450 | 2450 |
| 10.039 | Primer | P.Kg. | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 11.001 | Chopped Jute | Per Kg | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 11.002 | Distemper (Vinyle Emulsion) Paintex / SPD | Per Gallon | 410 | 410 | 410 | 410 | 410 | 410 | 410 | 410 | 410 | 410 | 410 | 410 | 410 |
| 11.003 | Distemper Plastic bound (Plastic Emulsion) | Per Gallon | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 |
| 11.004 | Distemper Water bound (Cottage Mate) | Per Gallon | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 |
| 11.005 | Rice | Per Kg | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 11.006 | Pigment for colour wash | Per Kg | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 11.007 | Primer/red oxide pigment | Per Gin. | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 |
| 11.008 | Chopped Straw | P.Kg | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 11.009 | Expended metal edge bead 5" wide | P. Rft | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 12.001 | Chir 1st Class | CFT | 640 | 640 | 640 | 640 | 640 | 640 | 640 | 640 | 640 | 640 | 640 | 640 | 640 |
| 12.002 | Deodar Wood Best Quality | CFT | 4000 | 4000 | 4000 | 4000 | 4000 | 3700 | 3400 | 3700 | 3400 | 3400 | 3900 | 3900 | 3900 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|------------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 12.003 | Deodar Wood 2nd Class | CFT | 2800 | 2800 | 2800 | 2800 | 2800 | 2500 | 2200 | 2500 | 2200 | 2200 | 2700 | 2700 | 2700 |
| 12.004 | Fire Wood | Kg | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 12.005 | Kail Wood 1st Class | CFT | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 |
| 12.006 | Shisham wood 1st Class | CFT | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 |
| 12.007 | Teak wood | CFT | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 |
| 12.008 | Partal wood | CFT | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 |
| 12.009 | Kikar wood | CFT | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 |
| 12.010 | Sheets Aluminum 8 - SWG - 24 SWG (local) | Per Kg | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| 12.011 | Sheets Aluminum ½" thick and above (local) | Per Kg | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| 12.012 | Copper sheet 0.80 mm to 2.50 mm | Per Kg | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 |
| 12.013 | Copper sheet 3.00 mm to 6.00 mm | Per Kg | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 |
| 12.014 | Formica sheet (8' x 4') | Per sheet | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 |
| 12.015 | Plain Galvanized iron sheet | Per Kg | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| 12.016 | Corrugated Galvanized iron sheet | Per Kg | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 |
| 12.017 | Commercial ply 6 mm thick | P. Sft | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 12.018 | Commercial ply 3 mm thick | P. Sft | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 12.019 | Shisham wood ply (6 mm thick) | P. Sft | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 12.020 | Teak wood ply (6 mm thick) | P. Sft | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 12.021 | Thermopore sheet ½" (12 mm) thick 20 kg/m³ (39" x 39") | P. sheet | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 12.022 | Thermopore sheet ¾" (20 mm) thick 20 kg/m³ (39" x 39") | P. sheet | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 12.023 | Thermopore sheet 1" (25 mm) thick 20 kg/m³ (39" x 39") | P. sheet | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 |
| 12.024 | Masonite sheet 5 mm thick for partitions | P. Sft | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 12.025 | Masonite Sheet for ceiling | P.Sft | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 12.026 | Bacolite sheet (2.50 mm) thick (size 4' x 4') | 4'x4' size | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 |
| 12.027 | Bacolite sheet (3.75 mm) thick (size 4' x 4') | 4'x4' size | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 |
| 12.028 | Bacolite sheet (4.00 mm) thick (size 4' x 4') | 4'x4' size | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 |
| 12.029 | Rubber sheet 5 mm (size 4' x 6') | 4'x4' size | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 |
| 12.030 | Zinc Plate 525 x 11 mm | Kg | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 |
| 12.031 | Spike | Per Kg | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 12.032 | Glass pan 3 mm thick 16 x to 18 oz | SFT | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 12.033 | Glass pan 3 mm thick 24 x to 26 oz | SFT | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 12.034 | Glass plate ¼" (6 mm) thick upto 8 SFT | SFT | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 12.035 | Glass plate ¼" (6 mm) thick not exceeding 24 SFT | SFT | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 |
| 12.036 | Glass Plate 6 mm thick | SFT | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 12.037 | Glass Plate 8 mm | SFT | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| 12.038 | Glass Plate ½" (12 mm) thick | PSFT | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 12.039 | Glue(Bottle) Best Quality | Per Kg | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| 12.040 | Machine Screws 38.10 x 7.35 mm | Per Doz. | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 12.041 | Iron strips 1½" x 1/8" | Kg | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 12.042 | Brass finger plate | Each | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 12.043 | Brass hinges 50 mm | Each | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 12.044 | Brass hinges 63 mm | Each | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 12.045 | Brass hinges 75 mm | Each | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 12.046 | Brass hinges 100 mm | Each | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 12.047 | Brass hinges 125 mm | Each | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| 12.048 | Brass tower bolts 300 mm | Each | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |
| 12.049 | Brass tower bolts 225 mm | Each | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 12.050 | Brass tower bolts 200 mm | Each | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| 12.051 | Brass tower bolts 150 mm | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 12.052 | Steel nut and bolts (all sizes) | Per Kg | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| 12.053 | Iron hold fast (for doors/windows) | Each | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 12.054 | Iron handle 100 mm 4" | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 12.055 | Iron handle 150 mm (6") | Each | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 12.056 | Iron handle 200 mm (8") | Each | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 12.057 | Brass handle 100 mm | Each | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| 12.058 | Brass handle 150 mm | Each | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 12.059 | C.P. handles 4" (2nd Quality) | Rft | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 12.060 | C.P. handles 4" | Each | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 12.061 | C.P Handle 6" | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|----------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 12.062 | C.P. handles 6" (Best Quality) | Each | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 12.063 | Handle | Each | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 12.064 | Iron sliding bolt 200 mm (8") with screws | Each | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 12.065 | Iron sliding bolt 250 mm (10") with screws | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 12.066 | Iron sliding bolt 300 mm (12") with screws | Each | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 |
| 12.067 | Racal plugs 1½" (40mm) long | Each | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 12.068 | Racal Plug (small) | Each | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 |
| 12.069 | Push plate (Stainless) | Each | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 12.070 | Kikai plate (Aluminum) 4" wide 22 gauge 12" long | Each | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 12.071 | Rim lock (China) | Each | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 |
| 12.072 | Mortise lock (Local) | Each | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 |
| 12.073 | Sliding bolts Brass 300 mm (12") | Each | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 |
| 12.074 | Hinges (Iron) 50 mm | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 12.075 | Hinges (Iron) 75 mm | Each | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 12.076 | Hinges (Iron) 100 mm | Each | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 12.077 | Hinges (Iron) 125 mm | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 12.078 | Double action spring Hinges (Brass) Medium 4" - 5" (100 to 125 mm) | Per pair | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| 12.079 | Double action spring Hinges (Iron) 4"-5" (100 to 125 mm) | Each set | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 |
| 12.080 | Brass screw 20 mm | Doz. | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 12.081 | Brass screw 25 mm | Doz. | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 12.082 | Brass screw 40 mm | Doz. | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 12.083 | Door Stops 150 mm | Each | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 12.084 | Door stopper 150 mm (wooden) | Each | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 12.085 | Foot hinges 1" | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 12.086 | Tee hinges 250 mm | Each | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 12.087 | Tee hinges 150 mm | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 12.088 | Tee hinges 200 mm | Each | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 12.089 | Butt Hinges (125mm) | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 12.090 | Butt Hinges (150mm) | Each | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 12.091 | Hasp & staples (medium size) | Each | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 12.092 | Iron tower bolt 100 mm long | Per Doz. | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 |
| 12.093 | Iron tower bolt 150 mm long | Per Doz. | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| 12.094 | Iron tower bolt 225mm long | Per Doz. | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 |
| 12.095 | Iron tower bolt 250 mm long | Per Doz. | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 |
| 12.096 | Iron tower bolt 300 mm long | Per Doz. | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 |
| 12.097 | Hold fast with pivot & clamp 4" | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 12.098 | Hold fast with pivot & clamp 6" | Each | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 12.099 | Hold fast with pivot & clamp 8" | Each | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 12.100 | spring hinges (doors/windows) | Each | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 |
| 12.101 | Wrought Iron Hold Fast (small) | Each | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 12.102 | Wrought Iron Hold Fast (Large) | Each | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 12.103 | Deodar wooden beading (1" x ¼") | Rft | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 12.104 | Deodar wooden lipping 6 mm | Rft | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 12.105 | Deodar wooden lipping 3/8 | Rft | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 12.106 | Chord with hook (¾" x ½") | Each | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 12.107 | Wooden cleat for door | Each | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 12.108 | G.I. hook with clamp (doors/windows) | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 12.109 | Khunda - Chapka (For Almirah) | Each | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 |
| 12.110 | Rubber Pad Stopper | Each | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 12.111 | Wire Gauze (12x12) | Sft. | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 12.112 | Wooden Plug for door | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 12.113 | Expanded Metal (12mm to 20mm mesh of 16 gauge) | Sft. | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 12.114 | Hinges 10" (250mm) | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 12.115 | Hinges chocks 4" (100mm) (for battened doors) | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 12.116 | Hasp and staple | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 12.117 | Hold fast with pivots & clamp for framed and braced doors | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 12.118 | Sliding bolts 18" (450mm) long | Each | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 | 87 |
| 12.119 | M.S. Angle Iron 1½"x1½"x¼" (40x40x6mm) | P.Kg. | 74.00 | 74.13 | 74.04 | 74.04 | 74.05 | 74.29 | 74.35 | 74.33 | 74.16 | 74.27 | 74.07 | 74.12 | 74.12 |
| 12.120 | M.S. Flat 6"x¼"x1/8" (150x6x3mm) | P.Kg. | 74.00 | 74.13 | 74.04 | 74.04 | 74.05 | 74.29 | 74.35 | 74.33 | 74.16 | 74.27 | 74.07 | 74.12 | 74.12 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|---|------------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 12.121 | Hinges Chocks 3" (75mm) | Each | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 12.122 | Screws upto 1" long | Per Doz. | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 12.123 | Screws above 1" long | Per Doz. | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 12.124 | Nails of sorts | Pr. Kg. | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| 12.125 | Brass spring hinges Complete with Screws | Each | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 |
| 12.126 | Brass sliding bolt 10" (250mm) long 'complete with screws & nuts. | Each | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 |
| 12.127 | 1" (25mm) thick solid flush shutter | P.Sft. | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| 12.128 | Solid flush door 1½" thick (Approved Factory Manufactured) with commercial ply 5mm thick | P.Sft. | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 |
| 12.129 | C.P. dasti i/c screws | P.Sft. | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 12.130 | Hard Board | P.Sft. | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 12.131 | Brass butt hinges 2" (50mm) | Each | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 12.132 | Brass butt hinges 6" (150mm) | Each | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 12.133 | Sawing Charges | P.Sft. | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 12.134 | Tie rod welding and fixing arrangement | Each | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 12.135 | Vin board ¾" thick | P.Sft. | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 | 43 |
| 12.136 | Vin board ½" thick | P.Sft. | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 12.137 | Chip Board ¾" (20mm) 700 density | P.Sft | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 12.138 | Chip Board ½" (12mm) 700 density | P.Sft | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 12.139 | Full hinges ¾" (20mm) wide (Imported) | Rft | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 12.140 | Catcher | Each | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 12.141 | lock China | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 12.142 | C.P. Hanger rod with 2 hooks | Each | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 |
| 12.143 | Hanger hook including pull out rod | Each | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 12.144 | Brass hooks | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 12.145 | Door rubber stopper | Each | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 12.146 | G.I. Hook | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 12.147 | Hooks for Punkha Pole | Per Dozen | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 12.148 | Nails | P.Kg. | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 |
| 12.149 | Washers | Each | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 |
| 12.150 | Hard Wood Gutty | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 12.151 | M.S clamp | Each | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 12.152 | M.S hook | Each | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 12.153 | Sand Paper | Each | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 12.154 | Tower bolt C.P. | Each | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 12.155 | C.P. finger plate with screws | Each | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 |
| 12.156 | M.S. sheets (Plain) 20 SWG | Kg | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 12.157 | M.S. Sheet 18 SWG | Sft | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 12.158 | M.S. Sheet 22 SWG | Sft | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 12.159 | Curtain Railing | Rft. | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 12.160 | Electrod | Pkt | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| 12.161 | Gola (Wood) | P. Ft. | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 13.001 | Black Japan paint | Gln. | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 |
| 13.002 | Chalk powder | Per Kg | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13.003 | Dana Lakh | Per Kg | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 |
| 13.004 | Plastic Emulsion paint | Per Gallon | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 |
| 13.005 | Paint Synthetic Enamel | Per Gallon | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 |
| 13.006 | French Polish | Per Kg | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 |
| 13.007 | Gum and Gun rasin | Per Gallon | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 |
| 13.008 | Linseed oil | Per Kg | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 |
| 13.009 | Road marking enamel | Per Ltr. | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 |
| 13.010 | Solignum paint (Imported) | Per Gallon | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 |
| 13.011 | Spirit | Per Ltr. | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 13.012 | Varnish | Kg | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 13.013 | White Enamel paint | Per Gln. | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 |
| 13.014 | Caustic Soda | Kg | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 13.015 | Painting Brushes (average rate) | Each | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| 13.016 | Mineral Pitch | Kg | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 13.017 | Primer Paint | P.Gln | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 | 620 |
| 13.018 | Reflective Paint / C.R Paint | Litre | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|-----------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 13.019 | Reflective Tape / Paper | P. Sft. | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| 13.020 | Creosote | P. Gln | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 |
| 13.021 | Steel Scrapper | Each | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 13.022 | Kerosine Oil (Ref # 01.004) | Per Ltr. | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 | 43.25 |
| 13.023 | Terpentine oil | Per Ltr. | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 |
| 13.024 | Water Proofing Emulsion Paint | P.Kg. | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 16.001 | Jute bag (Empty) (1.25 Cft.) | Each | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 16.002 | New jute bag (4 to 5 Cft.) | Each | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 16.003 | Pitching Stone (Quarry site) | % Cft | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 |
| 16.004 | Munj patha ban | Per Kg | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 16.005 | G.I Wire No.15 | Per Kg | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| 16.006 | Bamboo (60 - 120 mm dia) 2.5 meter to 3.0 metre long | Each | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| 16.007 | Bamboo (60 - 120 mm dia) 3.0 meter to 3.75 metre long | Each | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| 16.008 | Bamboo (60 - 120 mm dia) 3.75 meter to 4.25 metre long | Each | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 |
| 16.009 | Bamboo (60 - 120 mm dia) 4.25 meter to 4.90 metre long | Each | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 |
| 16.010 | Bamboo (60 - 120 mm dia) 4.90 meter to 6.25 metre long | Each | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| 16.011 | G.I Wire No. 8 to 10 | Per Kg | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| 16.012 | Sutli | P.Kg | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 16.013 | wooden vertical stakes 7" to 12" dia for groynes | P. % Nos. | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| 16.014 | Royalty charges of wooden stakes | Each | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 |
| 16.015 | Shingle / spawl | P.% Cft | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 |
| 16.016 | Boulder at Source | P.% Cft | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 |
| 16.017 | Supply pilchi lead within one mile | P.% Cft | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| 16.018 | Pilchi Roll 6" dia 5' long | P.% Cft | 307 | 307 | 307 | 307 | 307 | 307 | 307 | 307 | 307 | 307 | 307 | 307 | 307 |
| 16.019 | Bajri / shingle | P.% Cft | 3200 | 3200 | 3200 | 3200 | 3200 | 2500 | 2500 | 2500 | 2500 | 2500 | 3200 | 3200 | 3200 |
| 16.020 | Royalty kikar brush wood | P.% Mds | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 16.021 | Kikar wood for pegs | P. Cft | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 |
| 18.001 | Coarse aggregate (bajri)(Quarry site) | 100 Cft | 3200 | 3200 | 3200 | 3200 | 3200 | 2500 | 2500 | 2500 | 2500 | 2500 | 3200 | 3200 | 3200 |
| 18.002 | Graded stone for Base Course (Quarry site) | 100 Cft | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 | 1450 | 1450 | 1800 | 1800 | 1800 |
| 18.003 | Aggregate For Sub Base Course (Quarry site) | 100 Cft | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 730 | 800 | 800 | 800 |
| 18.004 | Pit-run/Bedrun gravel (Quarry site) | 100 Cft | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 |
| 18.005 | Stone screaned / Stone Dust at site for Base Course only | 100 Cft | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 |
| 18.006 | Stone Dust (quarry / plant site) | 100 Cft | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 |
| 18.007 | Steel bars (including binding wire) | Per Kg. | 75.5 | 75.5 | 75.5 | 75.5 | 75.5 | 75.5 | 75.5 | 75.5 | 75.5 | 75.5 | 75.5 | 75.5 | 75.5 |
| 18.008 | Iron post | Per Kg | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 |
| 18.009 | Elbow 2" | Each | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 18.010 | Tee 2" x 2" x 2" | Each | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 |
| 18.011 | Steel bearing (standard quality) | Each | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 |
| 18.012 | Rubber bearing pad 1" x 1" x 1" (2.5x2.5x2.5 cm) | P.Cub | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 18.013 | A.C pipe 3" i/d | per metre | 555 | 555 | 555 | 555 | 555 | 555 | 555 | 555 | 555 | 555 | 555 | 555 | 555 |
| 18.014 | T.Iron and M.S Plate | P. Kg. | 74.00 | 74.13 | 74.04 | 74.04 | 74.05 | 74.29 | 74.35 | 74.33 | 74.16 | 74.27 | 74.07 | 74.12 | 74.12 |
| 18.015 | Lettering 4" height | Each | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 18.016 | Lettering 3" height | Each | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 19.001 | Cast iron head 4" | Per Kg | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 |
| 19.002 | Cast iron shoe 4" | Per Kg | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 |
| 19.003 | Cast iron bend 4" | Per Kg | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 |
| 19.004 | Cast iron off set 4" | Per Kg | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 |
| 19.005 | G.I spout 4" 460 mm long | Each | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 |
| 19.006 | AC - bend 4" (100 mm) | Each | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 |
| 19.007 | AC Shoe 4" (100 mm) | Each | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 |
| 19.008 | AC Tee (100 mm) | Each | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 |
| 19.009 | Angle Iron Bracket Set for W.H.B & Cistern | Each | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 |
| 19.010 | Angle Iron Bracket Set for Sink | Each | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 19.011 | Waste pipe 3 cm (1½") (PVC) flexible | Each | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 19.012 | Waste pipe 4 cm (1½") (PVC) flexible | Each | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 19.013 | C.P. waste coupling 3 cm (1½") | Each | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 19.014 | C.P. waste coupling 4 cm (1½") | Each | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| 19.015 | Rubber plug with chain 3 cm (1¼") | Each | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 |
| 19.016 | Rubber plug with chain 4 cm (1½") | Each | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|----------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 19.017 | PVC Flushing bend 3 cm (1¼") | Each | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 19.018 | PVC Flushing bend 4 cm (1½") | Each | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 19.019 | Plastic rubber connection with check nut | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 19.020 | Copper connection with check nut: | Each | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 19.021 | C.P. Shower rose 1.5 x 10 cm (½" x 4") Master | Each | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| 19.022 | C.P. Shower rose 2.0 x 15 cm (¾" x 6") | Each | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 |
| 19.023 | C.I brackets for high level flushing cistern | Per Pair | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 19.024 | C.I. Bracket for Wash hand basin/bolt kit | Each | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 19.025 | White Glazed earthen ware low down cistern 13.63 ltr. (3/Gln) ICL Brand Freegate | Each | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 | 725 |
| 19.026 | Coloured Glazed earthen ware low down cistern 13.63 ltr. (3/Gln) ICL Brand | Each | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 | 790 |
| 19.027 | White Glazed cast iron low down cistern 13.63 ltr. (3/Gln) | Each | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 | 820 |
| 19.028 | RCC Pipe 4" dia | Rft. | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 19.029 | Plastic made low down flushing cistern 13.63 litre (3 gallons)(Golden Brand) | Each | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 |
| 19.030 | Pedestal for W.H.B, ICL Brand Freegate | Each | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 |
| 19.031 | Bolt and Nuts for W.C. (European Type) | Each | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 19.032 | A.C soil pipe 6cm (2" dia) | Metre | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 19.033 | A.C soil pipe 7.5cm (3" dia) | Metre | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 |
| 19.034 | A.C soil pipe 10cm (4" dia) | Metre | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 |
| 19.035 | A.C soil pipe 15cm (6" dia) | Metre | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 |
| 19.036 | C.I. Soil Down 50 mm (2") dia | Metre | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 |
| 19.037 | C.I Soil Down 100 mm (4") dia (30 PSI) | Metre | 375 | 375 | 375 | 375 | 375 | 375 | 375 | 375 | 375 | 375 | 375 | 375 | 375 |
| 19.038 | Yarn | per lbs | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 19.039 | Chromium plated T-stop cock 1.5 c.m (½") (Master / Sonex Brand) | Each | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 | 355 |
| 19.040 | Brass gas cock 1.5 c.m (½") | Each | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| 19.041 | Brass gas cock 2.0 c.m (¾") | Each | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 |
| 19.042 | Brass bib cock ½" (1.5 cm) (Anwar brand) | Each | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 |
| 19.043 | Brass bib cock ¾" (2 cm) / brass stop cock, (Anwar Brand) | Each | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 19.044 | Glazed Earthenware sink 60 x 45 cm (24" x 18") (Master Brand) | Each | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 |
| 19.045 | Glazed Earthenware sink 37.5 x 45 cm (15" x 18") | Each | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 | 775 |
| 19.046 | Stainless steel sink with drain board 120 x 60 cm (48 x 24 in) (Atlas Brand) | Each | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 |
| 19.047 | Terazzo concrete sink 60 x 45 cm (24" x 18") With drain board | Each | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 |
| 19.048 | Brass ball float valves 15 mm (½") dia | Each | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 |
| 19.049 | Brass ball float valves 20 mm (¾") dia | Each | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 |
| 19.050 | Brass ball float valves 25 mm (1") dia | Each | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 |
| 19.051 | Brass ball float valves 30 mm (1¼") dia | Each | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| 19.052 | Brass ball float valves 40 mm (1½") dia | Each | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 |
| 19.053 | Brass ball float valves 50 mm (2") dia | Each | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 |
| 19.054 | C.P. Mixing Valves ½" dia (Mixer),Master, Medium neck | Each | 1270 | 1270 | 1270 | 1270 | 1270 | 1270 | 1270 | 1270 | 1270 | 1270 | 1270 | 1270 | 1270 |
| 19.055 | Glass Shelf 60 x 13 cm (24" x 5") | Each | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 19.056 | Chromium plated bracket and railing for glass shelf | Each | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 |
| 19.057 | Glazed earthen ware shelf 60 x 13 cm (24" x 5") with chromium plated bracket and railing (Coloured) | Each | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 |
| 19.058 | Glazed earthen ware shelf 60 x 13 cm (24" x 5") withchromium plated bracket and railing (White) | Each | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 |
| 19.059 | Soap dish chromium plated | Each | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| 19.060 | Soap dish glazed earthen ware white colour | Each | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 |
| 19.061 | Soap dish plastic | Each | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| 19.062 | Toilet Paper Holder (Chromium plated) | Each | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 |
| 19.063 | Toilet Paper Holder (Plastic),Venus/Choice | Each | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| 19.064 | Towel Rail With Brackets (Chromium plated) 60 x 2 cm (24" x ¾") | Each | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 |
| 19.065 | Towel Rail With Brackets (Chromium plated) 50 x 1.5 cm (20" x ½") | Each | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 |
| 19.066 | Towel Rail With Brackets (Plastic) | Each | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 |
| 19.067 | C.I floor trap including grating size 10 x 5 cm (4" x 2") | Each | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 |
| 19.068 | Chromium plated bottle trap 3 cm (1¼") (with waste pipe), (Master Brand) | Each | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 |
| 19.069 | Chromium plated bottle trap 4 cm (1½") (with waste pipe) | Each | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 |
| 19.070 | Cast iron P-trap 10 cm (4") | Each | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 |
| 19.071 | Concrete gully trap 4" | Each | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 |
| 19.072 | Glazed Pee trap 10 cm (4" dia) | Each | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 19.073 | PVC grating 15 x 15 cm (6" x 6") | Each | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 19.074 | White Glazed earthenware Wash Hand Basins (22" x 16") (56 cm x 40 cm) with pedestal (ICL Freegate Brand) | Each | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 |
| 19.075 | White Wash Hand Basin (22" x 16") (56 cm x 40 cm) without pedestal (ICL Brand) | Each | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|---|------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 19.076 | Coloured wash hand basin with pedestal (22" x 16") (56 cm x 40 cm)(ICL Brand) | Each | 1690 | 1690 | 1690 | 1690 | 1690 | 1690 | 1690 | 1690 | 1690 | 1690 | 1690 | 1690 | 1690 |
| 19.077 | Coloured wash hand basin without pedestal (22" x 16") (56 cm x 40 cm)(ICL Brand) | Each | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 |
| 19.078 | European type water closet without seat and cover (coloured)(ICL Brand) | Each | 1390 | 1390 | 1390 | 1390 | 1390 | 1390 | 1390 | 1390 | 1390 | 1390 | 1390 | 1390 | 1390 |
| 19.079 | European type water closet without seat and cover (white)(ICL Brand) | Each | 1235 | 1235 | 1235 | 1235 | 1235 | 1235 | 1235 | 1235 | 1235 | 1235 | 1235 | 1235 | 1235 |
| 19.080 | Double seat and cover Bekelite (ICL Brand) | Each | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 |
| 19.081 | Double seat and cover Plastic (ICL Brand) | Each | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 |
| 19.082 | White Glazed earthenware squater (Orisa pattern) WC combined with footrest,(ICL Brand) | Each | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 |
| 19.083 | Coloured (Glazed earthenware squater (Orisa pattern) WC combined with footrest(ICL Brand) | Each | 920 | 920 | 920 | 920 | 920 | 920 | 920 | 920 | 920 | 920 | 920 | 920 | 920 |
| 19.084 | Terazzo concrete water closet squater type | Each | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 |
| 19.085 | Glazed earthen ware W.C squater type (Orisa pattern) (ICL 4006 Brand) | Each | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 |
| 19.086 | Urinal Glazed earthenware flat back(ICL Brand) | Each | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 |
| 19.087 | Pillar cock chromium plated heavy duty 2 cm (¾") | Each | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 |
| 19.088 | Pillar cock chromium plated heavy duty 1.5 cm (½")(Master Brand Hifh neck) | Each | 560 | 560 | 560 | 560 | 560 | 560 | 560 | 560 | 560 | 560 | 560 | 560 | 560 |
| 19.089 | Stop cock under ground 15 mm (½") with C.P cover | Each | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 |
| 19.090 | Stop cock chromium plated heavy duty 2 cm (¾")(Anwar Brand) | Each | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 |
| 19.091 | Stop cock chromium plated heavy duty 1.5 cm (½") | Each | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 |
| 19.092 | Swan neck cock single way chromium plated 1.5 cm (½") | Each | 290 | 290 | 290 | 290 | 290 | 290 | 290 | 290 | 290 | 290 | 290 | 290 | 290 |
| 19.093 | Swan neck cock double way chromium plated 1.5 cm (½") | Each | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| 19.094 | Swan neck cock three way chromium plated 1.5 cm (½") | Each | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 | 605 |
| 19.095 | Gas cock chromium plated oxidised (¼") single way | Each | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |
| 19.096 | Gas cock chromium plated oxidised (¼") double way | Each | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 |
| 19.097 | Gas cock chromium plated oxidised (¼") three way | Each | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 | 370 |
| 19.098 | Looking glass 5 mm thick 55 x 40 cm (22" x 16") | Each | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 |
| 19.099 | Hanger hook with pullout rod | Each | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 |
| 19.100 | Gun metal peat/gate valve (screwed) 15 mm (½") dia (Anwar Brand) | Each | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| 19.101 | Gun metal peat/gate valve (screwed) 20 mm (¾") dia(Anwar Brand) | Each | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 |
| 19.102 | Gun metal peat/gate valve (screwed) 25 mm (1") dia(Anwar Brand) | Each | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 |
| 19.103 | Gun metal peat/gate valve (screwed) 30 mm (1½") dia(Anwar Brand) | Each | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 |
| 19.104 | Gun metal peat/gate valve (screwed) 40 mm (1½") dia(Anwar Brand) | Each | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 |
| 19.105 | Gun metal peat/gate valve (screwed) 50 mm (2") dia(Anwar Brand) | Each | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 |
| 19.106 | Gun metal peat/gate valve (screwed) 65 mm (2½") dia(Anwar Brand) | Each | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 |
| 19.107 | Gun metal peat/gate valve (screwed) 80 mm (3") dia(Anwar Brand) | Each | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 |
| 19.108 | Foot rest for squatter type W.C. | Each | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 19.109 | Waste coupling with bracket and waste pipe | Each | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 |
| 19.110 | Screw (75 mm) 3" long | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 19.111 | C.I. High level flushing cistern 13.63 litre or 3 gallon capacity including accessories | Each | 1735 | 1735 | 1735 | 1735 | 1735 | 1735 | 1735 | 1735 | 1735 | 1735 | 1735 | 1735 | 1735 |
| 19.112 | C.I. High level flushing cistern I/C all accessories (1 gallon capacity) | Each | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 | 1035 |
| 19.113 | Soap dish coloured (glazed earthen ware) (Master Brand) | Each | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 |
| 19.114 | Plastic shelf with railing | Each | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 |
| 19.115 | Bracket | Each | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 19.116 | 2 cm (¾") bib cock CP (Master Brand) | Each | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 |
| 19.117 | 1.5 cm (½") bib cockCP (Master Brand) | Each | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| 19.118 | Union brass cock ½" (1.5 cm) | Each | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 19.119 | Union brass cock ¾" (2 cm) | Each | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 |
| 19.120 | C.I floor trap including grating size 10 x 7.5 cm (4" x 3") | Each | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 |
| 19.121 | Manhole cover 30 cm (12" dia) | Each | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 |
| 19.122 | C.I. manhole cover with frame 45 cm (18" dia) | Each | 690 | 690 | 690 | 690 | 690 | 690 | 690 | 690 | 690 | 690 | 690 | 690 | 690 |
| 19.123 | C.I. manhole cover with frame 60 cm (24" dia) | Each | 1170 | 1170 | 1170 | 1170 | 1170 | 1170 | 1170 | 1170 | 1170 | 1170 | 1170 | 1170 | 1170 |
| 19.124 | C.P Bottle trap with waste pipe 3cm (1 1/8" dia) | Each | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 | 430 |
| 19.125 | C.P Bottle trap with waste pipe 4cm (1 1/2" dia) | Each | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 |
| 19.126 | Nail with Cutter for angle iron brackets | Each | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 19.127 | Copper connection with accessories ½" dia | Each | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 |
| 19.128 | 1.5 cm (½" dia) brass ball valve with accessories | Each | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 |
| 21.001 | C.I. gully grating 12" x 12" with hinged safety type (81 lbs) | Each | 535 | 535 | 535 | 535 | 535 | 535 | 535 | 535 | 535 | 535 | 535 | 535 | 535 |
| 21.002 | Concrete gully trap 12" x 12" | Each | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 |
| 21.003 | China ware trap with C.I screen | Each | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 |
| 21.004 | Iron Bolt 12" | Each | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 21.005 | C.I Ventilating Shaft tool 6" to 12" l/d 18' to 36' long | Kg | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1ST FEBRUARY, 2016 TO 31ST JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|----------------------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 21.006 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 300 mm (12") i/d | Per Ft. | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 | 325 |
| 21.007 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 375 mm (15") i/d | Per Ft. | 398 | 398 | 398 | 398 | 398 | 398 | 398 | 398 | 398 | 398 | 398 | 398 | 398 |
| 21.008 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 450 mm (18") i/d | Per Ft. | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| 21.009 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 525 mm (21") i/d | Per Ft. | 611 | 611 | 611 | 611 | 611 | 611 | 611 | 611 | 611 | 611 | 611 | 611 | 611 |
| 21.010 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 600 mm (24") i/d | Per Ft. | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 |
| 21.011 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 675 mm (27") i/d | Per Ft. | 834 | 834 | 834 | 834 | 834 | 834 | 834 | 834 | 834 | 834 | 834 | 834 | 834 |
| 21.012 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 750 mm (30") i/d | Per Ft. | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 |
| 21.013 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 825 mm (33") i/d | Per Ft. | 1125 | 1125 | 1125 | 1125 | 1125 | 1125 | 1125 | 1125 | 1125 | 1125 | 1125 | 1125 | 1125 |
| 21.014 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 900 mm (36") i/d | Per Ft. | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 |
| 21.015 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 1070 mm (42") i/d | Per Ft. | 1959 | 1959 | 1959 | 1959 | 1959 | 1959 | 1959 | 1959 | 1959 | 1959 | 1959 | 1959 | 1959 |
| 21.016 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 1220 mm (48") i/d | Per Ft. | 2260 | 2260 | 2260 | 2260 | 2260 | 2260 | 2260 | 2260 | 2260 | 2260 | 2260 | 2260 | 2260 |
| 21.017 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 1370 mm (54") i/d | Per Ft. | 2813 | 2813 | 2813 | 2813 | 2813 | 2813 | 2813 | 2813 | 2813 | 2813 | 2813 | 2813 | 2813 |
| 21.018 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 1520 mm (60") i/d | Per Ft. | 3463 | 3463 | 3463 | 3463 | 3463 | 3463 | 3463 | 3463 | 3463 | 3463 | 3463 | 3463 | 3463 |
| 21.019 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 1680 mm (66") i/d | Per Ft. | 4326 | 4326 | 4326 | 4326 | 4326 | 4326 | 4326 | 4326 | 4326 | 4326 | 4326 | 4326 | 4326 |
| 21.020 | RCC sewer pipes confirming to ASTM C-76-79 (class III wall B) 1830 mm (72") i/d | Per Ft. | 5393 | 5393 | 5393 | 5393 | 5393 | 5393 | 5393 | 5393 | 5393 | 5393 | 5393 | 5393 | 5393 |
| 21.021 | RCC Pipes conforming (to BS 5911 part I, 1981 class 'L') 100 mm (4") i/d | Per Ft. | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 21.022 | RCC Pipes conforming (to BS 5911 part I, 1981 class 'L') 150 mm (6") i/d | Per Ft. | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 |
| 21.023 | RCC Pipes conforming (to BS 5911 part I, 1981 class 'L') 225 mm (9") i/d | Per Ft. | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 |
| 21.024 | Non/reinforced concrete pipe 100 mm (4") dia conforming to ASTM C-14-73 Class I | Per Ft. | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 21.025 | Non/reinforced concrete pipe 150 mm (6") dia conforming to ASTM C-14-73 Class I | Per Ft. | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 21.026 | Non/reinforced concrete pipe 200 mm (8") dia conforming to ASTM C-14-73 Class I | Per Ft. | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 21.027 | Non/reinforced concrete pipe 225 mm (9") dia conforming to ASTM C-14-73 Class I | Per Ft. | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 21.028 | Non/reinforced concrete pipe 250 mm (10") dia conforming to ASTM C-14-73 Class I | Per Ft. | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 21.029 | RCC Sewer pipe 300 mm (12") Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 |
| 21.030 | RCC Sewer pipe 375 mm (15") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| 21.031 | RCC Sewer pipe 450 mm (18") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 |
| 21.032 | RCC Sewer pipe 525 mm (21") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 414 | 414 | 414 | 414 | 414 | 414 | 414 | 414 | 414 | 414 | 414 | 414 | 414 |
| 21.033 | RCC Sewer pipe 600 mm (24") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 501 | 501 | 501 | 501 | 501 | 501 | 501 | 501 | 501 | 501 | 501 | 501 | 501 |
| 21.034 | RCC Sewer pipe 675 mm (27") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 |
| 21.035 | RCC Sewer pipe 750 mm (30") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 |
| 21.036 | RCC Sewer pipe 825 mm (33") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 866 | 866 | 866 | 866 | 866 | 866 | 866 | 866 | 866 | 866 | 866 | 866 | 866 |
| 21.037 | RCC Sewer pipe 900 mm (36") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 1209 | 1209 | 1209 | 1209 | 1209 | 1209 | 1209 | 1209 | 1209 | 1209 | 1209 | 1209 | 1209 |
| 21.038 | RCC Sewer pipe 1070 mm (42") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 1585 | 1585 | 1585 | 1585 | 1585 | 1585 | 1585 | 1585 | 1585 | 1585 | 1585 | 1585 | 1585 |
| 21.039 | RCC Sewer pipe 1220 mm (48") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 |
| 21.040 | RCC Sewer pipe 1370 mm (54") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 2467 | 2467 | 2467 | 2467 | 2467 | 2467 | 2467 | 2467 | 2467 | 2467 | 2467 | 2467 | 2467 |
| 21.041 | RCC Sewer pipe 1520 mm (60") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 2741 | 2741 | 2741 | 2741 | 2741 | 2741 | 2741 | 2741 | 2741 | 2741 | 2741 | 2741 | 2741 |
| 21.042 | RCC Sewer pipe 1680 mm (66") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 3015 | 3015 | 3015 | 3015 | 3015 | 3015 | 3015 | 3015 | 3015 | 3015 | 3015 | 3015 | 3015 |
| 21.043 | RCC Sewer pipe 1830 mm (72") dia Conforming to ASTM C-76-79 (ClassII wall 'B') | Per Ft. | 3290 | 3290 | 3290 | 3290 | 3290 | 3290 | 3290 | 3290 | 3290 | 3290 | 3290 | 3290 | 3290 |
| 21.044 | Rubber Ring | Per Inch dia of pipe | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 21.045 | RCC Sewer pipe 300 mm (12") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 |
| 21.046 | RCC Sewer pipe 380 mm (15") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 499 | 499 | 499 | 499 | 499 | 499 | 499 | 499 | 499 | 499 | 499 | 499 | 499 |
| 21.047 | RCC Sewer pipe 460 mm (18") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 |
| 21.048 | RCC Sewer pipe 535 mm (21") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 |
| 21.049 | RCC Sewer pipe 610 mm (24") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 829 | 829 | 829 | 829 | 829 | 829 | 829 | 829 | 829 | 829 | 829 | 829 | 829 |
| 21.050 | RCC Sewer pipe 685 mm (27") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 1072 | 1072 | 1072 | 1072 | 1072 | 1072 | 1072 | 1072 | 1072 | 1072 | 1072 | 1072 | 1072 |
| 21.051 | RCC Sewer pipe 760 mm (30") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 1237 | 1237 | 1237 | 1237 | 1237 | 1237 | 1237 | 1237 | 1237 | 1237 | 1237 | 1237 | 1237 |
| 21.052 | RCC Sewer pipe 800 mm (33") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 1369 | 1369 | 1369 | 1369 | 1369 | 1369 | 1369 | 1369 | 1369 | 1369 | 1369 | 1369 | 1369 |
| 21.053 | RCC Sewer pipe 915 mm (36") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 | 1950 |
| 21.054 | RCC Sewer pipe 1070 mm (42") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 2386 | 2386 | 2386 | 2386 | 2386 | 2386 | 2386 | 2386 | 2386 | 2386 | 2386 | 2386 | 2386 |
| 21.055 | RCC Sewer pipe 1220 mm (48") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 2832 | 2832 | 2832 | 2832 | 2832 | 2832 | 2832 | 2832 | 2832 | 2832 | 2832 | 2832 | 2832 |
| 21.056 | RCC Sewer pipe 1370 mm (54") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 3671 | 3671 | 3671 | 3671 | 3671 | 3671 | 3671 | 3671 | 3671 | 3671 | 3671 | 3671 | 3671 |
| 21.057 | RCC Sewer pipe 1520 mm (60") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 4641 | 4641 | 4641 | 4641 | 4641 | 4641 | 4641 | 4641 | 4641 | 4641 | 4641 | 4641 | 4641 |
| 21.058 | RCC Sewer pipe 1680 mm (66") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 5927 | 5927 | 5927 | 5927 | 5927 | 5927 | 5927 | 5927 | 5927 | 5927 | 5927 | 5927 | 5927 |
| 21.059 | RCC Sewer pipe 1830 mm (72") dia Conforming to ASTM C-76-79 (Class IV wall 'B') | Per Ft. | 6994 | 6994 | 6994 | 6994 | 6994 | 6994 | 6994 | 6994 | 6994 | 6994 | 6994 | 6994 | 6994 |
| 21.060 | Steel bolt 12" long | Each | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| 21.061 | Foundation bolts & nuts ¾" dia 2' long | Each | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 |
| 21.062 | Rubber sheet 1/8" thick | P.Kg | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 21.063 | Foundation bolts & nuts ¾" dia 1½' long | Each | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|---|----------|--------|-------|-------|--------|---------|---------|----------------------|--------|--------|---------|--------|---------|--------|
| 21.064 | Foundation bolts ¾" dia 2½' long. | Each | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 |
| 21.065 | Foundation bolts 7/8" dia 2½' long. | Each | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 22.001 | Winch including cost of tripod, tackle etc. for sinking of well | Each | 37000 | 37000 | 37000 | 37000 | 37000 | 37000 | 37000 | 37000 | 37000 | 37000 | 37000 | 37000 | 37000 |
| 22.002 | Steel rope ¾" dia (Ref # 6.031) | Per Rft. | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 22.003 | One cusic capacity pumping set for dewatering | Each | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 |
| 22.004 | Sleeper | Each | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 |
| 22.005 | Bolts & Nuts | P.Kg | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 |
| 23.001 | A.C/F.C pressure pipe '80mm (3") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 |
| 23.002 | A.C/F.C pressure pipe 100 mm (4") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 | 222 |
| 23.003 | A.C/F.C pressure pipe 150 mm (6") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 |
| 23.004 | A.C/F.C pressure pipe 200 mm (8") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 |
| 23.005 | A.C/F.C pressure pipe 250 mm (10") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 816 | 816 | 816 | 816 | 816 | 816 | 816 | 816 | 816 | 816 | 816 | 816 | 816 |
| 23.006 | A.C/F.C pressure pipe 300 mm (12") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 |
| 23.007 | A.C/F.C pressure pipe 350 mm (14") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 1555 | 1555 | 1555 | 1555 | 1555 | 1555 | 1555 | 1555 | 1555 | 1555 | 1555 | 1555 | 1555 |
| 23.008 | A.C/F.C pressure pipe 400 mm (16") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 1982 | 1982 | 1982 | 1982 | 1982 | 1982 | 1982 | 1982 | 1982 | 1982 | 1982 | 1982 | 1982 |
| 23.009 | A.C/F.C pressure pipe 450 mm (18") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 2469 | 2469 | 2469 | 2469 | 2469 | 2469 | 2469 | 2469 | 2469 | 2469 | 2469 | 2469 | 2469 |
| 23.010 | A.C/F.C pressure pipe 500 mm (20") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 3040 | 3040 | 3040 | 3040 | 3040 | 3040 | 3040 | 3040 | 3040 | 3040 | 3040 | 3040 | 3040 |
| 23.011 | A.C/F.C pressure pipe 600 mm (24") dia Class 'B' BSS with comet joint and rubber rings. | Per Ft. | 4207 | 4207 | 4207 | 4207 | 4207 | 4207 | 4207 | 4207 | 4207 | 4207 | 4207 | 4207 | 4207 |
| 23.012 | A.C/F.C pressure pipe 80 mm (3") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 |
| 23.013 | A.C/F.C pressure pipe 100 mm (4") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 |
| 23.014 | A.C/F.C pressure pipe 150 mm (6") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 |
| 23.015 | A.C/F.C pressure pipes 200 mm (8") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 |
| 23.016 | A.C/F.C pressure pipe 250 mm (10") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 948 | 948 | 948 | 948 | 948 | 948 | 948 | 948 | 948 | 948 | 948 | 948 | 948 |
| 23.017 | A.C/F.C pressure pipe 300 mm (12") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 |
| 23.018 | A.C/F.C pressure pipe 350 mm (14") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 2283 | 2283 | 2283 | 2283 | 2283 | 2283 | 2283 | 2283 | 2283 | 2283 | 2283 | 2283 | 2283 |
| 23.019 | A.C/F.C pressure pipe 400 mm (16") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 2922 | 2922 | 2922 | 2922 | 2922 | 2922 | 2922 | 2922 | 2922 | 2922 | 2922 | 2922 | 2922 |
| 23.020 | A.C/F.C pressure pipe 450 mm (18") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 3585 | 3585 | 3585 | 3585 | 3585 | 3585 | 3585 | 3585 | 3585 | 3585 | 3585 | 3585 | 3585 |
| 23.021 | A.C/F.C pressure pipe '500 mm (20") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 4269 | 4269 | 4269 | 4269 | 4269 | 4269 | 4269 | 4269 | 4269 | 4269 | 4269 | 4269 | 4269 |
| 23.022 | A.C/F.C pressure pipe 600 mm (24") dia Class 'C' BSS with comet joint and rubber rings. | Per Ft. | 6022 | 6022 | 6022 | 6022 | 6022 | 6022 | 6022 | 6022 | 6022 | 6022 | 6022 | 6022 | 6022 |
| 23.023 | A.C/F.C pressure pipe 80 mm (3") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 | 169 |
| 23.024 | A.C/F.C pressure pipe 100 mm (4") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 |
| 23.025 | A.C/F.C pressure pipe 150 mm (6") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 516 | 516 | 516 | 516 | 516 | 516 | 516 | 516 | 516 | 516 | 516 | 516 | 516 |
| 23.026 | A.C/F.C pressure pipe 200 mm (8") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 916 | 916 | 916 | 916 | 916 | 916 | 916 | 916 | 916 | 916 | 916 | 916 | 916 |
| 23.027 | A.C/F.C pressure pipe 250 mm (10") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 |
| 23.028 | A.C/F.C pressure pipe 300 mm (12") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 1981 | 1981 | 1981 | 1981 | 1981 | 1981 | 1981 | 1981 | 1981 | 1981 | 1981 | 1981 | 1981 |
| 23.029 | A.C/F.C pressure pipe 350 mm (14") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 3307 | 3307 | 3307 | 3307 | 3307 | 3307 | 3307 | 3307 | 3307 | 3307 | 3307 | 3307 | 3307 |
| 23.030 | A.C/F.C pressure pipe 400 mm (16") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 |
| 23.031 | A.C/F.C pressure pipe 450 mm (18") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 5152 | 5152 | 5152 | 5152 | 5152 | 5152 | 5152 | 5152 | 5152 | 5152 | 5152 | 5152 | 5152 |
| 23.032 | A.C/F.C pressure pipe 500 mm (20") dia Class 'D' BSS with comet joint and rubber rings. | Per Ft. | 6285 | 6285 | 6285 | 6285 | 6285 | 6285 | 6285 | 6285 | 6285 | 6285 | 6285 | 6285 | 6285 |
| 23.033 | G.I. pressure pipe 15 mm (½") dia BSS-1387 - 1967 (Light quality) with socket joint (2mm thick) | Per Ft. | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 23.034 | G.I. pressure pipe 20 mm (¾") dia BSS-1387 - 1967 (Light Quality) with socket joint (2.35mm thick) | Per Ft. | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 |
| 23.035 | G.I. pressure pipe 25 mm (1") dia BSS-1387 - 1967 (Light Quality) with socket joint (2.65mm thick) | Per Ft. | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 23.036 | G.I. pressure pipe 30 mm (1¼") dia BSS-1387 - 1967 (Light Quality) with socket joint (2.65mm thick) | Per Ft. | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| 23.037 | G.I. pressure pipe 40 mm (1½") dia BSS-1387 - 1967 (Light Quality) with socket joint (2.9mm thick) | Per Ft. | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 |
| 23.038 | G.I. pressure pipe 50 mm (2") dia BSS-1387 - 1967 (Light Quality) with socket joint (2.9mm thick) | Per Ft. | 143 | 143 | 143 | 143 | 143 | 143 | 143 | 143 | 143 | 143 | 143 | 143 | 143 |
| 23.039 | G.I. pressure pipe 65 mm (2½") dia BSS-1387 - 1967 (Light Quality) with socket joint (3.25mm thick) | Per Ft. | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 |
| 23.040 | G.I. pressure pipe 80 mm (3") dia BSS-1387 - 1967 (Light Quality) with socket joint (3.25mm thick) | Per Ft. | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 |
| 23.041 | G.I. pressure pipe 100 mm (4") dia BSS-1387 - 1967 (Light Quality) with socket joint (3.65mm thick) | Per Ft. | 337 | 337 | 337 | 337 | 337 | 337 | 337 | 337 | 337 | 337 | 337 | 337 | 337 |
| 23.042 | G.I. pressure pipe 15 mm (½") dia BSS-1387 - 1967 (Medium Quality) (2.65mm thick) | Per Ft. | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 23.043 | G.I. pressure pipe 20 mm (¾") dia BSS-1387 - 1967 (Medium Quality) (2.65mm thick) | Per Ft. | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 23.044 | G.I. pressure pipe 25 mm (1") dia BSS-1387 - 1967 (Medium Quality) (3.25mm thick) | Per Ft. | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| 23.045 | G.I. pressure pipe 30 mm (1¼") dia BSS-1387 - 1967 (Medium Quality) (3.25mm thick) | Per Ft. | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 |
| 23.046 | G.I. pressure pipe 40 mm (1½") dia BSS-1387 - 1967 (Medium Quality) (3.25mm thick) | Per Ft. | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 |
| 23.047 | G.I. pressure pipe 50 mm (2") dia BSS-1387 - 1967 (Medium Quality) (3.65mm thick) | Per Ft. | 171 | 171 | 171 | 171 | 171 | 171 | 171 | 171 | 171 | 171 | 171 | 171 | 171 |
| 23.048 | G.I. pressure pipe 65 mm (2½") dia BSS-1387 - 1967 (Medium Quality) (3.65mm thick) | Per Ft. | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 |
| 23.049 | G.I. pressure pipe 75 mm (3") dia BSS-1387 - 1967 (Medium Quality) (4.05mm thick) | Per Ft. | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 |
| 23.050 | G.I. pressure pipe 100 mm (4") dia BSS-1387 - 1967 (Medium Quality) (4.5mm thick) | Per Ft. | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 |
| 23.051 | G.I. pressure pipe 125 mm (5") dia BSS-1387 - 1967 (Medium Quality) (5 mm thick) | Per Ft. | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 |
| 23.052 | G.I. pressure pipe 150 mm (6") dia BSS-1387 - 1967 (Medium Quality) (5 mm thick) | Per Ft. | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Shaikot | Gujrat |
|--------|--|------------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 23.053 | G.I. pressure pipe 15 mm (½") dia BSS-1387 - 1967 (Heavy Quality) (3.25mm thick) | Per Ft. | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 23.054 | G.I. pressure pipe 20 mm (¾") dia BSS-1387 - 1967 (Heavy Quality) (3.25mm thick) | Per Ft. | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| 23.055 | G.I. pressure pipe 25 mm (1") dia BSS-1387 - 1967 (Heavy Quality) (4.05mm thick) | Per Ft. | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 |
| 23.056 | G.I. pressure pipe 30 mm (1¼") dia BSS-1387 - 1967 (Heavy Quality) (4.05mm thick) | Per Ft. | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 |
| 23.057 | G.I. pressure pipe 40 mm (1½") dia BSS-1387 - 1967 (Heavy Quality) (4.05mm thick) | Per Ft. | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 |
| 23.058 | G.I. pressure pipe 50 mm (2") dia BSS-1387 - 1967 (Heavy Quality) (4.5mm thick) | Per Ft. | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 |
| 23.059 | G.I. pressure pipe 65 mm (2½") dia BSS-1387 - 1967 (Heavy Quality) (4.5mm thick) | Per Ft. | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 |
| 23.060 | G.I. pressure pipe 75 mm (3") dia BSS-1387 - 1967 (Heavy Quality) (4.85mm thick) | Per Ft. | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 |
| 23.061 | G.I. pressure pipe 100 mm (4") dia BSS-1387 - 1967 (Heavy Quality) (5.4mm thick) | Per Ft. | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 |
| 23.062 | G.I. pressure pipe 125 mm (5") dia BSS-1387 - 1967 (Heavy Quality)(5.4mm thick) | Per Ft. | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 |
| 23.063 | G.I. pressure pipe 150 mm (6") dia BSS-1387 - 1967 (Heavy Quality)(5.4mm thick) | Per Ft. | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 |
| 23.064 | Jointing Material of Socket Joint for ½" dia G.I. Pipe for 100' long | Per % Rft. | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 23.065 | Jointing Material of Socket Joint for ¾" dia G.I. Pipe for 100' long | Per % Rft. | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 23.066 | Jointing Material of Socket Joint for 1" dia G.I. Pipe for 100' long | Per % Rft. | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 23.067 | Jointing Material of Socket Joint for 1¼" dia G.I. Pipe for 100' long | Per % Rft. | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 23.068 | Jointing Material of Socket Joint for 1½" dia G.I. Pipe for 100' long | Per % Rft. | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 23.069 | Jointing Material of Socket Joint for 2" dia G.I. Pipe for 100' long | Per % Rft. | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 23.070 | Jointing Material of Socket Joint for 2½" dia G.I. Pipe for 100' long | Per % Rft. | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 23.071 | Jointing Material of Socket Joint for 3" dia G.I. Pipe for 100' long | Per % Rft. | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 23.072 | Jointing Material of Socket Joint for 4" dia G.I. Pipe for 100' long | Per % Rft. | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 23.073 | Jointing Material of Socket Joint for 5" dia G.I. Pipe for 100' long | Per % Rft. | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 23.074 | Jointing Material of Socket Joint for 6" dia G.I. Pipe for 100' long | Per % Rft. | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 23.075 | Testing charges of G.I. Pipes for 1" dia | Per % Rft. | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 23.076 | Testing charges of G.I. Pipes for 1¼" dia | Per % Rft. | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 23.077 | Testing charges of G.I. Pipes for 1½" dia | Per % Rft. | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 23.078 | Testing charges of G.I. Pipes for 2" dia | Per % Rft. | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 23.079 | Testing charges of G.I. Pipes for 2½" dia | Per % Rft. | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 23.080 | Testing charges of G.I. Pipes for 3" dia | Per % Rft. | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 23.081 | Testing charges of G.I. Pipes for 4" dia | Per % Rft. | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 23.082 | Testing charges of G.I. Pipes for 5" dia | Per % Rft. | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 |
| 23.083 | Testing charges of G.I. Pipes for 6" dia | Per % Rft. | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 |
| 23.084 | 50 mm (2") dia 3 mm (1/8") thick M.S blind pipes | Per Ft. | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 |
| 23.085 | 80 mm (3") dia 3 mm (1/8") thick M.S blind pipes | Per Ft. | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 | 217 |
| 23.086 | 100 mm (4") dia 3 mm (1/8") thick M.S blind pipes | Per Ft. | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 |
| 23.087 | 125 mm (5") dia 5 mm (3/16") thick M.S blind pipes | Per Ft. | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 |
| 23.088 | 150 mm (6") dia 5 mm (3/16") thick M.S blind pipes | Per Ft. | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 |
| 23.089 | 175 mm (7") dia 5 mm (3/16") thick M.S blind pipe | Per Ft. | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 |
| 23.090 | 200 mm (8") dia 5 mm (3/16") thick M.S blind pipes | Per Ft. | 981 | 981 | 981 | 981 | 981 | 981 | 981 | 981 | 981 | 981 | 981 | 981 | 981 |
| 23.091 | 225 mm (9") dia 5 mm (3/16") thick M.S blind pipes | Per Ft. | 1126 | 1126 | 1126 | 1126 | 1126 | 1126 | 1126 | 1126 | 1126 | 1126 | 1126 | 1126 | 1126 |
| 23.092 | 250 mm (10") dia 6 mm (3/16") thick M.S blind pipe | Per Ft. | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 |
| 23.093 | 300 mm (12") dia 6 mm (3/16") thick M.S blind pipe | Per Ft. | 1737 | 1737 | 1737 | 1737 | 1737 | 1737 | 1737 | 1737 | 1737 | 1737 | 1737 | 1737 | 1737 |
| 23.094 | 375 mm (15") dia 6 mm (3/16") thick M.S blind pipes | Per Ft. | 2172 | 2172 | 2172 | 2172 | 2172 | 2172 | 2172 | 2172 | 2172 | 2172 | 2172 | 2172 | 2172 |
| 23.095 | 450 mm (18") dia 6 mm (3/16") thick M.S blind pipes | Per Ft. | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 |
| 23.096 | 500 mm (20") dia 6 mm (3/16") thick M.S blind pipes | Per Ft. | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 |
| 23.097 | 550 mm (22") dia 6 mm (3/16") thick M.S blind pipes | Per Ft. | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 | 3300 |
| 23.098 | 80-600 mm (3"-24") dia C.I specials (with Commet joint and rubber ring) For A.C Pipes) | Per Kg | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| 23.099 | 80-450 mm (3"- 18") dia C.I Specials of BSS Class B with Spigot and socket joint | Per Kg | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 23.100 | 80-450 mm (3"- 18") dia C.I Specials of BSS Class B With Flanged Joint | Per Kg | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| 23.101 | 80-450 mm (3"- 18") dia C.I Specials of BSS Class B with Tyton Joint | Per Kg | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| 23.102 | 75 mm (3") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464) | Each | 4920 | 4920 | 4920 | 4920 | 4920 | 4920 | 4920 | 4920 | 4920 | 4920 | 4920 | 4920 | 4920 |
| 23.103 | 100 mm (4") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464) | Each | 5850 | 5850 | 5850 | 5850 | 5850 | 5850 | 5850 | 5850 | 5850 | 5850 | 5850 | 5850 | 5850 |
| 23.104 | 125 mm (5") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464) | Each | 6800 | 6800 | 6800 | 6800 | 6800 | 6800 | 6800 | 6800 | 6800 | 6800 | 6800 | 6800 | 6800 |
| 23.105 | 150 mm (6") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464) | Each | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 |
| 23.106 | 200 mm (8") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464) | Each | 17400 | 17400 | 17400 | 17400 | 17400 | 17400 | 17400 | 17400 | 17400 | 17400 | 17400 | 17400 | 17400 |
| 23.107 | 250 mm (10") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464) | Each | 21800 | 21800 | 21800 | 21800 | 21800 | 21800 | 21800 | 21800 | 21800 | 21800 | 21800 | 21800 | 21800 |
| 23.108 | 300 mm (12") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464) | Each | 28650 | 28650 | 28650 | 28650 | 28650 | 28650 | 28650 | 28650 | 28650 | 28650 | 28650 | 28650 | 28650 |
| 23.109 | 375 mm (14") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464) | Each | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 |
| 23.110 | 450 mm (18") dia Sluice Valves of BSS for AC & CI pipe line (BS 3464) | Each | 95000 | 95000 | 95000 | 95000 | 95000 | 95000 | 95000 | 95000 | 95000 | 95000 | 95000 | 95000 | 95000 |
| 23.111 | Single Air Valve 75 mm (3") | Each | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|---|---------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 23.112 | Double Air Valve 75 mm (3") | Each | 6250 | 6250 | 6250 | 6250 | 6250 | 6250 | 6250 | 6250 | 6250 | 6250 | 6250 | 6250 | 6250 |
| 23.113 | Fire Hydrant BSS 65 mm (2½") | Each | 3900 | 3900 | 3900 | 3900 | 3900 | 3900 | 3900 | 3900 | 3900 | 3900 | 3900 | 3900 | 3900 |
| 23.114 | 80 mm (3") dia P.V.C tapperd core BSS Class 'B' | Each | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 23.115 | 100 mm (4") dia P.V.C tapperd core BSS Class 'B' | Each | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 23.116 | 125 mm (5") dia P.V.C tapperd core BSS Class 'B' | Each | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 23.117 | 150 mm (6") dia P.V.C tapperd core BSS Class 'B' | Each | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 |
| 23.118 | 200 mm (8") dia P.V.C tapperd core BSS Class 'B' | Each | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 |
| 23.119 | 250 mm (10") dia P.V.C tapperd core BSS Class 'B' | Each | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |
| 23.120 | 300 mm (12") dia P.V.C tapperd core BSS Class 'B' | Each | 178 | 178 | 178 | 178 | 178 | 178 | 178 | 178 | 178 | 178 | 178 | 178 | 178 |
| 23.121 | 350 mm (14") dia P.V.C tapperd core BSS Class 'B' | Each | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 |
| 23.122 | 15 mm (1½") dia P.V.C tapperd core BSS Class 'B' | Each | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 23.123 | 40 mm (1½") dia P.V.C tapperd core BSS Class 'D' | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 23.124 | 50 mm (2") P.V.C tapperd core BSS Class 'D' | Each | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 23.125 | 75 mm (3") dia P.V.C Bends BSS class 'B' | Each | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 |
| 23.126 | 100 mm (4") dia P.V.C Bends BSS class 'B' | Each | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 | 225 |
| 23.127 | 100 mm (5") dia P.V.C Bends BSS class 'B' | Each | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 |
| 23.128 | 150 mm (6") dia P.V.C Bends BSS class 'B' | Each | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 |
| 23.129 | 30 mm (1¼") dia P.V.C Bends BSS class 'D' | Each | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 23.130 | 40 mm (1½") dia P.V.C Bends BSS class 'D' | Each | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 23.131 | 50 mm (2") dia P.V.C Bends BSS class 'D' | Each | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| 23.132 | 80 mm (3") dia P.V.C Bends BSS class 'D' | Each | 156 | 156 | 156 | 156 | 156 | 156 | 156 | 156 | 156 | 156 | 156 | 156 | 156 |
| 23.133 | 100 mm (4") dia P.V.C Bends BSS class 'D' | Each | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 |
| 23.134 | 125 mm (5") dia P.V.C Bends BSS class 'D' | Each | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 |
| 23.135 | 150 mm (6") dia P.V.C Bends BSS class 'D' | Each | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 |
| 23.136 | 80 mmm (3") dia P.V.C Tee BSS Class 'B' | Each | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 |
| 23.137 | 100 mm (4") dia P.V.C Tee BSS Class 'B' | Each | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 |
| 23.138 | 125 mm (5") dia P.V.C Tee BSS Class 'B' | Each | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 |
| 23.139 | 150 mm (6") dia P.V.C Tee BSS Class 'B' | Each | 1630 | 1630 | 1630 | 1630 | 1630 | 1630 | 1630 | 1630 | 1630 | 1630 | 1630 | 1630 | 1630 |
| 23.140 | 200 mm (8") dia P.V.C Tee BSS Class 'B' | Each | 1645 | 1645 | 1645 | 1645 | 1645 | 1645 | 1645 | 1645 | 1645 | 1645 | 1645 | 1645 | 1645 |
| 23.141 | 250 mm (10") dia P.V.C Tee BSS Class 'B' | Each | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 |
| 23.142 | 300 mm (12") dia P.V.C Tee BSS Class 'B' | Each | 1730 | 1730 | 1730 | 1730 | 1730 | 1730 | 1730 | 1730 | 1730 | 1730 | 1730 | 1730 | 1730 |
| 23.143 | 350 mm (14") dia P.V.C Tee BSS Class 'B' | Each | 1790 | 1790 | 1790 | 1790 | 1790 | 1790 | 1790 | 1790 | 1790 | 1790 | 1790 | 1790 | 1790 |
| 23.144 | 30 mm (1¼") dia P.V.C Tee BSS Class 'D' | Each | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| 23.145 | 40 mm (1½") dia P.V.C Tee BSS Class 'D' | Each | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 |
| 23.146 | 50 mm (2") dia P.V.C Tee BSS Class 'D' | Each | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 |
| 23.147 | 80 mm (3") dia P.V.C Tee BSS Class 'D' | Each | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 |
| 23.148 | 100 mm (4") dia P.V.C Tee BSS Class 'D' | Each | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 | 780 |
| 23.149 | 125 mm (5") dia P.V.C Tee BSS Class 'D' | Each | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 |
| 23.150 | 150 mm (6") dia P.V.C Tee BSS Class 'D' | Each | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 |
| 23.151 | 80 mmm (3") dia P.V.C sockets BSS Class 'B' | Each | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 23.152 | 100 mm (4") dia P.V.C sockets BSS Class 'B' | Each | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 |
| 23.153 | 125 mm (5") dia P.V.C sockets BSS Class 'B' | Each | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 | 175 |
| 23.154 | 150 mm (6") dia P.V.C sockets BSS Class 'B' | Each | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 |
| 23.155 | 200 mm (8") dia P.V.C sockets BSS Class 'B' | Each | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 |
| 23.156 | 250 mm (10") dia P.V.C sockets BSS Class 'B' | Each | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 |
| 23.157 | 300 mm (12") dia P.V.C sockets BSS Class 'B' | Each | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 |
| 23.158 | 350 mm (14") dia P.V.C sockets BSS Class 'B' | Each | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 | 2700 |
| 23.159 | 30 mm (1¼") dia P.V.C sockets BSS Class 'D' | Each | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 23.160 | 40 mm (1½") dia P.V.C sockets BSS Class 'D' | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 23.161 | 50 mm (2") dia P.V.C sockets BSS Class 'D' | Each | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 23.162 | 80 mm (3") dia P.V.C sockets BSS Class 'D' | Each | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| 23.163 | 100 mm (4") dia P.V.C sockets BSS Class 'D' | Each | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 |
| 23.164 | 125 mm (5") dia P.V.C sockets BSS Class 'D' | Each | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 |
| 23.165 | 150 mm (6") dia P.V.C sockets BSS Class 'D' | Each | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 |
| 23.166 | Bleaching powder / chlorine | Per Kg | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 23.167 | 50 mm (2") dia 4 mm (5/32") Brass strainer including special studs & sockets | Per Ft. | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 |
| 23.168 | 75 mm (3") dia 4 mm (5/32") Brass strainer including special studs & sockets | Per Ft. | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 |
| 23.169 | 100 mm (4") dia 5 mm (3/16") Brass strainer including special studs & sockets | Per Ft. | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 |
| 23.170 | 125 mm (5") dia 5 mm (3/16") Brass strainer including special studs & sockets | Per Ft. | 1554 | 1554 | 1554 | 1554 | 1554 | 1554 | 1554 | 1554 | 1554 | 1554 | 1554 | 1554 | 1554 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|---------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| | | | | | | | | | | | | | | | |
| 23.171 | 150 mm (6") dia 5 mm (3/16") Brass strainer including special studs & sockets | Per Ft. | 1664 | 1664 | 1664 | 1664 | 1664 | 1664 | 1664 | 1664 | 1664 | 1664 | 1664 | 1664 | 1664 |
| 23.172 | 175 mm (7") dia 5 mm (3/16") Brass strainer including special studs & sockets | Per Ft. | 1995 | 1995 | 1995 | 1995 | 1995 | 1995 | 1995 | 1995 | 1995 | 1995 | 1995 | 1995 | 1995 |
| 23.173 | 200 mm (8") dia 5 mm (3/16") Brass strainer including special studs & sockets | Per Ft. | 2572 | 2572 | 2572 | 2572 | 2572 | 2572 | 2572 | 2572 | 2572 | 2572 | 2572 | 2572 | 2572 |
| 23.174 | 225 mm (9") dia 5 mm (3/16") Brass strainer including special studs & sockets | Per Ft. | 2625 | 2625 | 2625 | 2625 | 2625 | 2625 | 2625 | 2625 | 2625 | 2625 | 2625 | 2625 | 2625 |
| 23.175 | 250 mm (10") dia 5 mm (3/16") Brass strainer including special studs & sockets | Per Ft. | 2698 | 2698 | 2698 | 2698 | 2698 | 2698 | 2698 | 2698 | 2698 | 2698 | 2698 | 2698 | 2698 |
| 23.176 | 250 mm (10") dia 6 mm (1/4") Brass strainer including special studs & sockets | Per Ft. | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 |
| 23.177 | 300 mm (12") dia 6 mm (1/4") Brass strainer including special studs & sockets | Per Ft. | 3916 | 3916 | 3916 | 3916 | 3916 | 3916 | 3916 | 3916 | 3916 | 3916 | 3916 | 3916 | 3916 |
| 23.178 | 375 mm (15") dia 6 mm (1/4") Brass strainer including special studs & sockets | Per Ft. | 4830 | 4830 | 4830 | 4830 | 4830 | 4830 | 4830 | 4830 | 4830 | 4830 | 4830 | 4830 | 4830 |
| 23.179 | 450 mm (18") dia 6 mm (1/4") Brass strainer including special studs & sockets | Per Ft. | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 | 5500 |
| 23.180 | 500 mm (20") dia 6 mm (1/4") Brass strainer including special studs & sockets | Per Ft. | 6069 | 6069 | 6069 | 6069 | 6069 | 6069 | 6069 | 6069 | 6069 | 6069 | 6069 | 6069 | 6069 |
| 23.181 | 550 mm (22") dia 6 mm (1/4") Brass strainer including special studs & sockets | Per Ft. | 6982 | 6982 | 6982 | 6982 | 6982 | 6982 | 6982 | 6982 | 6982 | 6982 | 6982 | 6982 | 6982 |
| 23.182 | 75 mm (3") dia P.V.C strainer Class 'B' | Per Ft. | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 |
| 23.183 | 100 mm (4") dia P.V.C strainer Class 'B' | Per Ft. | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| 23.184 | 125 mm (5") dia 60 cm P.V.C strainer Class 'B' | Per Ft. | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 |
| 23.185 | 150 mm (6") dia 60 cm P.V.C strainer Class 'B' | Per Ft. | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 | 240 |
| 23.186 | 175 mm (7") dia 60 cm P.V.C strainer Class 'B' | Per Ft. | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 |
| 23.187 | 200 mm (8") dia 60 cm P.V.C strainer Class 'B' | Per Ft. | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 |
| 23.188 | 250 mm (10") dia 60 cm P.V.C strainer Class 'B' | Per Ft. | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 |
| 23.189 | 300 mm (12") dia 60 cm P.V.C strainer Class 'B' | Per Ft. | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 |
| 23.190 | PVC Stainer Class D 1 1/2" dia (30mm) | Per Ft. | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 23.191 | PVC Stainer Class D 1 1/2" dia (40 mm) | Per Ft. | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 23.192 | PVC Stainer Class D 2" dia (50 mm) | Per Ft. | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 |
| 23.193 | PVC Stainer Class D 3" dia (75 mm) | Per Ft. | 138 | 138 | 138 | 138 | 138 | 138 | 138 | 138 | 138 | 138 | 138 | 138 | 138 |
| 23.194 | PVC Stainer Class D 4" dia (100 mm) | Per Ft. | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 |
| 23.195 | PVC Stainer Class D 5" dia (125 mm) | Per Ft. | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 |
| 23.196 | PVC Stainer Class D 6" dia (150 mm) | Per Ft. | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 | 475 |
| 23.197 | 50 mm (2") i/d, Bail Plug-mild steel | Per Ft. | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| 23.198 | 75 mm (3") i/d Bail Plug-mild steel | Per Ft. | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 |
| 23.199 | 100 mm (4") i/d Bail Plug-mild steel | Per Ft. | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 | 379 |
| 23.200 | 125 mm (5") i/d Bail Plug-mild steel | Per Ft. | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| 23.201 | 150 mm (6") i/d Bail Plug-mild steel | Per Ft. | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 | 590 |
| 23.202 | 175 mm (7") i/d Bail Plug-mild steel | Per Ft. | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 | 710 |
| 23.203 | 200 mm (8") i/d Bail Plug-mild steel | Per Ft. | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 |
| 23.204 | 225 mm (9") i/d Bail Plug-mild steel | Per Ft. | 870 | 870 | 870 | 870 | 870 | 870 | 870 | 870 | 870 | 870 | 870 | 870 | 870 |
| 23.205 | 250 mm (10") i/d Bail Plug-mild steel | Per Ft. | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 |
| 23.206 | 300 mm (12") i/d Bail Plug-mild steel | Per Ft. | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 |
| 23.207 | 375 mm (15") i/d Bail Plug-mild steel | Per Ft. | 1810 | 1810 | 1810 | 1810 | 1810 | 1810 | 1810 | 1810 | 1810 | 1810 | 1810 | 1810 | 1810 |
| 23.208 | 450 mm (18") i/d Bail Plug-mild steel | Per Ft. | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 |
| 23.209 | 500 mm (20") i/d Bail Plug-mild steel | Per Ft. | 2210 | 2210 | 2210 | 2210 | 2210 | 2210 | 2210 | 2210 | 2210 | 2210 | 2210 | 2210 | 2210 |
| 23.210 | 550 mm (22") i/d Bail Plug-mild steel | Per Ft. | 2440 | 2440 | 2440 | 2440 | 2440 | 2440 | 2440 | 2440 | 2440 | 2440 | 2440 | 2440 | 2440 |
| 23.211 | 75 mm (3") dia PVC BSS Class 'B' Bail Plug | Each | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 23.212 | 100 mm (4") dia PVC BSS Class 'B' Bail Plug | Each | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| 23.213 | 125 mm (5") dia PVC BSS Class 'B' Bail Plug | Each | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 23.214 | 150 mm (6") dia PVC BSS Class 'B' Bail Plug | Each | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 |
| 23.215 | 200 mm (8") dia PVC BSS Class 'B' Bail Plug | Each | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 |
| 23.216 | 250 mm (10") dia PVC BSS Class 'B' Bail Plug | Each | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 |
| 23.217 | 300 mm (12") dia PVC BSS Class 'B' Bail Plug | Each | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 | 530 |
| 23.218 | 350 mm (14") dia PVC BSS Class 'B' Bail Plug | Each | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 |
| 23.219 | 30 mm (1 1/4") dia P.V.C. Class 'D' Bail Plug | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 23.220 | 40 mm (1 1/2") dia P.V.C. Class 'D' Bail Plug | Each | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| 23.221 | 50 mm (2") dia P.V.C. Class 'D' Bail Plug | Each | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 23.222 | 80 mm (3") dia P.V.C. Class 'D' Bail Plug | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 23.223 | 100 mm (4") dia P.V.C. Class 'D' Bail Plug | Each | 89 | 89 | 89 | 89 | 89 | 89 | 89 | 89 | 89 | 89 | 89 | 89 | 89 |
| 23.224 | 125 mm (5") dia P.V.C. Class 'D' Bail Plug | Each | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 |
| 23.225 | 150 mm (6") dia P.V.C. Class 'D' Bail Plug | Each | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 |
| 23.226 | G.I. pipe with flanged joint 1 1/2" dia 40mm (Heavy Quality) | Per Ft. | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 |
| 23.227 | G.I. pipe with G.I. flanged joint 2" dia 50 mm (Heavy Quality) | Per Ft. | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 |
| 23.228 | G.I. pipe with G.I. flanged joint 2 1/2" dia 65 mm (Heavy Quality) | Per Ft. | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 | 317 |
| 23.229 | G.I. pipe with G.I. flanged joint 3" dia 75 mm (Heavy Quality) | Per Ft. | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 | 409 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|---------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 23.289 | Hire charges of boring material, installation & Carriage for (18" dia bore) from 100.10 to 200 Ft. depth | Per Ft. | 63 | 62.83 | 62.83 | 62.83 | 62.83 | 62.83 | 62.83 | 62.83 | 62.83 | 62.83 | 62.83 | 62.83 | 62.83 |
| 23.290 | Hire charges of boring material, installation & Carriage for (5" dia bore) from 200.10 to 300 Ft. depth | Per Ft. | 31 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 |
| 23.291 | Hire charges of boring material, installation & Carriage for (6" dia bore) from 200.10 to 300 Ft. depth | Per Ft. | 39 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 |
| 23.292 | Hire charges of boring material, installation & Carriage for (8" dia bore) from 200.10 to 300 Ft. depth | Per Ft. | 41 | 41.2 | 41.2 | 41.2 | 41.2 | 41.2 | 41.2 | 41.2 | 41.2 | 41.2 | 41.2 | 41.2 | 41.2 |
| 23.293 | Hire charges of boring material, installation & Carriage for (10" dia bore) from 200.10 to 300 Ft. depth | Per Ft. | 43 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 |
| 23.294 | Hire charges of boring material, installation & Carriage for (12" dia bore) from 200.10 to 300 Ft. depth | Per Ft. | 53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 |
| 23.295 | Hire charges of boring material, installation & Carriage for (15" dia bore) from 200.10 to 300 Ft. depth | Per Ft. | 61 | 60.77 | 60.77 | 60.77 | 60.77 | 60.77 | 60.77 | 60.77 | 60.77 | 60.77 | 60.77 | 60.77 | 60.77 |
| 23.296 | Hire charges of boring material, installation & Carriage for (18" dia bore) from 200.10 to 300 Ft. depth | Per Ft. | 69 | 69.01 | 69.01 | 69.01 | 69.01 | 69.01 | 69.01 | 69.01 | 69.01 | 69.01 | 69.01 | 69.01 | 69.01 |
| 23.297 | Hire charges of boring material, installation & Carriage for (8" dia bore) from 300.10 to 400 Ft. depth | Per Ft. | 50 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 |
| 23.298 | Hire charges of boring material, installation & Carriage for (10" dia bore) from 300.10 to 400 Ft. depth | Per Ft. | 53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 | 52.53 |
| 23.299 | Hire charges of boring material, installation & Carriage for (12" dia bore) from 300.10 to 400 Ft. depth | Per Ft. | 65 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 |
| 23.300 | Hire charges of boring material, installation & Carriage for (15" dia bore) from 300.10 to 400 Ft. depth | Per Ft. | 76 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 |
| 23.301 | Hire charges of boring material, installation & Carriage for (18" dia bore) from 300.10 to 400 Ft. depth | Per Ft. | 81 | 81.37 | 81.37 | 81.37 | 81.37 | 81.37 | 81.37 | 81.37 | 81.37 | 81.37 | 81.37 | 81.37 | 81.37 |
| 23.302 | Repair charges of T&P for 5" dia bore hole | Per Ft. | 1 | 1.03 | 1.03 | 1.03 | 1.03 | 1.03 | 1.03 | 1.03 | 1.03 | 1.03 | 1.03 | 1.03 | 1.03 |
| 23.303 | Repair charges of T&P for 6" dia bore hole | Per Ft. | 3 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 |
| 23.304 | Repair charges of T&P for 8" dia bore hole | Per Ft. | 7 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 |
| 23.305 | Repair charges of T&P for 10" dia bore hole | Per Ft. | 8 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 |
| 23.306 | Repair charges of T&P for 12" dia bore hole | Per Ft. | 9 | 9.27 | 9.27 | 9.27 | 9.27 | 9.27 | 9.27 | 9.27 | 9.27 | 9.27 | 9.27 | 9.27 | 9.27 |
| 23.307 | Repair charges of T&P for 15" dia bore hole | Per Ft. | 10 | 10.3 | 10.3 | 10.3 | 10.3 | 10.3 | 10.3 | 10.3 | 10.3 | 10.3 | 10.3 | 10.3 | 10.3 |
| 23.308 | Repair charges of T&P for 18" dia bore hole | Per Ft. | 11 | 11.33 | 11.33 | 11.33 | 11.33 | 11.33 | 11.33 | 11.33 | 11.33 | 11.33 | 11.33 | 11.33 | 11.33 |
| 23.309 | Solvent for PVC Strainer 3" dia (Class B) | Per Ft. | 2 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 |
| 23.310 | Solvent for PVC Strainer 4" - 5" dia (Class B) | Per Ft. | 2 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 | 1.545 |
| 23.311 | Solvent for PVC Strainer 6" dia (Class B) | Per Ft. | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.312 | Solvent for PVC Strainer 8" - 10" dia (Class B) | Per Ft. | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 23.313 | Solvent for PVC Strainer 12" - 14" dia (Class B) | Per Ft. | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 23.314 | Solvent for PVC Strainer 1¼" dia (Class D) | Per Ft. | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.315 | Solvent for PVC Strainer 1½" dia (Class D) | Per Ft. | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.316 | Solvent for PVC Strainer 2" dia (Class D) | Per Ft. | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.317 | Solvent for PVC Strainer 3" dia (Class D) | Per Ft. | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.318 | Solvent for PVC Strainer 4" dia (Class D) | Per Ft. | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.319 | Solvent for PVC Strainer 5" dia (Class D) | Per Ft. | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.320 | Solvent for PVC Strainer 6" dia (Class D) | Per Ft. | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 23.321 | Solvent for PVC Bail Plug 3" dia (Class B) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.322 | Solvent for PVC Bail Plug 4" dia (Class B) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.323 | Solvent for PVC Bail Plug 5" dia (Class B) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.324 | Solvent for PVC Bail Plug 6" dia (Class B) | Each | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 23.325 | Solvent for PVC Bail Plug 8" dia (Class B) | Each | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 23.326 | Solvent for PVC Bail Plug 10" dia (Class B) | Each | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 23.327 | Solvent for PVC Bail Plug 12" dia (Class B) | Each | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 23.328 | Solvent for PVC Bail Plug 14" dia (Class B) | Each | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 23.329 | Solvent for PVC Bail Plug 1¼" dia (Class D) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.330 | Solvent for PVC Bail Plug 1½" dia (Class D) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.331 | Solvent for PVC Bail Plug 2" dia (Class D) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.332 | Solvent for PVC Bail Plug 3" dia (Class D) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.333 | Solvent for PVC Bail Plug 4" dia (Class D) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.334 | Solvent for PVC Bail Plug 5" dia (Class D) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 23.335 | Solvent for PVC Bail Plug 6" dia (Class D) | Each | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 23.336 | Testing and Disinfecting of PVC Pipe 3" dia | 100 Ft. | 24 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 |
| 23.337 | Testing and Disinfecting of PVC Pipe 4" dia | 100 Ft. | 26 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 |
| 23.338 | Testing and Disinfecting of PVC Pipe 5" dia | 100 Ft. | 27 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 |
| 23.339 | Testing and Disinfecting of PVC Pipe 6" dia | 100 Ft. | 38 | 38.11 | 38.11 | 38.11 | 38.11 | 38.11 | 38.11 | 38.11 | 38.11 | 38.11 | 38.11 | 38.11 | 38.11 |
| 23.340 | Testing and Disinfecting of PVC Pipe 8" dia | 100 Ft. | 44 | 44.29 | 44.29 | 44.29 | 44.29 | 44.29 | 44.29 | 44.29 | 44.29 | 44.29 | 44.29 | 44.29 | 44.29 |
| 23.341 | Testing and Disinfecting of PVC Pipe 10" dia | 100 Ft. | 55 | 54.59 | 54.59 | 54.59 | 54.59 | 54.59 | 54.59 | 54.59 | 54.59 | 54.59 | 54.59 | 54.59 | 54.59 |
| 23.342 | Testing and Disinfecting of PVC Pipe 12" dia | 100 Ft. | 66 | 65.92 | 65.92 | 65.92 | 65.92 | 65.92 | 65.92 | 65.92 | 65.92 | 65.92 | 65.92 | 65.92 | 65.92 |
| 23.343 | Testing and Disinfecting of PVC Pipe 14" dia | 100 Ft. | 76 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 |
| 23.344 | Testing and Disinfecting of G.I Pipe 40mm (1½") dia | 100 Ft. | 27 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 |
| 23.345 | Testing and Disinfecting of G.I Pipe 50mm (2") dia | 100 Ft. | 27 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 | 26.78 |
| 23.346 | Testing and Disinfecting of G.I Pipe 63mm (2½") dia | 100 Ft. | 28 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 |
| 23.347 | Testing and Disinfecting of G.I Pipe 75mm (3") dia | 100 Ft. | 28 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 | 27.81 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1ST FEBRUARY, 2016 TO 31ST JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|---------------|--------|--------|--------|--------|---------|---------|----------------------|--------|--------|---------|--------|---------|--------|
| 23.348 | Testing and Disinfecting of G.I Pipe 100mm (4") dia | 100 Ft. | 30 | 29.87 | 29.87 | 29.87 | 29.87 | 29.87 | 29.87 | 29.87 | 29.87 | 29.87 | 29.87 | 29.87 | 29.87 |
| 23.349 | Testing and Disinfecting of G.I Pipe 125mm (6") dia | 100 Ft. | 31 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 | 30.9 |
| 23.350 | Testing and Disinfecting of G.I Pipe 150mm (7") dia | 100 Ft. | 34 | 33.99 | 33.99 | 33.99 | 33.99 | 33.99 | 33.99 | 33.99 | 33.99 | 33.99 | 33.99 | 33.99 | 33.99 |
| 23.351 | Disc for bail plugs | P. Kg. | 37 | 37.08 | 37.08 | 37.08 | 37.08 | 37.08 | 37.08 | 37.08 | 37.08 | 37.08 | 37.08 | 37.08 | 37.08 |
| 23.352 | Testing and Disinfecting of G.I Pipe | P. Lbs | 22 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 |
| 23.353 | Bottle 2 lbs capacity | Each | 22 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 | 21.63 |
| 23.354 | 75 mm to 450 mm dia CI flanges for pipes | P. Kg. | 75 | 75.19 | 75.19 | 75.19 | 75.19 | 75.19 | 75.19 | 75.19 | 75.19 | 75.19 | 75.19 | 75.19 | 75.19 |
| 23.355 | Cost of C.I. Flanges for Pipe | 100 cwt | 3914 | 3914 | 3914 | 3914 | 3914 | 3914 | 3914 | 3914 | 3914 | 3914 | 3914 | 3914 | 3914 |
| 23.356 | Welding Charges of spigot or socket, flanged or tyton ends | Per Inch Bore | 6 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 |
| 23.357 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 2" dia | Per Ft. | 3 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 |
| 23.358 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 3" dia | Per Ft. | 3 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 | 3.09 |
| 23.359 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 4" dia | Per Ft. | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 23.360 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 5" dia | Per Ft. | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 23.361 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 6" dia | Per Ft. | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 23.362 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 7" dia | Per Ft. | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 23.363 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 8" dia | Per Ft. | 5 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 |
| 23.364 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 9" dia | Per Ft. | 5 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 |
| 23.365 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 10" dia | Per Ft. | 5 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 |
| 23.366 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 10" dia | Per Ft. | 5 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 | 5.15 |
| 23.367 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 12" dia | Per Ft. | 6 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 |
| 23.368 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 15" dia | Per Ft. | 6 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 |
| 23.369 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 18" dia | Per Ft. | 6 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 |
| 23.370 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 20" dia | Per Ft. | 6 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 |
| 23.371 | Equipment Charges for lowering Brass Stainer in Tubewel Bore Hole 22" dia | Per Ft. | 7 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 | 7.21 |
| 23.372 | M.S. Bolt & Nut 6" to 22" dia bore hole bail plug | Each | 13 | 13.39 | 13.39 | 13.39 | 13.39 | 13.39 | 13.39 | 13.39 | 13.39 | 13.39 | 13.39 | 13.39 | 13.39 |
| 23.373 | M.S. Bolt & Nut 2" to 5" dia bore hole bail plug | Each | 8 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 | 8.24 |
| 23.374 | Threading Clamp 2" to 6" | Each | 4 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 |
| 23.375 | Threading Clamp 7" to 22" | Each | 6 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 |
| 23.376 | Water for testing and disinfecting of pipes | %0 Gallon | 12 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 |
| 23.377 | Lead | Per Kg. | 52 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 |
| 23.378 | Yarn | Per Kg. | 12 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 |
| 23.379 | Disinfecting agent for C.I. Pipe | P. Kg. | 35 | 35.02 | 35.02 | 35.02 | 35.02 | 35.02 | 35.02 | 35.02 | 35.02 | 35.02 | 35.02 | 35.02 | 35.02 |
| 23.380 | Bolt and nuts (3" to 4") for flanged joint | Each | 6 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 |
| 23.381 | Bolt and nuts (5" to 12") for flanged joint | Each | 12 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 | 12.36 |
| 23.382 | Bolt and nuts (15" to 18") for flanged joint | Each | 18 | 17.51 | 17.51 | 17.51 | 17.51 | 17.51 | 17.51 | 17.51 | 17.51 | 17.51 | 17.51 | 17.51 | 17.51 |
| 23.383 | Cost of ring for cast iron pipe(3") with tyton joints | Each | 50 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 | 50.47 |
| 23.384 | Cost of ring for cast iron pipe(4") with tyton joints | Each | 67 | 66.95 | 66.95 | 66.95 | 66.95 | 66.95 | 66.95 | 66.95 | 66.95 | 66.95 | 66.95 | 66.95 | 66.95 |
| 23.385 | Cost of ring for cast iron pipe(5") with tyton joints | Each | 80 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 |
| 23.386 | Cost of ring for cast iron pipe(6") with tyton joints | Each | 94 | 93.73 | 93.73 | 93.73 | 93.73 | 93.73 | 93.73 | 93.73 | 93.73 | 93.73 | 93.73 | 93.73 | 93.73 |
| 23.387 | Cost of ring for cast iron pipe(8") with tyton joints | Each | 129 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 |
| 23.388 | Cost of ring for cast iron pipe(10") with tyton joints | Each | 155 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 |
| 23.389 | Cost of ring for cast iron pipe(12") with tyton joints | Each | 187 | 187.46 | 187.46 | 187.46 | 187.46 | 187.46 | 187.46 | 187.46 | 187.46 | 187.46 | 187.46 | 187.46 | 187.46 |
| 23.390 | Cost of ring for cast iron pipe(15") with tyton joints | Each | 361 | 360.5 | 360.5 | 360.5 | 360.5 | 360.5 | 360.5 | 360.5 | 360.5 | 360.5 | 360.5 | 360.5 | 360.5 |
| 23.391 | Cost of ring for cast iron pipe(18") with tyton joints | Each | 433 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 |
| 23.392 | Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (3") dia pipe | 2 joints | 242 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 |
| 23.393 | Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (4") dia pipe | 2 joints | 319 | 319.3 | 319.3 | 319.3 | 319.3 | 319.3 | 319.3 | 319.3 | 319.3 | 319.3 | 319.3 | 319.3 | 319.3 |
| 23.394 | Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (6") dia pipe | 2 joints | 427 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 |
| 23.395 | Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (8") dia pipe | 2 joints | 742 | 741.6 | 741.6 | 741.6 | 741.6 | 741.6 | 741.6 | 741.6 | 741.6 | 741.6 | 741.6 | 741.6 | 741.6 |
| 23.396 | Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (10") dia pipe | 2 joints | 953 | 952.75 | 952.75 | 952.75 | 952.75 | 952.75 | 952.75 | 952.75 | 952.75 | 952.75 | 952.75 | 952.75 | 952.75 |
| 23.397 | Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (12") dia pipe | 2 joints | 1071 | 1071.2 | 1071.2 | 1071.2 | 1071.2 | 1071.2 | 1071.2 | 1071.2 | 1071.2 | 1071.2 | 1071.2 | 1071.2 | 1071.2 |
| 23.398 | Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (16") dia pipe | 2 joints | 1288 | 1287.5 | 1287.5 | 1287.5 | 1287.5 | 1287.5 | 1287.5 | 1287.5 | 1287.5 | 1287.5 | 1287.5 | 1287.5 | 1287.5 |
| 23.399 | Cost of material for joints of sluice Valve for A.C. pipe wih commet joint & rubber (18") dia pipe | 2 joints | 1597 | 1596.5 | 1596.5 | 1596.5 | 1596.5 | 1596.5 | 1596.5 | 1596.5 | 1596.5 | 1596.5 | 1596.5 | 1596.5 | 1596.5 |
| 23.400 | Material for jointing of fire hydrant | Each | 40 | 40.17 | 40.17 | 40.17 | 40.17 | 40.17 | 40.17 | 40.17 | 40.17 | 40.17 | 40.17 | 40.17 | 40.17 |
| 23.401 | Material for jointing of air valve | Each | 88 | 87.55 | 87.55 | 87.55 | 87.55 | 87.55 | 87.55 | 87.55 | 87.55 | 87.55 | 87.55 | 87.55 | 87.55 |
| 23.402 | Cost of Bolt and nuts for G.I. Flanged Joints 1½" to 2" | Each | 4 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 | 4.12 |
| 23.403 | Cost of Bolt and nuts for G.I. Flanged Joints 2½" to 7" | Each | 6 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 | 6.18 |
| 23.404 | Rubber Insertion for G.I. flanged joints | Per Lbs | 26 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 | 25.75 |
| 23.405 | Solvent for PVC bends | Per Kg. | 824 | 824 | 824 | 824 | 824 | 824 | 824 | 824 | 824 | 824 | 824 | 824 | 824 |
| 23.406 | Lubricant | Per Kg. | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1ST FEBRUARY, 2016 TO 31ST JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|---|----------|--------|--------|--------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 23.407 | Material for C-I specials with spigot and socket joint for 3" dia pipe | 2 joints | 155 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 | 154.5 |
| 23.408 | Material for C-I specials with spigot and socket joint for 4" dia pipe | 2 joints | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 |
| 23.409 | Material for C-I specials with spigot and socket joint for 5" dia pipe | 2 joints | 242 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 | 242.05 |
| 23.410 | Material for C-I specials with spigot and socket joint for 6" dia pipe | 2 joints | 294 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 |
| 23.411 | Material for C-I specials with spigot and socket joint for 8" dia pipe | 2 joints | 397 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 |
| 23.412 | Material for C-I specials with spigot and socket joint for 10" dia pipe | 2 joints | 433 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 | 432.6 |
| 23.413 | Material for C-I specials with spigot and socket joint for 12" dia pipe | 2 joints | 448 | 448.05 | 448.05 | 448.05 | 448.05 | 448.05 | 448.05 | 448.05 | 448.05 | 448.05 | 448.05 | 448.05 | 448.05 |
| 23.414 | Material for C-I specials with spigot and socket joint for 15" dia pipe | 2 joints | 464 | 463.5 | 463.5 | 463.5 | 463.5 | 463.5 | 463.5 | 463.5 | 463.5 | 463.5 | 463.5 | 463.5 | 463.5 |
| 23.415 | Material for C-I specials with spigot and socket joint for 18" dia pipe | 2 joints | 484 | 484.1 | 484.1 | 484.1 | 484.1 | 484.1 | 484.1 | 484.1 | 484.1 | 484.1 | 484.1 | 484.1 | 484.1 |
| 23.416 | Material for CI flanged speical with flanged and flanged joints 3" dia pipe | 2 joints | 74 | 74.16 | 74.16 | 74.16 | 74.16 | 74.16 | 74.16 | 74.16 | 74.16 | 74.16 | 74.16 | 74.16 | 74.16 |
| 23.417 | Material for CI flanged speical with flanged and flanged joints 4" dia pipe | 2 joints | 80 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 | 80.34 |
| 23.418 | Material for CI flanged speical with flanged and flanged joints 5" dia pipe | 2 joints | 165 | 164.8 | 164.8 | 164.8 | 164.8 | 164.8 | 164.8 | 164.8 | 164.8 | 164.8 | 164.8 | 164.8 | 164.8 |
| 23.419 | Material for CI flanged speical with flanged and flanged joints 6" dia pipe | 2 joints | 170 | 169.95 | 169.95 | 169.95 | 169.95 | 169.95 | 169.95 | 169.95 | 169.95 | 169.95 | 169.95 | 169.95 | 169.95 |
| 23.420 | Material for CI flanged speical with flanged and flanged joints 8" dia pipe | 2 joints | 196 | 195.7 | 195.7 | 195.7 | 195.7 | 195.7 | 195.7 | 195.7 | 195.7 | 195.7 | 195.7 | 195.7 | 195.7 |
| 23.421 | Material for CI flanged speical with flanged and flanged joints 10" dia pipe | 2 joints | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 |
| 23.422 | Material for CI flanged speical with flanged and flanged joints 12" dia pipe | 2 joints | 340 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 |
| 23.423 | Material for CI flanged speical with flanged and flanged joints 15" dia pipe | 2 joints | 438 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 |
| 23.424 | Material for CI flanged speical with flanged and flanged joints 18" dia pipe | 2 joints | 458 | 458.35 | 458.35 | 458.35 | 458.35 | 458.35 | 458.35 | 458.35 | 458.35 | 458.35 | 458.35 | 458.35 | 458.35 |
| 23.425 | Casting material (supply of specials l/c moulding, painting carriage to site of work) CI specials with spigot an socket joint | Per Cwt | 4172 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 |
| 23.426 | Casting material (supply of specials l/c moulding, painting carriage to site of work) CI flanged speical with flanged and flanged joints | Per Cwt | 4172 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 |
| 23.427 | Casting material (supply of specials l/c moulding, painting carriage to site of work) CI specials with tyton joints / with comet joint and rubber ring complete | Per Cwt | 4172 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 | 4171.5 |
| 23.428 | Material for AC pipe line with comet joint and rubber ring complete 3" | 2 joints | 216 | 216.3 | 216.3 | 216.3 | 216.3 | 216.3 | 216.3 | 216.3 | 216.3 | 216.3 | 216.3 | 216.3 | 216.3 |
| 23.429 | Material for AC pipe line with comet joint and rubber ring complete 4" | 2 joints | 330 | 329.6 | 329.6 | 329.6 | 329.6 | 329.6 | 329.6 | 329.6 | 329.6 | 329.6 | 329.6 | 329.6 | 329.6 |
| 23.430 | Material for AC pipe line with comet joint and rubber ring complete 6" | 2 joints | 381 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 |
| 23.431 | Material for AC pipe line with comet joint and rubber ring complete 8" | 2 joints | 546 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 |
| 23.432 | Material for AC pipe line with comet joint and rubber ring complete 10" | 2 joints | 762 | 762.2 | 762.2 | 762.2 | 762.2 | 762.2 | 762.2 | 762.2 | 762.2 | 762.2 | 762.2 | 762.2 | 762.2 |
| 23.433 | Material for AC pipe line with comet joint and rubber ring complete 12" | 2 joints | 876 | 875.5 | 875.5 | 875.5 | 875.5 | 875.5 | 875.5 | 875.5 | 875.5 | 875.5 | 875.5 | 875.5 | 875.5 |
| 23.434 | Material for AC pipe line with comet joint and rubber ring complete 16" | 2 joints | 1308 | 1308.1 | 1308.1 | 1308.1 | 1308.1 | 1308.1 | 1308.1 | 1308.1 | 1308.1 | 1308.1 | 1308.1 | 1308.1 | 1308.1 |
| 23.435 | Material for AC pipe line with comet joint and rubber ring complete 18" | 2 joints | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 |
| 23.436 | Material for AC pipe line with comet joint and rubber ring complete 20" | 2 joints | 1998 | 1998.2 | 1998.2 | 1998.2 | 1998.2 | 1998.2 | 1998.2 | 1998.2 | 1998.2 | 1998.2 | 1998.2 | 1998.2 | 1998.2 |
| 23.437 | Material for AC pipe line with comet joint and rubber ring complete 24" | 2 joints | 2627 | 2626.5 | 2626.5 | 2626.5 | 2626.5 | 2626.5 | 2626.5 | 2626.5 | 2626.5 | 2626.5 | 2626.5 | 2626.5 | 2626.5 |
| 24.001 | 17.5 x 10 x cm (7" x 4") (Sal Wood Boards (4.5 cm) 1½" thick | Each | 24 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 | 23.69 |
| 24.002 | 22.5 x 10 x cm (9" x 4") (Sal Wood Boards (4.5 cm) 1½" thick | Each | 39 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 | 39.14 |
| 24.003 | 22.0 x 25 x cm (8" x 10") (Sal Wood Boards (4.5 cm) 1½" thick | Each | 52 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 | 51.5 |
| 24.004 | 25.0 x 30 x cm (10" x 12") (Sal Wood Boards (4.5 cm) 1½" thick | Each | 65 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 |
| 24.005 | 30.0 x 37 x cm (12" x 14") (Sal Wood Boards (4.5 cm) 1½" thick | Each | 76 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 | 76.22 |
| 24.006 | 17.5 x 10 x cm (7" x 4") (Teak Wood Boards (4.5 cm) 1.75" thick | Each | 43 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 | 43.26 |
| 24.007 | 22.5 x 10 x cm (9" x 4") (Teak Wood Boards (4.5 cm) 1.75" thick | Each | 54 | 53.56 | 53.56 | 53.56 | 53.56 | 53.56 | 53.56 | 53.56 | 53.56 | 53.56 | 53.56 | 53.56 | 53.56 |
| 24.008 | 20.0 x 25 x cm (8" x 10") (Teak Wood Boards (4.5 cm) 1.75" thick | Each | 65 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 | 64.89 |
| 24.009 | 25.0 x 30 x cm (10" x 12") (Teak Wood Boards (4.5 cm) 1.75" thick | Each | 87 | 86.52 | 86.52 | 86.52 | 86.52 | 86.52 | 86.52 | 86.52 | 86.52 | 86.52 | 86.52 | 86.52 | 86.52 |
| 24.010 | 30.0 x 37 x cm (12" x 14") (Teak Wood Boards (4.5 cm) 1.75" thick | Each | 129 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 | 128.75 |
| 24.011 | 2 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 144 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 |
| 24.012 | 3 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 144 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 |
| 24.013 | 4 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 |
| 24.014 | 5 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 258 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 |
| 24.015 | 6 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 294 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 |
| 24.016 | 7 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 340 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 | 339.9 |
| 24.017 | 8 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 381 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 | 381.1 |
| 24.018 | 9 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 427 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 | 427.45 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1 st FEBRUARY, 2016 TO 31 st JULY, 2016) | | | | | | | | | | | | |
|--------|--|-----------|--|--------|--------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| | | | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
| 24.019 | 10 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 494 | 494.4 | 494.4 | 494.4 | 494.4 | 494.4 | 494.4 | 494.4 | 494.4 | 494.4 | 494.4 | 494.4 | 494.4 |
| 24.020 | 11 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 546 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 | 545.9 |
| 24.021 | 12 way 15 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 592 | 592.25 | 592.25 | 592.25 | 592.25 | 592.25 | 592.25 | 592.25 | 592.25 | 592.25 | 592.25 | 592.25 | 592.25 |
| 24.022 | 2 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 144 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 | 144.2 |
| 24.023 | 3 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 149 | 149.35 | 149.35 | 149.35 | 149.35 | 149.35 | 149.35 | 149.35 | 149.35 | 149.35 | 149.35 | 149.35 | 149.35 |
| 24.024 | 4 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 201 | 200.85 | 200.85 | 200.85 | 200.85 | 200.85 | 200.85 | 200.85 | 200.85 | 200.85 | 200.85 | 200.85 | 200.85 |
| 24.025 | 5 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 258 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 | 257.5 |
| 24.026 | 6 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 294 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 | 293.55 |
| 24.027 | 7 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 350 | 350.2 | 350.2 | 350.2 | 350.2 | 350.2 | 350.2 | 350.2 | 350.2 | 350.2 | 350.2 | 350.2 | 350.2 |
| 24.028 | 8 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 397 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 | 396.55 |
| 24.029 | 9 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 438 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 | 437.75 |
| 24.030 | 10 way 30 Amp Branch distribution board iron/aluminium clad 250 volts angle iron frame with 3 mm (1/8") M.S. sheet covering for BDB 250 volts. | Each | 510 | 509.85 | 509.85 | 509.85 | 509.85 | 509.85 | 509.85 | 509.85 | 509.85 | 509.85 | 509.85 | 509.85 | 509.85 |
| 24.031 | PVC insulated single core copper conductor cable 3/0.029" 250/440 Volts (1.5 mm ²) | Per Metre | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 24.032 | PVC insulated single core copper conductor cable 3/0.036" 250/440 Volts (1.5 mm ²) | Per Metre | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 24.033 | PVC insulated single core copper conductor cable 7/0.029" 250/440 Volts (2.5 mm ²) | Per Metre | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 24.034 | PVC insulated single core copper conductor cable 7/0.036" 250/440 Volts (4 mm ²) | Per Metre | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 24.035 | PVC insulated single core copper conductor cable 7/0.044" 250/440 Volts (6 mm ²) | Per Metre | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 |
| 24.036 | PVC insulated single core copper conductor cable 7/0.064" 250/440 Volts (16 mm ²) | Per Metre | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 |
| 24.037 | PVC insulated single core copper conductor cable 19/0.052" 250/440 Volts (25 mm ²) | Per Metre | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 | 283 |
| 24.038 | PVC insulated single core copper conductor cable 19/0.064" 250/440 Volts (35 mm ²) | Per Metre | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 |
| 24.039 | PVC insulated cotton braided and compounded copper conductor cable 3/0.029" 250/440 Volts | Per Metre | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 24.040 | PVC insulated cotton braided and compounded copper conductor cable 3/0.036" 250/440 Volts | Per Metre | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 24.041 | PVC insulated cotton braided and compounded copper conductor cable 7/0.029" 250/440 Volts | Per Metre | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 24.042 | PVC insulated cotton braided and compounded copper conductor cable 7/0.036" 250/440 Volts | Per Metre | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 24.043 | PVC insulated cotton braided and compounded copper conductor cable 7/0.044" 250/440 Volts | Per Metre | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 |
| 24.044 | PVC insulated cotton braided and compounded copper conductor cable 7/0.064" 250/440 Volts | Per Metre | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 |
| 24.045 | PVC insulated PVC sheathed single core copper conductor cable 3/0.029" 250/440 Volts | Per Metre | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 24.046 | PVC insulated PVC sheathed single core copper conductor cable 3/0.036" 250/440 Volts | Per Metre | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 24.047 | PVC insulated PVC sheathed single core copper conductor cable 7/0.029" 250/440 Volts | Per Metre | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 24.048 | PVC insulated PVC sheathed single core copper conductor cable 7/0.036" 250/440 Volts | Per Metre | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 |
| 24.049 | PVC insulated PVC sheathed single core copper conductor cable 7/0.044" 250/440 Volts | Per Metre | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 |
| 24.050 | PVC insulated PVC sheathed single core copper conductor cable 7/0.064" 250/440 Volts | Per Metre | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 |
| 24.051 | PVC insulated PVC sheathed single core copper conductor cable 7/0.064" 660/1100 volts grade | Per Metre | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 |
| 24.052 | PVC insulated PVC sheathed single core copper conductor cable 19/0.052" 660/1100 volts grade | Per Metre | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 |
| 24.053 | PVC insulated PVC sheathed single core copper conductor cable 19/0.064" 660/1100 volts grade | Per Metre | 442 | 442 | 442 | 442 | 442 | 442 | 442 | 442 | 442 | 442 | 442 | 442 | 442 |
| 24.054 | PVC insulated PVC sheathed single core , copper conductor cable 19/0.083" 660/1100 volts grade | Per Metre | 857 | 857 | 857 | 857 | 857 | 857 | 857 | 857 | 857 | 857 | 857 | 857 | 857 |
| 24.055 | PVC insulated PVC sheathed single core , copper conductor cable 37/0.072" 660/1100 volts grade | Per Metre | 1184 | 1184 | 1184 | 1184 | 1184 | 1184 | 1184 | 1184 | 1184 | 1184 | 1184 | 1184 | 1184 |
| 24.056 | PVC insulated PVC sheathed single core , copper conductor cable 37/0.083" 660/1100 volts grade | Per Metre | 1488 | 1488 | 1488 | 1488 | 1488 | 1488 | 1488 | 1488 | 1488 | 1488 | 1488 | 1488 | 1488 |
| 24.057 | PVC insulated PVC sheathed single core , copper conductor cable 37/0.103" 660/1100 volts grade | Per Metre | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 |
| 24.058 | PVC insulated, PVC sheathed single core copper conductor cable 3/0.029" 250/440 volts | Per Metre | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 24.059 | PVC insulated, PVC sheathed twin core copper conductor cable 3/0.036" 250/440 volts | Per Metre | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 |
| 24.060 | PVC insulated, PVC sheathed twin core copper conductor cable 7/0.029" 250/440 volts | Per Metre | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 |
| 24.061 | PVC insulated, PVC sheathed twin core copper conductor cable 7/0.036" 250/440 volts | Per Metre | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 |
| 24.062 | PVC insulated, PVC sheathed twin core copper conductor cable 7/0.044" 250/440 volts | Per Metre | 166 | 166 | 166 | 166 | 166 | 166 | 166 | 166 | 166 | 166 | 166 | 166 | 166 |
| 24.063 | PVC insulated, PVC sheathed twin core copper conductor cable 7/0.064" 250/440 volts | Per Metre | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 | 343 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|-----------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 24.064 | PVC insulated, PVC sheathed three core cable 3/0.029" 660/1100 volts | Per Metre | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 24.065 | PVC insulated, PVC sheathed three core cable 3/0.036" 660/1100 volts | Per Metre | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 |
| 24.066 | PVC insulated, PVC sheathed three core cable 7/0.029" (2.55mm2) 660/1100 volts | Per Metre | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 |
| 24.067 | PVC insulated, PVC sheathed three core cable 7/0.036" (4mm2) 660/1100 volts | Per Metre | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 |
| 24.068 | PVC insulated, PVC sheathed three core cable 7/0.044" 660/1100 volts | Per Metre | 260 | 260 | 260 | 260 | 260 | 260 | 260 | 260 | 260 | 260 | 260 | 260 | 260 |
| 24.069 | PVC insulated, PVC sheathed three core cable 7/0.064" 660/1100 volts | Per Metre | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 |
| 24.070 | PVC sheathed 4 core non armoured cable 3/0.029" 660/1100 volts | Per Metre | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| 24.071 | PVC sheathed 4 core non armoured cable 3/0.036" 660/1100 volts | Per Metre | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 |
| 24.072 | PVC sheathed 4 core non armoured cable 7/0.029" 660/1100 volts | Per Metre | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 |
| 24.073 | PVC sheathed 4 core non armoured cable 7/0.036" 660/1100 volts | Per Metre | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 |
| 24.074 | PVC sheathed 4 core non armoured cable 7/0.044" (6mm2) 660/1100 volts | Per Metre | 341 | 341 | 341 | 341 | 341 | 341 | 341 | 341 | 341 | 341 | 341 | 341 | 341 |
| 24.075 | PVC sheathed 4 core non armoured cable 7/0.064" (16mm2) 660/1100 volts | Per Metre | 704 | 704 | 704 | 704 | 704 | 704 | 704 | 704 | 704 | 704 | 704 | 704 | 704 |
| 24.076 | PVC sheathed 4 core non armoured cable 19/0.052" 660/1100 volts | Per Metre | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 | 1321 |
| 24.077 | PVC sheathed armoured with G.I. WIRE 16 SWG cable 19/0.052" 660/1100 volts 4 core | Per Metre | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 | 1475 |
| 24.078 | PVC sheathed armoured with G.I. WIRE 16 SWG cable 19/0.064" 660/1100 volts 4 core(35mmsq) | Per Metre | 1977 | 1977 | 1977 | 1977 | 1977 | 1977 | 1977 | 1977 | 1977 | 1977 | 1977 | 1977 | 1977 |
| 24.079 | PVC sheathed armoured with G.I. WIRE 16 SWG cable 19/0.072" 660/1100 volts 4 core(50mmsq) | Per Metre | 2684 | 2684 | 2684 | 2684 | 2684 | 2684 | 2684 | 2684 | 2684 | 2684 | 2684 | 2684 | 2684 |
| 24.080 | PVC sheathed armoured with G.I. WIRE 16 SWG cable 19/0.083" 660/1100 volts 4 core(70mmsq) | Per Metre | 3764 | 3764 | 3764 | 3764 | 3764 | 3764 | 3764 | 3764 | 3764 | 3764 | 3764 | 3764 | 3764 |
| 24.081 | PVC sheathed armoured with G.I. WIRE 16 SWG cable 37/0.072" 660/1100 volts 4 core(95mmsq) | Per Metre | 5136 | 5136 | 5136 | 5136 | 5136 | 5136 | 5136 | 5136 | 5136 | 5136 | 5136 | 5136 | 5136 |
| 24.082 | PVC sheathed armoured with G.I. WIRE 16 SWG cable 37/0.083" 660/1100 volts 4 core(120mmsq) | Per Metre | 6494 | 6494 | 6494 | 6494 | 6494 | 6494 | 6494 | 6494 | 6494 | 6494 | 6494 | 6494 | 6494 |
| 24.083 | PVC sheathed armoured with G.I. WIRE 16 SWG cable 37/0.093" 660/1100 volts 4 core(150mmsq) | Per Metre | 7916 | 7916 | 7916 | 7916 | 7916 | 7916 | 7916 | 7916 | 7916 | 7916 | 7916 | 7916 | 7916 |
| 24.084 | PVC sheathed armoured with G.I. WIRE 16 SWG cable 37/0.103" 660/1100 volts 4 core(185mmsq) | Per Metre | 9852 | 9852 | 9852 | 9852 | 9852 | 9852 | 9852 | 9852 | 9852 | 9852 | 9852 | 9852 | 9852 |
| 24.085 | Aluminium stranded hard drawn bare conductor 7/3.099 mm (7/0.122") | Per Metre | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.086 | Flexible wire 7/3.099 mm (7/0.122") (PVC insulated PVC sheathed armoured with G.I wire 16 SWG for service connecton 3½ core.) | Per Metre | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 24.087 | Flexible twin wire 23/.0076" (23/0.195mm) | Per Metre | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.088 | PVC wire (3/0.029") | Per Metre | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 24.089 | Capacitor 2.2 UF for ceiling fan | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.090 | M.S Clamp ½" dia (16mm) | Each | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 24.091 | M.S Clamp ¾" dia (20mm) | Each | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 24.092 | M.S Clamp 1" dia (25mm) | Each | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 24.093 | M.S Clamp 1¼" dia (32mm) | Each | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 24.094 | M.S Clamp 1½" dia (40mm) | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 24.095 | M.S Clamp 2" dia (50mm) | Each | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 24.096 | M.S Clamp 4" dia (100mm) | Each | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 24.097 | Clamps for electric wiring 15 mm (½") | Each | 3 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 |
| 24.098 | Clamps for electric wiring 20 mm (¾") | Each | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 24.099 | Clamps for electric wiring 25 mm (1") | Each | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 24.100 | Clamps for electric wiring 32 mm (1¼") | Each | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 24.101 | Clamps for electric wiring 40 mm (1½") | Each | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 24.102 | Clamps for electric wiring 50 mm (2") | Each | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 24.103 | Clamps for electric wiring 63 mm (2½") | Each | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 24.104 | Clamps for electric wiring 80 mm (3") | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.105 | Clamps for electric wiring 100 mm (4") | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.106 | PVC Inspection Boxes 15 mm (½") | Per Doz. | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 24.107 | PVC Inspection Boxes 20 mm (¾") | Per Doz. | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.108 | PVC Inspection Boxes 25 mm (1") | Per Doz. | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 |
| 24.109 | PVC Inspection Boxes 30 mm (1¼") | Per Doz. | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 |
| 24.110 | PVC Inspection Boxes 40 mm (1½") | Per Doz. | 232 | 232 | 232 | 232 | 232 | 232 | 232 | 232 | 232 | 232 | 232 | 232 | 232 |
| 24.111 | PVC Inspection Boxes 50 mm (2") | Per Doz. | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 |
| 24.112 | PVC Inspection Boxes 75 mm (3") | Per Doz. | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 |
| 24.113 | PVC Inspection Boxes 100 mm (4") | Per Doz. | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 |
| 24.114 | Chokes 40 watts | Each | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 |
| 24.115 | Chokes 20 watts | Each | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 |
| 24.116 | Round block of Sahl wood | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.117 | GEC design Pole mounted street light with holder shade and glass for fitting 125/250 watts mercury Vapour lamp (excluding cost of lamp) with bracket clamp nuts & bolts. | Each | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 | 1700 |
| 24.118 | Street light pole bracket | Each | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 |
| 24.119 | Cost of bracket 1¼" (32 mm) G.I pipe 7 ft. long half round | Each | 464 | 464 | 464 | 464 | 464 | 464 | 464 | 464 | 464 | 464 | 464 | 464 | 464 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|---|-------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 24.120 | Shackle Insulator for holding insulated wire | Each | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| 24.121 | Pin Insulator green (medium size) | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 24.122 | Staining screws for stay wire of electric pole | Each | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 |
| 24.123 | Stay wire for electric pole 7/12" | Metre | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 24.124 | Stay wire for electric pole 7/14" | Metre | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 24.125 | Bakelite button holder shade large size | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 24.126 | Bakelite button holder shade Large size | Each | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 24.127 | Bakelite Button Holder large size | Each | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 24.128 | Bell push or bed switch | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.129 | Bakelite lamp holder | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.130 | Braket lamp holder | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.131 | Brass bracket with holder | Each | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 24.132 | Brass bracket with holder | Each | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 24.133 | Brass Button Holder | Each | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 24.134 | Call bell 220/250 volts | Each | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 24.135 | Ceiling rose bakelite | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.136 | Cut out bakelite open type | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.137 | Cut out bakelite recessed type | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.138 | Electric Energy Metre Single Phase) 250 volts 10 AMP | Each | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 |
| 24.139 | Electric Energy Metre Single Phase 250 volts 30 AMP | Each | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 |
| 24.140 | Electric Energy Metre Single Phase 250 volts 60 AMP | Each | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 |
| 24.141 | Three phase 4 wires, 400 volts: 3 x 15 Amps | Each | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 |
| 24.142 | Three phase 4 wires, 400 volts:3 x 50 Amps | Each | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 |
| 24.143 | Three phase 4 wires, 400 volts: 3 x 80 Amps | Each | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 |
| 24.144 | Electric shoe 3 pin 10/15 Amps | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.145 | Wall Shoe 3 pin 5 Amps | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.146 | Wall socket 3 pin 5 Amps | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.147 | Wall socket 3 pin 5 Amps without Shoe. | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.148 | Wall socket 3 pin 10/15 Amp open type | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.149 | Wall socket 3 pin 10/15 Amp recessed type | Each | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 24.150 | Wall socket 3 pin 10/15 Amp with shoe | Each | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 24.151 | Flourescent tube 40 watts | Each | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 24.152 | Starter for Flourscent Tube 40 watts | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.153 | Kit kat fuses 500 volt 15/20 Amp | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.154 | Kit kat fuses 500 volt 30/35 Amp | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.155 | Kit kat fuses 500 volt 60/65 Amp | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.156 | Kit kat fuses 500 volt 100 Amp | Each | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 24.157 | Kit kat fuses 500 volt 200 Amp | Each | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.158 | Kit kat fuses 500 volt 300 Amp | Each | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 |
| 24.159 | Kit kat fuses 500 volt 400 Amp | Each | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 |
| 24.160 | Kit kat fuses 500 volt 500 Amp | Each | 438 | 438 | 438 | 438 | 438 | 438 | 438 | 438 | 438 | 438 | 438 | 438 | 438 |
| 24.161 | Leathoride paper | Job | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.162 | Copper nail 2" / 3" | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 24.163 | Copper plates 600 x 600 x 3 mm (2' x 2' x 1/8") | Kg | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 |
| 24.164 | Lightning arrester Horn type | Each | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 |
| 24.165 | Copper enamel wire No. 26 to 32 | Kg | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 |
| 24.166 | Soldering and varnishing for A.C. ceiling fan | each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 24.167 | Wooden Gutties | Dozen | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 24.168 | Switch double control open type (5 Amp) | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 24.169 | Switch double control piano type (5 Amp) | Each | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 24.170 | Switch double control ring type recessed (5 Amp) | Each | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 24.171 | Switch Piano type (5 Amp) | Each | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 24.172 | Switch plate type recessed (5 Amp) | Each | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 24.173 | Switch ring type (5 Amp) | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 24.174 | Double pole 15/20 Amp (Iron/Alminum clad 500 volt main switch with kit kat fuse) | Each | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 | 335 |
| 24.175 | Double pole 30/35 Amp (Iron/Alminum clad 500 volt main switch with kit kat fuse) | Each | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 |
| 24.176 | Double pole 60/65 Amp (Iron/Alminum clad 500 volt main switch with kit kat fuse) | Each | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 |
| 24.177 | Double pole 100 Amp (Iron/Alminum clad 500 volt main switch with kit kat fuse) | Each | 1318 | 1318 | 1318 | 1318 | 1318 | 1318 | 1318 | 1318 | 1318 | 1318 | 1318 | 1318 | 1318 |
| 24.178 | Tripple pole 15/20 Amp (Iron/Alminum clad 500 volt main switch with kit kat fuse) | Each | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|---|----------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 24.179 | Tripple pole 30/35 Amp (Iron/Alminum clad 500 volt main switch with kit kat fuse) | Each | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 |
| 24.180 | Tripple pole with neutral link 30/35 Amp main switch | Each | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 | 1030 |
| 24.181 | Tripple pole with neutral link 60/65 Amp main switch | Each | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 |
| 24.182 | Tripple pole with neutral link 100 Amp main switch | Each | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 | 1854 |
| 24.183 | Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 60/65 Amps | Each | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 | 1391 |
| 24.184 | Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 100 Amps. | Each | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 | 2266 |
| 24.185 | Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 150 Amps. | Each | 3605 | 3605 | 3605 | 3605 | 3605 | 3605 | 3605 | 3605 | 3605 | 3605 | 3605 | 3605 | 3605 |
| 24.186 | Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 200 Amps. | Each | 5665 | 5665 | 5665 | 5665 | 5665 | 5665 | 5665 | 5665 | 5665 | 5665 | 5665 | 5665 | 5665 |
| 24.187 | Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 300 Amps. | Each | 6798 | 6798 | 6798 | 6798 | 6798 | 6798 | 6798 | 6798 | 6798 | 6798 | 6798 | 6798 | 6798 |
| 24.188 | Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 400 Amps. | Each | 9064 | 9064 | 9064 | 9064 | 9064 | 9064 | 9064 | 9064 | 9064 | 9064 | 9064 | 9064 | 9064 |
| 24.189 | Iron/Aluminum clad 500 volt main switch with tripple pole and neutral link with HRC fuses: 500 Amps. | Each | 11330 | 11330 | 11330 | 11330 | 11330 | 11330 | 11330 | 11330 | 11330 | 11330 | 11330 | 11330 | 11330 |
| 24.190 | Thimble copper 60/65 Amp | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 24.191 | Thimble copper 100 Amp | Each | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 24.192 | Thimble 150 Amp. | each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.193 | Thimble copper 200 Amp | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.194 | Thimble copper 300 Amp | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.195 | Thimble copper 400 Amp | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 24.196 | Thimble copper 500 Amp | Each | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 24.197 | G.I bend ½" (15 mm) dia | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.198 | G.I bend ¾" (20 mm) dia | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.199 | G.I bend 1" (25 mm) dia | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.200 | G.I bend 1¼" (32 mm) dia | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 24.201 | G.I bend 1½" (40 mm) dia | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 24.202 | G.I. Bend 2" dia (50 mm) dia | Each | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 24.203 | G.I bend 3" (80 mm) dia | Each | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 24.204 | M.S. Bend ½" (15 mm) dia | Each | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 24.205 | M.S. Bend ¾" (20 mm) dia | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.206 | M.S. Bend 1" (25 mm) dia | Each | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 24.207 | M.S. Bend 1½" (40 mm) dia | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 24.208 | M.S. Conduit Bend 1¼" (32 mm) dia | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.209 | M.S. Conduit Bend 1½" (40 mm) dia | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.210 | M.S. Conduit Bend 2" (50 mm) dia | Each | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 24.211 | PVC Bend ½" (12 mm) dia ordinary | Each | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 24.212 | PVC Bend ¾" (20 mm) dia ordinary | Each | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 24.213 | PVC Bend 1" (25 mm) dia ordinary | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 24.214 | PVC Bend 1¼" (30 mm) dia ordinary | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 24.215 | PVC Bend 1½" (40 mm) dia ordinary | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.216 | PVC Bend 2" (50 mm) dia ordinary | Each | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 24.217 | PVC Bend 3" dia (75 mm) ordinary | Each | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 24.218 | PVC Bend 4" dia (100 mm) ordinary | Each | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 24.219 | Inspection box ½" (15 mm) dia | Each | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 24.220 | Inspection box ¾" (20 mm) dia | Each | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 24.221 | Inspection box 1" (25 mm) dia | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.222 | M.S. Inspection box 1¼" (32 mm) dia | per doz. | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 |
| 24.223 | M.S. Inspection box 1½" (40 mm) dia to 3" (80mm) dia | per doz. | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 |
| 24.224 | Hooks for ½" to 1" dia pipe | Each | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 24.225 | Hooks for 1¼" to 1½" dia pipe | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 24.226 | Hook for 2" dia pipe | Each | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 24.227 | Hook for 3" dia pipe | Each | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 24.228 | M.S. Conduit pipe ½" (15 mm) dia | Per Mtr | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 24.229 | M.S. Conduit pipe ¾" (20 mm) dia | Per Mtr | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 24.230 | M.S. Conduit pipe 1" (25 mm) dia | Per Mtr | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 24.231 | M.S. Conduit pipe 1¼" (32 mm) dia | Per Mtr | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 |
| 24.232 | M.S. Conduit pipe 1½" (40 mm) dia | Per Mtr | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.233 | M.S. Conduit pipe 2" (50 mm) dia | Per Mtr | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| 24.234 | PVC pipe ½" (12 mm) dia (conduit) | Per Mtr | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 24.235 | PVC pipe ¾" (20 mm) dia (conduit) | Per Mtr | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 24.236 | PVC pipe 1" (25 mm) dia (conduit) | Per Mtr | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 24.237 | PVC pipe 1¼" (30 mm) dia (conduit) | Per Mtr | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|----------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 24.238 | PVC pipe 1½" (40 mm) dia (conduit) | Per Mtr | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 24.239 | PVC pipe 2" (50 mm) dia (conduit) | Per Mtr | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.240 | PVC Pipe 3" dia (75 mm) (conduit) | Per Mtr | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 | 152 |
| 24.241 | PVC Pipe 4" dia (100 mm) (conduit) | Per Mtr | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 | 210 |
| 24.242 | PVC Flexible Pipe ½" (12 mm) dia | Per Mtr | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 24.243 | G.I. pipe ½" dia (15 mm i/d) | Per Mtr | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 |
| 24.244 | G.I. Pipe ¾" dia (20 mm i/d) | Per Mtr | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 |
| 24.245 | G.I. Pipe 1" dia (25 mm i/d) | Per Mtr | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 |
| 24.246 | G.I. pipe 1¼" dia (32 mm i/d) | Per Mtr | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 |
| 24.247 | G.I. pipe 1½" dia (40 mm i/d) | Per Mtr | 339 | 339 | 339 | 339 | 339 | 339 | 339 | 339 | 339 | 339 | 339 | 339 | 339 |
| 24.248 | G.I. pipe 2" dia (50 mm i/d) | Per Mtr | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 | 427 |
| 24.249 | G.I. pipe 3" dia (75 mm i/d) | Per Mtr | 683 | 683 | 683 | 683 | 683 | 683 | 683 | 683 | 683 | 683 | 683 | 683 | 683 |
| 24.250 | G.I. Flexible Pipe ½" (12 mm) dia | per mtr. | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 24.251 | G.I. Flexible Pipe ¾" (20 mm) dia | per mtr. | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| 24.252 | G.I. Flexible Pipe 1" (25 mm) dia | per mtr. | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 24.253 | G.I. Flexible Pipe 1¼" (32 mm) dia | per mtr. | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 |
| 24.254 | G.I. Flexible Pipe 1½" (40 mm) dia | per mtr. | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 |
| 24.255 | G.I. Flexible Pipe 2" (50 mm) dia | per mtr. | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 |
| 24.256 | G.I. Flexible Pipe 3" (80 mm) dia | per mtr. | 196 | 196 | 196 | 196 | 196 | 196 | 196 | 196 | 196 | 196 | 196 | 196 | 196 |
| 24.257 | G.I. Flexible pipe 4" (100 mm) | Each | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 |
| 24.258 | Screws 1" (25 mm) long | Dozen | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 24.259 | Screws 2" (50 mm) long | Dozen | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.260 | Screws 3" (75 mm) long | Dozen | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.261 | Screws 4" (100 mm) long | Dozen | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 24.262 | Screws 6" (150 mm) long | Dozen | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 24.263 | G.I reducing socket size 2 x ½" (50 x 13 mm) | Each | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 24.264 | G.I Reducing socket 2 x ¾" dia (50 x 20 mm) | Each | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 |
| 24.265 | Boring ½" dia | Metre | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.266 | G.I. Socket ½" (12 mm) dia | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.267 | G.I. Socket ¾" (20 mm) dia | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.268 | G.I. Socket 1" (25 mm) dia | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.269 | G.I. Socket 1¼" (32 mm) dia | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.270 | G.I. Socket 1½" (40 mm) dia | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 24.271 | G.I. Socket 2" (50 mm) dia | Each | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 24.272 | G.I. Socket 3" (80 mm) dia | Each | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 |
| 24.273 | Brass Socket 1½" (40 mm) dia | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.274 | Brass Socket 2" (50 mm) dia | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.275 | Brass Socket 4" (100 mm) dia | Each | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.276 | PVC Socket ½" (12 mm) dia | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 24.277 | G.I. Nipple ½" (12 mm) dia | Each | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 24.278 | G.I. Nipple ¾" (20 mm) dia | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.279 | G.I. Nipple 1" (25 mm) dia | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.280 | G.I. Nipple 1¼" (32 mm) dia | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 24.281 | G.I. Nipple 1½" (40 mm) dia | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 24.282 | G.I. Nipple 2" (50 mm) dia | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 24.283 | G.I. Nipple 3" (80 mm) dia | Each | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 |
| 24.284 | Brass nipple 1" dia (25mm) | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 24.285 | Brass Nipple 1¼" dia (32 mm) | Each | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 24.286 | Brass Nipple 1½" (40 mm) dia | Each | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 |
| 24.287 | Brass Nipple 2" (50 mm) dia | Each | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 | 98 |
| 24.288 | Brass Nipple 4" (100 mm) dia | Each | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 | 242 |
| 24.289 | PVC Nipple ½" (12 mm) dia | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 24.290 | Brass Check nut ½" (12 mm) dia | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 24.291 | Brass check nut 1½" (40 mm) | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 24.292 | Brass check nut 1" (25 mm) | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.293 | Brass check nut 1¼" (32 mm) | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.294 | Brass check nut 2" (50 mm) | Each | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 24.295 | Brass check nut 4" (100 mm) | Each | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.296 | Check Nuts ½" (12 mm) dia | Each | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|------------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 24.297 | Check Nuts ¾" (20 mm) dia | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.298 | Check Nuts 1" (25 mm) dia | Each | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 24.299 | Check Nuts 1¼" (32 mm) dia | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.300 | Check Nuts 1½" (40 mm) dia | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.301 | Check Nuts 2" (50 mm) dia | Each | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 24.302 | Check Nuts 3" (80 mm) dia | Each | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 24.303 | M.S Box 4" x 4" (100 x 100 mm) 16SWG | Each | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 24.304 | M.S Box 7" x 4" (175 x 100 mm) 16SWG | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 24.305 | M.S Box 9" x 4" (225 x 100 mm) 16SWG | Each | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| 24.306 | M.S Box 8" x 10" (200 x 250 mm) 16SWG | Each | 149 | 149 | 149 | 149 | 149 | 149 | 149 | 149 | 149 | 149 | 149 | 149 | 149 |
| 24.307 | M.S Box 10" x 12" (250 x 300 mm) 16SWG | Each | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 |
| 24.308 | M.S Box 12" x 14" (300 x 350 mm) 16SWG | Each | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 |
| 24.309 | Angle iron board including paints (9"x9"x1½") | Each | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 |
| 24.310 | Angle Iron board including paint (9"x12"x1½") | Each | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 |
| 24.311 | Angle Iron board including paint (10"x12"x1½") | Each | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 | 206 |
| 24.312 | Angle Iron board including paint (12"x15"x1½") | Each | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 |
| 24.313 | Angle Iron board including paint (12"x18"x1½") | Each | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 |
| 24.314 | Angle Iron board including paint (10"x15"x1½") | Each | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 |
| 24.315 | Angle Iron board including paint (15"x18"x1½") | Each | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 | 278 |
| 24.316 | Copper strip 1½" x 1/8" x 14" (40 x 3 x 350 mm) | Each | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.317 | Copper strip 14" x 2" x 1/8" to 3/16" (350 x 50 x 3 mm to 6 mm) | Each | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 |
| 24.318 | Copper strip 14" x 2" x 1/4" (350 x 50 x 6 mm) to 6mm | Each | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 | 247 |
| 24.319 | Rag bolts 9" x 5/8" (225 x 16 mm) | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.320 | Reg bolts 12" x 5/8" (300 x 16 mm) | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.321 | Eye bolts | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.322 | Eye bolts (bigger size) for straining posts, stiffening posts & intermediate posts | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.323 | PVC/weather proof cable 3/0.029" (3/0.74 mm) Single core | per mtr. | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 24.324 | PVC/weather proof cable 7/0.029" (7/0.74 mm) Single core | per mtr. | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 24.325 | PVC/weather proof cable 7/0.036" (7/0.91 mm) Single core | per mtr. | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 |
| 24.326 | PVC/weather proof cable 7/0.044" (7/1.12 mm) Single core | per mtr. | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 |
| 24.327 | Nut & Screw | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.328 | Straining Screw for electric pole | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 24.329 | Sal wood casing for wiring | Per mtr. | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.330 | Wooden strip casing | Per % mtr. | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 | 324 |
| 24.331 | Insulated cleat (small) | Each | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 24.332 | Insulated cleat (big size) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 24.333 | Leather or wooden cleats | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 24.334 | M.S Hooks | Each | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 24.335 | M.S bar hook 3/8" (10 mm) dia | Each | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 24.336 | Canopy nipple & hook | Per Job | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 24.337 | Hook 5/8" (16 mm) with nut & bolts | Each | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 |
| 24.338 | Girder clamp hook 5/8" (16 mm) | Each | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 24.339 | PVC bushes ½" (12 mm) dia | Each | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 24.340 | Glazed porcelain (Imported) | Each | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 |
| 24.341 | Glazed Porcelain counter weight with accessories | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 24.342 | VIR/PVC cable 3/0.29 | per mtr. | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.343 | Brass lamp holder | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.344 | Brass lamp holder | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.345 | Brass lamp holder | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.346 | Double cone reflector | Each | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.347 | Switch ring type | Each | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 24.348 | Switch 10/15 Amp | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.349 | Switch 10/15 Amp. recessed | Each | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 24.350 | Plug 3 pin and switch (combined/recessed) 5 Amp. | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 24.351 | Plug 3 pin and switch (combined/recessed) 10/15 Amp. | Each | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 24.352 | Pole mounted street light holder shade and glass | each | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 | 1648 |
| 24.353 | Frame with holder | Per Job | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 | 268 |
| 24.354 | Frame set | Per Job | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| 24.355 | Round tube 32 watts | Each | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|---|--------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 24.356 | Starter (Philips) | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.357 | Choke | Each | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 |
| 24.358 | Holder | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 24.359 | Base patt for tube light | Each | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| 24.360 | Ball bearing size (6201, 6202, 6203) Japan made | Each | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.361 | Plastic cover | Each | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| 24.362 | Handle chromium plated for iron box | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 24.363 | Nut & bolts ½" (12 mm) dia 1½" (40 mm) long | Each | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 24.364 | T - Iron ¼" x 1½" x 1½" x 5½" | P.Kg | 74.00 | 74.13 | 74.04 | 74.04 | 74.05 | 74.29 | 74.35 | 74.33 | 74.16 | 74.27 | 74.07 | 74.12 | 74.12 |
| 24.365 | Clamps | P. Kg. | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 |
| 24.366 | Steel channel 75 x 40 x 3 mm | P.Kg. | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 |
| 24.367 | steel plate 3"x1½"x½" (75x40x40 mm) | P.Kg. | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 |
| 24.368 | Steel plate 3"x ¾" x ¾" (75 x 20 x 20 mm) | P.Kg. | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 |
| 24.369 | Bolts and nuts 5/8" dia (16 mm) | Each | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 24.370 | Double clamp for anchor rod henley type for pole | Each | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| 24.371 | Double clamp 9" dia (225 mm) | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 24.372 | Clamps with bolts & nuts etc. for street pole | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 24.373 | Clamp double for erection of house service pipe Henley | Each | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| 24.374 | Clamp 2" dia (50 mm) | Each | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 |
| 24.375 | Steel clamp ½" dia (12 mm) | Each | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 24.376 | G.I clamp (small) | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.377 | G.I. Clamp (large) | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 24.378 | Pole clamp with bolt & nuts for street light pole | Each | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 |
| 24.379 | Shakle insulator | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 24.380 | M.S bolts for suport | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 24.381 | Copper wire No.2 to 10 | per kg | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 |
| 24.382 | G.I wire (all size) | per kg | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 24.383 | Cut out | Each | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 24.384 | Wooden & leather cleats | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 24.385 | Vapour mercury lamp 125 watt with choke set | Each | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 | 773 |
| 24.386 | Vapour mercury lamp 250 watt with choke set | Each | 1494 | 1494 | 1494 | 1494 | 1494 | 1494 | 1494 | 1494 | 1494 | 1494 | 1494 | 1494 | 1494 |
| 24.387 | Silver paint | P.Gln | 721 | 721 | 721 | 721 | 721 | 721 | 721 | 721 | 721 | 721 | 721 | 721 | 721 |
| 24.388 | G.I Nuts & Bolts 2" long ½" Ø (50 mm x 13 mm) | Each | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 24.389 | G.I Nuts & Bolts 1½" x ¼" long (40 x 6 mm) | Each | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 24.390 | Copper wire No.16 & 20 SWG | per kg | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 |
| 24.391 | Copper Wire Old | per kg | 412 | 412 | 412 | 412 | 412 | 412 | 412 | 412 | 412 | 412 | 412 | 412 | 412 |
| 24.392 | Enemal wire No.26 SWG to 32 SWG | per kg | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 | 876 |
| 24.393 | Copper tap 1½" to 2" x 1/8" | per kg | 649 | 649 | 649 | 649 | 649 | 649 | 649 | 649 | 649 | 649 | 649 | 649 | 649 |
| 24.394 | Copper rod 1" dia (25 mm) | per kg | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 | 309 |
| 24.395 | Copper nail (small) | Each | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 24.396 | Copper staple | Each | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 24.397 | Soldering and Vernishing | Each | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 24.398 | Salt | per kg | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 24.399 | Loop wire 4 loop 3/0.029 (3/0.74 mm) | Rft | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 24.400 | Knob with shaff and plate | each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 25.001 | Locking arrangements with sliding bolt 1½" long and 1" dia | Each | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 25.002 | Hard wood stair railing | Rft | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 |
| 25.003 | M.S.Channels | Kg | 79.35 | 79.48 | 79.39 | 79.39 | 79.40 | 79.64 | 79.70 | 79.68 | 79.51 | 79.62 | 79.42 | 79.47 | 79.47 |
| 25.004 | Steel beam | Kg | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 25.005 | Steel chisel | P.Kg. | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 |
| 25.006 | Grating 3/4"x3/4" size | P.Kg. | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 |
| 25.007 | M.S. Box section of 16 SWG 1½" x 3" hand rail | P.Rft | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 25.008 | Conduit pipe 2" dia including specials | P.Ft | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 25.009 | Roller 3" dia | Each | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 | 129 |
| 25.010 | Rivets with heads 2½" long | Each | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 25.011 | Rivets 1½" long | Each | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 25.012 | Locking arrangement collapsible gate | Each | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 25.013 | Handles 12" long of ¾"x1/2" steel channels for collapsible gate | Each | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 25.014 | GI sheet 24 SWG | P.Kg. | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------|--|----------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 25.015 | GI bracket for railing shutter | Each | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 25.016 | GI Holdfast for railing shutter | Each | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 25.017 | GI Pipe 1½" dia (light quality) | P. Rft | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 25.018 | Handle for railing shutter | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 25.019 | GI spring for railing shutter | Each | 319 | 319 | 319 | 319 | 319 | 319 | 319 | 319 | 319 | 319 | 319 | 319 | 319 |
| 25.020 | Rolling gear for railing shutter | Each | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 25.021 | Iron Holdfast for steel windows | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 25.022 | GI pipe 2½" dia (light quality) | P. Rft | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 |
| 25.023 | Window hinges ¼" thick with ⅜" dia pins | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 25.024 | Brass casement handle 6" for steel windows | Each | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 25.025 | Mild steel casement stay 15" long for steel windows | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 25.026 | Wooden strips for fixing glass pans | P.Rft | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 25.027 | Steel glazing clips for fixing glass panes | Each | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 25.028 | Glass panes 2 mm thick | P. Sft. | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 25.029 | Glass panes 2.5 mm thick | P. Sft. | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 25.030 | Glass panes 3 mm thick | P. Sft. | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 25.031 | Glass panes 4 mm thick | P. Sft. | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 25.032 | Glass panes 5 mm thick | P. Sft. | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 25.033 | M.S. moulded tubular pipe of 18 SWG | P.Kg. | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 25.034 | Brass hinges (4" long) | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 25.035 | Brass Handles (4" long) | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 25.036 | U' shapped rubber lining (½" thick) | P. Rft | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 25.037 | Wire gauze galvanized 24 SWG (12x 12 mesh) | P.Sft. | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 25.038 | ½ x ½ M.S square box of 16 SWG for fixing wire gauge | P. Kg. | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 25.039 | C.P. tower bolt (225 mm long) | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 25.040 | Brass handle special type for steel windows | Each | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 25.041 | G.I. Stay for windows | Each | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 25.042 | Grill of M.S. flat ½"x½" with frame | P. Sft. | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 25.043 | Cost of flaps including hinges for G.I. Pipes | Each | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 25.044 | Steel grating | P.Sft | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 25.045 | 1½ ft. long M.S. U-Clamp ¾" dia threaded at both ends including nuts complete. | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 25.046 | Painting small detached articles not exceeding 1" sft. | Each | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 25.047 | Aluminum frame 100x20mm (4"x¾") | Rft | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 |
| 25.048 | Aluminum frame 100x40mm (4" x1½") | Rft. | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 |
| 25.049 | Aluminum frame 60x40mm (1½" x 2½") | Rft. | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| 25.050 | Aluminum frame 50x20mm (2" x ¾") | Rft. | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 25.051 | Aluminum leaf edging for aluminium windows | Rft. | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 25.052 | Tinted glass 5mm thick (Imported) | Sft. | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 25.053 | Aluminum triangular gola and gasket | Rft. | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 25.054 | Pivot for aluminium doors | Each | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 |
| 25.055 | Aluminium tower bolt 9" long | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 25.056 | locking arrangement | Each | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 |
| 25.057 | Handle Large | Rft | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| 25.058 | Rubber gasket for Aluminium Windows | Rft. | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 25.059 | Latch for Aluminium Windows | Each | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 25.060 | Steam Coal | P. Kg. | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 26.001 | 7 Strand barbed wire | P.Kg. | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 |
| 26.002 | Anti termite (As per approved manufacturer) | P-Ltr | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 |
| 26.003 | Cane Singapore | Per Kg. | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 |
| 26.004 | 3/16" dia washers for straining posts, stiffening posts & intermediate posts | Dozn | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 26.005 | Cost of bamboo 10' to 12' long | Each | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 26.006 | Cost of iron shoes for survey Jhandy | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 26.007 | Cost of red cloth for survey Jhandy | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 26.008 | Cost of ordinary wood for pegs | P. Cft. | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 26.009 | Hooks for fixing iron gauges | Dozen | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 26.010 | Filling cement bags with coal | Per Kg. | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 26.011 | Cost of manure | per Cart | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 |
| 26.012 | Polythene sheet of 300 gauge (0.003 thick) | P.Kg. | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat | |
|-------------------------|--|--------------|-----------|-----------|-----------|-----------|-----------|-----------|---------------------------|-----------|-----------|-----------|-----------|-----------|-----------|--|
| 26.013 | Soap | P. Kg. | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | |
| 26.014 | Eye bolt | Each | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | |
| 26.015 | Primer (Zinc) | P. Kg. | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | |
| 26.016 | Weather Shield Paint/Weather Coat | P. Lt | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | 258 | |
| ADDITIONAL ITEMS | | | | | | | | | | | | | | | | |
| A | 1) Bitumen (Bulk) Grade 60/70 (NRL / PARCO) AT SITE | P.Kg | 65.20 | 64.21 | 64.86 | 65.25 | 65.08 | 66.30 | 66.30 | 66.38 | 65.97 | 65.59 | 65.61 | 65.99 | 65.84 | |
| A1 | 2) Bitumen (Packed) Grade 80/100 (NRL / PARCO) AT SITE (Ref # 10.023) | P.Kg | 74.62 | 73.62 | 74.45 | 74.52 | 74.45 | 75.60 | 75.60 | 75.70 | 75.25 | 74.84 | 74.86 | 75.27 | 75.10 | |
| A3 | 1) Bitumen (Packed) Grade 60/70 (NRL / PARCO) AT SITE | P.Kg | 73.60 | 72.53 | 73.23 | 73.65 | 73.47 | 74.93 | 74.93 | 74.87 | 74.60 | 74.25 | 74.13 | 74.53 | 74.44 | |
| A4 | Mosaic marble chips tiles300 x 300 x 25 mm (12" x 12" x 1")White Cement | Each | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | |
| A5 | Graded Pea Gravel 3/8" - 1/8" for Tubewell Boring (at site) | P.% Cft | 6100 | 6100 | 6100 | 6100 | 6100 | 4100 | 4300 | 4100 | 4200 | 4400 | 5000 | 4900 | 4900 | |
| B | WATER CHARGES | 1000L | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
| C | WALL & FLOOR TILES | | | | | | | | | | | | | | | |
| CA | MASTER TILES | | | | | | | | | | | | | | | |
| CA(1) | Master Tiles 12" X12" | | | | | | | | | | | | | | | |
| 1 | Salt'n paper (SPC) with Crystal & Metallic Printing Effect (Non_Rect)(Light color)class SB | P.SQM | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | |
| 2 | Salt'n paper (SPC) with Crystal & Metallic Printing Effect (Non_Rect)(Light color)class ST | P.SQM | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | |
| 3 | Salt'n paper (SPC) with Crystal & Metallic Printing Effect (Non_Rect)(Dark color)class SB | P.SQM | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | |
| 4 | Salt'n paper (SPC) with Crystal & Metallic Printing Effect (Non_Rect)(Dark color)class ST | P.SQM | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | |
| 5 | LPF Series Light Color (Non Rectified)SB | P.SQM | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | 716 | |
| 6 | LPF Series Light Color (Non Rectified)ST | P.SQM | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | |
| 7 | LPF Series Dark Color (Non Rectified)SB | P.SQM | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | 772 | |
| 8 | LPF Series Dark Color (Non Rectified)ST | P.SQM | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | |
| 9 | LPFS Series Light Color (Rectified)SB | P.SQM | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | |
| 10 | LPFS Series Light Color (Rectified)ST | P.SQM | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | |
| 11 | LPFS Series Dark Color (Rectified)SB | P.SQM | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | 910 | |
| 12 | LPFS Series Dark Color (Rectified)ST | P.SQM | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | 850 | |
| 13 | Stone effect in Plain Colors,SEM series (Rectified)(Light color)class SB | P.SQM | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | |
| 14 | Stone effect in Plain Colors,SEM series (Rectified)(Light color)class ST | P.SQM | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | |
| 15 | Stone effect in Plain Colors,SEM series (Rectified)(Dark color)class SB | P.SQM | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | |
| 16 | Stone effect in Plain Colors,SEM series (Rectified)(Dark color)class ST | P.SQM | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | |
| 17 | Stone effect in Salt'n Pepper,SSP series (Rectified)(Light color)class SB | P.SQM | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | |
| 18 | Stone effect in Salt'n Pepper,SSP series (Rectified)(Light color)class ST | P.SQM | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | 718 | |
| 19 | Stone effect in Salt'n Pepper,SSP series (Rectified)(Dark color)class SB | P.SQM | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | 869 | |
| 20 | Stone effect in Salt'n Pepper,SSP series (Rectified)(Dark color)class ST | P.SQM | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | 791 | |
| 21 | Stone effect in Granite,SEG series (Rectified)(Light color)class SB | P.SQM | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | |
| 22 | Stone effect in Granite,SEG series (Rectified)(Light color)class ST | P.SQM | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | |
| 23 | Stone effect in Granite,SEG series (Rectified)(Dark color)class SB | P.SQM | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | |
| 24 | Stone effect in Granite,SEG series (Rectified)(Dark color)class ST | P.SQM | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | 779 | |
| CA(2) | Master tiles 16" X 16" | | | | | | | | | | | | | | | |
| 1 | BCS Series (Light - Rectified) SB | P.SQM | 803 | 803 | 803 | 803 | 803 | 803 | 803 | 803 | 803 | 803 | 803 | 803 | 803 | |
| 2 | BCS Series (Light - Rectified) ST | P.SQM | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | |
| 3 | BCS Series (Dark - Rectified) SB | P.SQM | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | 858 | |
| 4 | BCS Series (Dark - Rectified) ST | P.SQM | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | |
| 5 | Salt'n Pepper SPM Dark Polished SB | P.SQM | 1178 | 1178 | 1178 | 1178 | 1178 | 1178 | 1178 | 1178 | 1178 | 1178 | 1178 | 1178 | 1178 | |
| 6 | Salt'n Pepper SPM Dark Polished ST | P.SQM | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | |
| 7 | Salt'n Pepper (SPM 110) Light Polished SB | P.SQM | 1023 | 1023 | 1023 | 1023 | 1023 | 1023 | 1023 | 1023 | 1023 | 1023 | 1023 | 1023 | 1023 | |
| 8 | Salt'n Pepper (SPM 110) Light Polished ST | P.SQM | 930 | 930 | 930 | 930 | 930 | 930 | 930 | 930 | 930 | 930 | 930 | 930 | 930 | |
| 9 | Granite effect, GEM series Polished (Dark color) SB | P.SQM | 1128 | 1128 | 1128 | 1128 | 1128 | 1128 | 1128 | 1128 | 1128 | 1128 | 1128 | 1128 | 1128 | |
| 10 | Granite effect, GEM series Polished (Dark color) ST | P.SQM | 1034 | 1034 | 1034 | 1034 | 1034 | 1034 | 1034 | 1034 | 1034 | 1034 | 1034 | 1034 | 1034 | |
| 11 | Granite with dry/wet/venied application,DWV series Polished (Light color)class SB | P.SQM | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | |
| 12 | Granite with dry/wet/venied application,DWV series Polished (Light color)class ST | P.SQM | 951 | 951 | 951 | 951 | 951 | 951 | 951 | 951 | 951 | 951 | 951 | 951 | 951 | |
| 13 | Granite with dry/wet/venied application,DWV series Polished (Dark color)class SB | P.SQM | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | |
| 14 | Granite with dry/wet/venied application,DWV series Polished (Dark color)class ST | P.SQM | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | 1091 | |
| 15 | Coral Master (CLM) Dark Polished SB | P.SQM | 1213 | 1213 | 1213 | 1213 | 1213 | 1213 | 1213 | 1213 | 1213 | 1213 | 1213 | 1213 | 1213 | |
| 16 | Coral Master (CLM) Dark Polished ST | P.SQM | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | |
| 17 | Imperial (IMPG) Dark Color Polished SB | P.SQM | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | 1230 | |
| 18 | Imperial (IMPG) Dark Color Polished ST | P.SQM | 1110 | 1110 | 1110 | 1110 | 1110 | 1110 | 1110 | 1110 | 1110 | 1110 | 1110 | 1110 | 1110 | |
| CA(3) | Master tiles 12" X 18" | | | | | | | | | | | | | | | |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|---|-------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 1 | SP Series on matching color base (Glossy / Matt) Light Color Rectified SB | P.SQM | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 |
| 2 | SP Series on matching color base (Glossy / Matt) Light Color Rectified SS | P.SQM | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 |
| 3 | SP Series on matching color base (Glossy / Matt) Light Color Rectified ST | P.SQM | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 |
| 4 | SP Series on matching color base (Glossy) Dark Color Rectified SB | P.SQM | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 |
| 5 | SP Series on matching color base (Glossy) Dark Color Rectified SS | P.SQM | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 |
| 6 | SP Series on matching color base (Glossy) DarkColor Rectified ST | P.SQM | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 |
| 7 | GSP Series - Plain matching Light Colors (Glossy / Matt) GSP - SB | P.SQM | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 |
| 8 | GSP Series - Plain matching Light Colors (Glossy / Matt) GSP - SS | P.SQM | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 |
| 9 | GSP Series - Plain matching Light Colors (Glossy / Matt) GSP - ST | P.SQM | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 |
| 10 | GSP Series - Plain matching Dark Colors (Glossy / Matt) GSP - SB | P.SQM | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 |
| 11 | GSP Series - Plain matching Dark Colors (Glossy / Matt) GSP - SS | P.SQM | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 |
| 12 | GSP Series - Plain matching Dark Colors (Glossy / Matt) GSP - ST | P.SQM | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 |
| 13 | SP Series - Plain matching Light Colors (Glossy / Matt) SP PLN - SB | P.SQM | 906 | 906 | 906 | 906 | 906 | 906 | 906 | 906 | 906 | 906 | 906 | 906 | 906 |
| 14 | SP Series - Plain matching Light Colors (Glossy / Matt) SP PLN - SS | P.SQM | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 |
| 15 | SP Series - Plain matching Light Colors (Glossy / Matt) SP PLN - ST | P.SQM | 828 | 828 | 828 | 828 | 828 | 828 | 828 | 828 | 828 | 828 | 828 | 828 | 828 |
| 16 | SP Series - Plain matching Dark Colors (Glossy / Matt) SP PLN - SB | P.SQM | 964 | 964 | 964 | 964 | 964 | 964 | 964 | 964 | 964 | 964 | 964 | 964 | 964 |
| 17 | SP Series - Plain matching Dark Colors (Glossy / Matt) SP PLN - SS | P.SQM | 926 | 926 | 926 | 926 | 926 | 926 | 926 | 926 | 926 | 926 | 926 | 926 | 926 |
| 18 | SP Series - Plain matching Dark Colors (Glossy / Matt) SP PLN - ST | P.SQM | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 | 886 |
| CA(4) | Master tiles 24" X 24" | | | | | | | | | | | | | | |
| 1 | MCS Series Light Rectified SB | P.SQM | 1190 | 1190 | 1190 | 1190 | 1190 | 1190 | 1190 | 1190 | 1190 | 1190 | 1190 | 1190 | 1190 |
| 2 | MCS Series Light Rectified ST | P.SQM | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 |
| 3 | MCS Series Dark Rectified SB | P.SQM | 1290 | 1290 | 1290 | 1290 | 1290 | 1290 | 1290 | 1290 | 1290 | 1290 | 1290 | 1290 | 1290 |
| 4 | MCS Series Dark Rectified ST | P.SQM | 1177 | 1177 | 1177 | 1177 | 1177 | 1177 | 1177 | 1177 | 1177 | 1177 | 1177 | 1177 | 1177 |
| 5 | Salt/Pepper (SPM) Dark Polished SB | P.SQM | 1374 | 1374 | 1374 | 1374 | 1374 | 1374 | 1374 | 1374 | 1374 | 1374 | 1374 | 1374 | 1374 |
| 6 | Salt/Pepper (SPM) Dark Polished ST | P.SQM | 1262 | 1262 | 1262 | 1262 | 1262 | 1262 | 1262 | 1262 | 1262 | 1262 | 1262 | 1262 | 1262 |
| 7 | Salt/Pepper (SPM-110) Light Polished SB | P.SQM | 1359 | 1359 | 1359 | 1359 | 1359 | 1359 | 1359 | 1359 | 1359 | 1359 | 1359 | 1359 | 1359 |
| 8 | Salt/Pepper (SPM-110) Light Polished ST | P.SQM | 1246 | 1246 | 1246 | 1246 | 1246 | 1246 | 1246 | 1246 | 1246 | 1246 | 1246 | 1246 | 1246 |
| 9 | Granite Effect (GEM) Dark Polished SB | P.SQM | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 |
| 10 | Granite Effect (GEM) Dark Polished ST | P.SQM | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 |
| 11 | Granite with dry/wet/venied application,DWV series Polished (Light color)class SB | P.SQM | 1382 | 1382 | 1382 | 1382 | 1382 | 1382 | 1382 | 1382 | 1382 | 1382 | 1382 | 1382 | 1382 |
| 12 | Granite with dry/wet/venied application,DWV series Polished (Light color)class ST | P.SQM | 1266 | 1266 | 1266 | 1266 | 1266 | 1266 | 1266 | 1266 | 1266 | 1266 | 1266 | 1266 | 1266 |
| 13 | Granite with dry/wet/venied application,DWV series Polished (Dark color)class SB | P.SQM | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 | 1507 |
| 14 | Granite with dry/wet/venied application,DWV series Polished (Dark color)class ST | P.SQM | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 |
| 15 | Coral Master (CLM) Dark Polished SB | P.SQM | 1638 | 1638 | 1638 | 1638 | 1638 | 1638 | 1638 | 1638 | 1638 | 1638 | 1638 | 1638 | 1638 |
| 16 | Coral Master (CLM) Dark Polished ST | P.SQM | 1526 | 1526 | 1526 | 1526 | 1526 | 1526 | 1526 | 1526 | 1526 | 1526 | 1526 | 1526 | 1526 |
| 17 | Imperial (IMP) Dark Color Polished SB | P.SQM | 1621 | 1621 | 1621 | 1621 | 1621 | 1621 | 1621 | 1621 | 1621 | 1621 | 1621 | 1621 | 1621 |
| 18 | Imperial (IMP) Dark Color Polished ST | P.SQM | 1487 | 1487 | 1487 | 1487 | 1487 | 1487 | 1487 | 1487 | 1487 | 1487 | 1487 | 1487 | 1487 |
| CA(5) | Master Tiles 8"x8" | | | | | | | | | | | | | | |
| 1 | SP Series on matching Light Color base (Glossy / Matt) SB | P.SQM | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 |
| 2 | SP Series on matching Light Color base (Glossy / Matt) SS | P.SQM | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 |
| 3 | SP Series on matching Light Color base (Glossy / Matt) ST | P.SQM | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 |
| 4 | SP Series on matching Dark Color base (Glossy / Matt) SB | P.SQM | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 |
| 5 | SP Series on matching Dark Color base (Glossy / Matt) SS | P.SQM | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 |
| 6 | SP Series on matching Dark Color base (Glossy / Matt) ST | P.SQM | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 |
| 7 | Solo executive on light color base Plain/Texture (Glossy/Matt)SE MATT series class SB | P.SQM | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 | 701 |
| 8 | Solo executive on light color base Plain/Texture (Glossy/Matt)SE MATT series class SS | P.SQM | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 | 678 |
| 9 | Solo executive on light color base Plain/Texture (Glossy/Matt)SE MATT series class ST | P.SQM | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 |
| 10 | Solo executive on Dark color base Plain/Texture (Glossy/Matt)SE MATT series class SB | P.SQM | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 |
| 11 | Solo executive on Dark color base Plain/Texture (Glossy/Matt)SE MATT series class SS | P.SQM | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 | 714 |
| 12 | Solo executive on Dark color base Plain/Texture (Glossy/Matt)SE MATT series class ST | P.SQM | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 | 688 |
| CA(6) | Master Tiles 8"x10" | | | | | | | | | | | | | | |
| 1 | Solo executive on light color base. Plain/Texture (Glossy/Matt) SE series class SB | P.SQM | 719 | 719 | 719 | 719 | 719 | 719 | 719 | 719 | 719 | 719 | 719 | 719 | 719 |
| 2 | Solo executive on light color base. Plain/Texture (Glossy/Matt) SE series class SS | P.SQM | 696 | 696 | 696 | 696 | 696 | 696 | 696 | 696 | 696 | 696 | 696 | 696 | 696 |
| 3 | Solo executive on light color base. Plain/Texture (Glossy/Matt) SE series class ST | P.SQM | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 |
| 4 | Solo executive on Dark color base. Plain/Texture (Glossy/Matt) SE series class SB | P.SQM | 754 | 754 | 754 | 754 | 754 | 754 | 754 | 754 | 754 | 754 | 754 | 754 | 754 |
| 5 | Solo executive on Dark color base. Plain/Texture (Glossy/Matt) SE series class SS | P.SQM | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 |
| 6 | Solo executive on Dark color base. Plain/Texture (Glossy/Matt) SE series class ST | P.SQM | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 | 703 |
| CA(7) | Master Tiles 8"x12" | | | | | | | | | | | | | | |
| 1 | BELLO (BE) series on light color base class SB | P.SQM | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|---------------|--|-------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 2 | BELLO (BE) series on light color base class SS | P.SQM | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 |
| 3 | BELLO (BE) series on light color base class ST | P.SQM | 546 | 546 | 546 | 546 | 546 | 546 | 546 | 546 | 546 | 546 | 546 | 546 | 546 |
| 4 | BELLO (BE) series on Dark color base class SB | P.SQM | 647 | 647 | 647 | 647 | 647 | 647 | 647 | 647 | 647 | 647 | 647 | 647 | 647 |
| 5 | BELLO (BE) series on Dark color base class SS | P.SQM | 623 | 623 | 623 | 623 | 623 | 623 | 623 | 623 | 623 | 623 | 623 | 623 | 623 |
| 6 | BELLO (BE) series on Dark color base class ST | P.SQM | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 |
| CA(8) | Master Tiles 10"x13" | | | | | | | | | | | | | | |
| 1 | BELLO (BL) series on light color base class SB | P.SQM | 684 | 684 | 684 | 684 | 684 | 684 | 684 | 684 | 684 | 684 | 684 | 684 | 684 |
| 2 | BELLO (BL) series on light color base class SS | P.SQM | 663 | 663 | 663 | 663 | 663 | 663 | 663 | 663 | 663 | 663 | 663 | 663 | 663 |
| 3 | BELLO (BL) series on light color base class ST | P.SQM | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 |
| 4 | BELLO (BL) series on Dark color base class SB | P.SQM | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 | 738 |
| 5 | BELLO (BL) series on Dark color base class SS | P.SQM | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 |
| 6 | BELLO (BL) series on Dark color base class ST | P.SQM | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 | 692 |
| 7 | Executive BELLO (EBL) series on Light color base class SB | P.SQM | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 |
| 8 | Executive BELLO (EBL) series on Light color base class SS | P.SQM | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 |
| 9 | Executive BELLO (EBL) series on Light color base class ST | P.SQM | 669 | 669 | 669 | 669 | 669 | 669 | 669 | 669 | 669 | 669 | 669 | 669 | 669 |
| 10 | Executive BELLO (EBL) series on Dark color base class SB | P.SQM | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 |
| 11 | Executive BELLO (EBL) series on Dark color base class SS | P.SQM | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 |
| 12 | Executive BELLO (EBL) series on Dark color base class ST | P.SQM | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 | 720 |
| CA(9) | Master Tiles 10"x20" | | | | | | | | | | | | | | |
| 1 | SP Series - Plain Maching Light Colors (Glossy / Matt) SB | P.SQM | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 | 833 |
| 2 | SP Series - Plain Maching Light Colors (Glossy / Matt) SS | P.SQM | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 |
| 3 | SP Series - Plain Maching Light Colors (Glossy / Matt) ST | P.SQM | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 | 759 |
| 4 | SP Series - Plain Maching Dark Colors (Glossy / Matt) SB | P.SQM | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 | 893 |
| 5 | SP Series - Plain Maching Dark Colors (Glossy / Matt) SS | P.SQM | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 |
| 6 | SP Series - Plain Maching Dark Colors (Glossy / Matt) ST | P.SQM | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 | 815 |
| 7 | GSP Series - Plain Maching Light Colors (Glossy / Matt) SB | P.SQM | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 | 880 |
| 8 | GSP Series - Plain Maching Light Colors (Glossy / Matt) SS | P.SQM | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 | 842 |
| 9 | GSP Series - Plain Maching Light Colors (Glossy / Matt) ST | P.SQM | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 |
| 10 | GSP Series - Plain Maching Dark Colors (Glossy / Matt) SB | P.SQM | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 | 942 |
| 11 | GSP Series - Plain Maching Dark Colors (Glossy / Matt) SS | P.SQM | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 |
| 12 | GSP Series - Plain Maching Dark Colors (Glossy / Matt) ST | P.SQM | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 |
| CA(10) | Master Tiles 12"x24" | | | | | | | | | | | | | | |
| 1 | MCT Series Light Colors Glazed (SB) | P.SQM | 995 | 995 | 995 | 995 | 995 | 995 | 995 | 995 | 995 | 995 | 995 | 995 | 995 |
| 2 | MCT Series Light Colors Glazed (ST) | P.SQM | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 | 925 |
| 3 | MCT Series Dark Colors Glazed (SB) | P.SQM | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 | 1053 |
| 4 | MCT Series Dark Colors Glazed (ST) | P.SQM | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 |
| CB | NATIONAL CERAMIC TILES | | | | | | | | | | | | | | |
| CB(1) | Code 6,7,8,9,102,515,317,318 | | | | | | | | | | | | | | |
| 1 | Floor Tiles 132mm x 268mm x 10mm (All Colors) | P.SQM | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 |
| 2 | Facing Strips 66mm x 268mm x 10mm (All Colors) | P.SQM | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 | 740 |
| 3 | Step Tiles 190mm x 268mm x 10mm (All Colors) | P.SQM | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 |
| 4 | Angel 52 x 115 x 268 x 10mm | P.SQM | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 |
| CB(2) | Code 811,101,312 | | | | | | | | | | | | | | |
| 1 | Floor Tiles 132mm x 268mm x 10mm | P.SQM | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 |
| 2 | Facing Strips 66mm x 268mm x 10mm | P.SQM | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 |
| 3 | Step Tiles 190mm x 268mm x 10mm | P.SQM | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 |
| 4 | Angel 52 x 115 x 268 x 10mm | P.SQM | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 | 236 |
| CB(3) | Code 511,413, 422 | | | | | | | | | | | | | | |
| 1 | Floor Tiles 132mm x 268mm x 10mm | P.SQM | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 |
| 2 | Facing Strips 66mm x 268mm x 10mm | P.SQM | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 | 990 |
| 3 | Step Tiles 190mm x 268mm x 10mm | P.SQM | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 |
| 4 | Angel 52 x 115 x 268 x 10mm | P.SQM | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 |
| CB(4) | Code 101, 312 | | | | | | | | | | | | | | |
| 1 | Chequered Tile 115 x 268 x 10mm | P.SQM | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 | 770 |
| CC | STILE TILES (Shabbir Tiles) | | | | | | | | | | | | | | |
| CC(1) | CERAMIC WALL TILES (PREMIUM) Size 6x6 | | | | | | | | | | | | | | |
| 1 | Plain White | P.Sqm | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 |
| 2 | Plain Brown/Green | P.Sqm | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 |
| 3 | Plain Mid Night Blue | P.Sqm | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 | 830 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|--|-------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 4 | Plain Red | P.Sqm | 1028 | 1028 | 1028 | 1028 | 1028 | 1028 | 1028 | 1028 | 1028 | 1028 | 1028 | 1028 | 1028 |
| CC(2) | CERAMIC WALL TILES (PREMIUM) Size 8x8 | | | | | | | | | | | | | | |
| 1 | Plain Light Color | P.Sqm | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 |
| 2 | Plain Dark Color | P.Sqm | 637 | 637 | 637 | 637 | 637 | 637 | 637 | 637 | 637 | 637 | 637 | 637 | 637 |
| 3 | Plain N.Blue / Burgundy | P.Sqm | 707 | 707 | 707 | 707 | 707 | 707 | 707 | 707 | 707 | 707 | 707 | 707 | 707 |
| 4 | Plain Red Yellow | P.Sqm | 801 | 801 | 801 | 801 | 801 | 801 | 801 | 801 | 801 | 801 | 801 | 801 | 801 |
| 5 | Texture Light | P.Sqm | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 |
| 6 | Texture Dark | P.Sqm | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 |
| 7 | Texture Burgundy | P.Sqm | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 |
| 8 | Hala Design | P.Sqm | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 |
| 9 | Die Punch Light | P.Sqm | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 |
| 10 | Die Punch Dark | P.Sqm | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 |
| 11 | Die Punch Burgundy | P.Sqm | 726 | 726 | 726 | 726 | 726 | 726 | 726 | 726 | 726 | 726 | 726 | 726 | 726 |
| CC(3) | CERAMIC WALL TILES (PREMIUM) Size 8x10 | | | | | | | | | | | | | | |
| 1 | Plain Light Color | P.Sqm | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 | 614 |
| 2 | Plain Dark Color | P.Sqm | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 |
| 3 | Plain N.Blue / Burgundy / Exotic Brown | P.Sqm | 708 | 708 | 708 | 708 | 708 | 708 | 708 | 708 | 708 | 708 | 708 | 708 | 708 |
| 4 | Plain Red Yellow | P.Sqm | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 | 802 |
| 5 | Texture Light | P.Sqm | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 |
| 6 | Texture Dark | P.Sqm | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 | 624 |
| 7 | Texture Burgundy | P.Sqm | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 |
| 8 | Luster Light | P.Sqm | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 |
| 9 | Luster Dark | P.Sqm | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 |
| 10 | Luster Burgundy | P.Sqm | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 |
| 11 | Hala Design | P.Sqm | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 |
| 12 | Die Punch Light | P.Sqm | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 |
| 13 | Die Punch Dark | P.Sqm | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 | 658 |
| 14 | Die Punch Burgundy | P.Sqm | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 | 727 |
| CC(4) | CERAMIC WALL TILES (PREMIUM) Size 8x12 | | | | | | | | | | | | | | |
| 1 | Plain Light Color | P.Sqm | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 |
| 2 | Plain Dark Color | P.Sqm | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 | 633 |
| 3 | Plain N.Blue / Burgundy / Exotic Brown | P.Sqm | 702 | 702 | 702 | 702 | 702 | 702 | 702 | 702 | 702 | 702 | 702 | 702 | 702 |
| 4 | Plain Red Yellow | P.Sqm | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 | 797 |
| 5 | Texture Light | P.Sqm | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 |
| 6 | Texture Dark | P.Sqm | 618 | 618 | 618 | 618 | 618 | 618 | 618 | 618 | 618 | 618 | 618 | 618 | 618 |
| 7 | Texture Burgundy | P.Sqm | 689 | 689 | 689 | 689 | 689 | 689 | 689 | 689 | 689 | 689 | 689 | 689 | 689 |
| 8 | Luster Light | P.Sqm | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 |
| 9 | Luster Dark | P.Sqm | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 |
| 10 | Luster Burgundy | P.Sqm | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 |
| 11 | Hala Design | P.Sqm | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 | 595 |
| 12 | Die Punch Light | P.Sqm | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 | 628 |
| 13 | Die Punch Dark | P.Sqm | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 |
| 14 | Die Punch Burgundy | P.Sqm | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 | 722 |
| CC(5) | CERAMIC WALL TILES (PREMIUM) Size 10x13 | | | | | | | | | | | | | | |
| 1 | Plain Light Color | P.Sqm | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 | 651 |
| 2 | Plain Dark Color | P.Sqm | 674 | 674 | 674 | 674 | 674 | 674 | 674 | 674 | 674 | 674 | 674 | 674 | 674 |
| 3 | Plain N.Blue / Burgundy / Exotic Brown | P.Sqm | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 | 745 |
| 4 | Plain Red Yellow | P.Sqm | 838 | 838 | 838 | 838 | 838 | 838 | 838 | 838 | 838 | 838 | 838 | 838 | 838 |
| 5 | Texture Light | P.Sqm | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 |
| 6 | Texture Dark | P.Sqm | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 | 660 |
| 7 | Texture Burgundy | P.Sqm | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 | 731 |
| 8 | Luster Light | P.Sqm | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 |
| 9 | Luster Dark | P.Sqm | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 |
| 10 | Luster Burgundy | P.Sqm | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 |
| 11 | Die Punch Light | P.Sqm | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 | 670 |
| 12 | Die Punch Dark | P.Sqm | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 |
| 13 | Die Punch Burgundy | P.Sqm | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 |
| CC(6) | CERAMIC WALL TILES (PREMIUM) Size 12x24 | | | | | | | | | | | | | | |
| 1 | Plain Matt (All) | P.Sqm | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|---------------|---|-------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 2 | Plain High Gloss (ink Jet) All | P.Sqm | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 | 1078 |
| 3 | Die Punch (All) | P.Sqm | 1524 | 1524 | 1524 | 1524 | 1524 | 1524 | 1524 | 1524 | 1524 | 1524 | 1524 | 1524 | 1524 |
| CC(7) | CERAMIC WALL TILES (PREMIUM) Size 12x18 | | | | | | | | | | | | | | |
| 1 | Plain Light Color | P.Sqm | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 |
| 2 | Plain Dark Color | P.Sqm | 685 | 685 | 685 | 685 | 685 | 685 | 685 | 685 | 685 | 685 | 685 | 685 | 685 |
| 3 | Plain N.Blue / Burgundy | P.Sqm | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 | 743 |
| 4 | Plain Red Yellow | P.Sqm | 868 | 868 | 868 | 868 | 868 | 868 | 868 | 868 | 868 | 868 | 868 | 868 | 868 |
| 5 | Texture Light | P.Sqm | 746 | 746 | 746 | 746 | 746 | 746 | 746 | 746 | 746 | 746 | 746 | 746 | 746 |
| 6 | Texture Dark | P.Sqm | 774 | 774 | 774 | 774 | 774 | 774 | 774 | 774 | 774 | 774 | 774 | 774 | 774 |
| 7 | Texture Burgundy | P.Sqm | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 | 840 |
| 8 | Luster Light | P.Sqm | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 |
| 9 | Luster Dark | P.Sqm | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 |
| 10 | Luster Burgundy | P.Sqm | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 |
| 11 | Die Punch Light | P.Sqm | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 | 778 |
| 12 | Die Punch Dark | P.Sqm | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 |
| 13 | Die Punch Burgundy | P.Sqm | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 | 873 |
| CC(8) | CERAMIC FLOOR TILES (PREMIUM) Size 12x12 (CFT MATT) | | | | | | | | | | | | | | |
| 1 | Plain Light Color | P.Sqm | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 |
| 2 | Plain Dark Color | P.Sqm | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 |
| 3 | Texture Light | P.Sqm | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 | 574 |
| 4 | Texture Dark | P.Sqm | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 |
| CC(9) | CERAMIC FLOOR TILES (PREMIUM) Size 12x12 (CFT GLOSSY) | | | | | | | | | | | | | | |
| 1 | Plain Light Color | P.Sqm | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 |
| 2 | Plain Dark Color | P.Sqm | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 |
| 3 | Texture Light | P.Sqm | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 | 598 |
| 4 | Texture Dark | P.Sqm | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 | 626 |
| CC(10) | PORCELAIN FLOOR TILES (PFT) NANO POLISHED Size 16x16 (PREMIUM) | | | | | | | | | | | | | | |
| 1 | Plain Light Color SSP | P.Sqm | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 |
| 2 | Plain Coffe Brown SSP | P.Sqm | 1430 | 1430 | 1430 | 1430 | 1430 | 1430 | 1430 | 1430 | 1430 | 1430 | 1430 | 1430 | 1430 |
| 3 | Salt & Pepper light SNP | P.Sqm | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 |
| 4 | Vein Effect SVE | P.Sqm | 1102 | 1102 | 1102 | 1102 | 1102 | 1102 | 1102 | 1102 | 1102 | 1102 | 1102 | 1102 | 1102 |
| CC(11) | PORCELAIN FLOOR TILES (PFT) NANO POLISHED Size 20x20 (PREMIUM) | | | | | | | | | | | | | | |
| 1 | Plain Light Color SSP | P.Sqm | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 |
| 2 | Plain Coffe Brown SSP | P.Sqm | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 |
| 3 | Salt & Pepper light SNP | P.Sqm | 1069 | 1069 | 1069 | 1069 | 1069 | 1069 | 1069 | 1069 | 1069 | 1069 | 1069 | 1069 | 1069 |
| 4 | Salt & Pepper Dark Grey 52301 SNP | P.Sqm | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 |
| 5 | Salt & Pepper Green 50902 SNP | P.Sqm | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 | 1479 |
| 6 | Vein Effect SVE | P.Sqm | 1150 | 1150 | 1150 | 1150 | 1150 | 1150 | 1150 | 1150 | 1150 | 1150 | 1150 | 1150 | 1150 |
| CC(12) | PORCELAIN FLOOR TILES (PFT) Size 16x16 (PREMIUM) | | | | | | | | | | | | | | |
| 1 | Plain Light Color SSP | P.Sqm | 1025 | 1025 | 1025 | 1025 | 1025 | 1025 | 1025 | 1025 | 1025 | 1025 | 1025 | 1025 | 1025 |
| 2 | Plain Coffe Brown SSP | P.Sqm | 1408 | 1408 | 1408 | 1408 | 1408 | 1408 | 1408 | 1408 | 1408 | 1408 | 1408 | 1408 | 1408 |
| 3 | Salt & Pepper light SNP | P.Sqm | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 | 1019 |
| 4 | Vein Effect SVE | P.Sqm | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 | 1079 |
| CC(13) | PORCELAIN FLOOR TILES (PFT) Size 20x20 (PREMIUM) | | | | | | | | | | | | | | |
| 1 | Plain Light Color SSP | P.Sqm | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 |
| 2 | Plain Coffe Brown SSP | P.Sqm | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 |
| 3 | Salt & Pepper light SNP | P.Sqm | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 | 1046 |
| 4 | Salt & Pepper Dark Grey 52301 SNP | P.Sqm | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 |
| 5 | Salt & Pepper Green 50902 SNP | P.Sqm | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 | 1458 |
| 6 | Vein Effect SVE | P.Sqm | 1129 | 1129 | 1129 | 1129 | 1129 | 1129 | 1129 | 1129 | 1129 | 1129 | 1129 | 1129 | 1129 |
| 7 | Inkjet Glass Porcelian (Matt) Light | P.Sqm | 992 | 992 | 992 | 992 | 992 | 992 | 992 | 992 | 992 | 992 | 992 | 992 | 992 |
| D | Electrical & Gas Fitting | | | | | | | | | | | | | | |
| DA | Circuit Brakers (As per approved manufacturers) | | | | | | | | | | | | | | |
| DA(1) | Single Pole (LEGRAND) | | | | | | | | | | | | | | |
| 1 | MCB 1 POLE 6A, 6KA (LR) | Each | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 |
| 2 | MCB 1 POLE 20A, 6KA (LR) | Each | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 |
| 3 | MCB 1 POLE 50A, 6KA (LR) | Each | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 |
| 4 | MCB 1 POLE 63A, 6KA (LR) | Each | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 | 550 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|---|--------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| DA(2) | Double pole (LEGRAND) | | | | | | | | | | | | | | |
| 1 | MCB 2 POLE 6A, 6KA (LR) | Each | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 |
| 2 | MCB 2 POLE 20A, 6KA (LR) | Each | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 |
| 3 | MCB 2 POLE 50A, 6KA (LR) | Each | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 |
| 4 | MCB 2 POLE 63A, 6KA (LR) | Each | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 |
| DA(3) | Tripple Pole (HITACHI) | | | | | | | | | | | | | | |
| 1 | MCCB TP 5A 2.5KA | Each | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 |
| 2 | MCCB TP 20A 2.5KA | Each | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 | 3090 |
| 3 | MCCB TP 50A 10KA | Each | 4880 | 4880 | 4880 | 4880 | 4880 | 4880 | 4880 | 4880 | 4880 | 4880 | 4880 | 4880 | 4880 |
| 4 | MCCB TP 125A 15KA | Each | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 |
| 5 | MCCB TP 200A 18KA | Each | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 | 11100 |
| DB | FLEXIBLE CABLES (As per approved manufacturer made from imported copper) | | | | | | | | | | | | | | |
| DB(1) | FLAT SHEATHED 2-CORE FLEXIBLE WIRE | | | | | | | | | | | | | | |
| 1 | 14/.0076 | P.Mtr. | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 2 | 23/.0076 | P.Mtr. | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 3 | 40/.0076 | P.Mtr. | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 4 | 70/.0076 | P.Mtr. | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 5 | 110/.0076 | P.Mtr. | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 |
| 6 | 162/.0076 | P.Mtr. | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 |
| DB(2) | ROUND SHEATHED 3-CORE FLEXIBLE WIRE | | | | | | | | | | | | | | |
| 1 | 14/.0076 | P.Mtr. | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 2 | 23/.0076 | P.Mtr. | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 | 39 |
| 3 | 40/.0076 | P.Mtr. | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| 4 | 70/.0076 | P.Mtr. | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 |
| 5 | 110/.0076 | P.Mtr. | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 |
| 6 | 162/.0076 | P.Mtr. | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 |
| DB(3) | ROUND SHEATHED 4-CORE FLEXIBLE WIRE | | | | | | | | | | | | | | |
| 1 | 14/.0076 | P.Mtr. | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 2 | 23/.0076 | P.Mtr. | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 | 49 |
| 3 | 40/.0076 | P.Mtr. | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 |
| 4 | 70/.0076 | P.Mtr. | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 |
| 5 | 110/.0076 | P.Mtr. | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 | 190 |
| 6 | 162/.0076 | P.Mtr. | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 | 275 |
| DC | POWER CABLE (As per approved manufacturer made from imported copper) | | | | | | | | | | | | | | |
| 1 | 70 mm sq s/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 | 849 |
| 2 | 25 mm sq 4/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 1306 | 1306 | 1306 | 1306 | 1306 | 1306 | 1306 | 1306 | 1306 | 1306 | 1306 | 1306 | 1306 |
| 3 | 35 mm sq 4/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 |
| 4 | 50 mm sq 4/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 |
| 5 | 70 mm sq 4/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 3438 | 3438 | 3438 | 3438 | 3438 | 3438 | 3438 | 3438 | 3438 | 3438 | 3438 | 3438 | 3438 |
| 6 | 95 mm sq 4/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 |
| 7 | 120 mm sq 4/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 5993 | 5993 | 5993 | 5993 | 5993 | 5993 | 5993 | 5993 | 5993 | 5993 | 5993 | 5993 | 5993 |
| 8 | 150 mm sq 4/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 7363 | 7363 | 7363 | 7363 | 7363 | 7363 | 7363 | 7363 | 7363 | 7363 | 7363 | 7363 | 7363 |
| 9 | 185 mm sq 4/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 9216 | 9216 | 9216 | 9216 | 9216 | 9216 | 9216 | 9216 | 9216 | 9216 | 9216 | 9216 | 9216 |
| 10 | 240 mm sq 4/c Cu.pvc/pvc (Sheathed) | P.Mtr. | 12083 | 12083 | 12083 | 12083 | 12083 | 12083 | 12083 | 12083 | 12083 | 12083 | 12083 | 12083 | 12083 |
| 11 | 16 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 1004 | 1004 | 1004 | 1004 | 1004 | 1004 | 1004 | 1004 | 1004 | 1004 | 1004 | 1004 | 1004 |
| 12 | 25 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 1459 | 1459 | 1459 | 1459 | 1459 | 1459 | 1459 | 1459 | 1459 | 1459 | 1459 | 1459 | 1459 |
| 13 | 35 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 1956 | 1956 | 1956 | 1956 | 1956 | 1956 | 1956 | 1956 | 1956 | 1956 | 1956 | 1956 | 1956 |
| 14 | 50 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 2656 | 2656 | 2656 | 2656 | 2656 | 2656 | 2656 | 2656 | 2656 | 2656 | 2656 | 2656 | 2656 |
| 15 | 70 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 3724 | 3724 | 3724 | 3724 | 3724 | 3724 | 3724 | 3724 | 3724 | 3724 | 3724 | 3724 | 3724 |
| 16 | 95mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 5087 | 5087 | 5087 | 5087 | 5087 | 5087 | 5087 | 5087 | 5087 | 5087 | 5087 | 5087 | 5087 |
| 17 | 120 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 6425 | 6425 | 6425 | 6425 | 6425 | 6425 | 6425 | 6425 | 6425 | 6425 | 6425 | 6425 | 6425 |
| 18 | 150 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 7832 | 7832 | 7832 | 7832 | 7832 | 7832 | 7832 | 7832 | 7832 | 7832 | 7832 | 7832 | 7832 |
| 19 | 185 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 9747 | 9747 | 9747 | 9747 | 9747 | 9747 | 9747 | 9747 | 9747 | 9747 | 9747 | 9747 | 9747 |
| 20 | 240 mm sq 4/c Cu.pvc/pvc/swa/pvc (Armoured) | P.Mtr. | 12679 | 12679 | 12679 | 12679 | 12679 | 12679 | 12679 | 12679 | 12679 | 12679 | 12679 | 12679 | 12679 |
| DD | FANS | | | | | | | | | | | | | | |
| 1 | Bracket Fan 18" (As per approved manufacturers) | Each | 2300 | 2300 | 2300 | 2300 | 2300 | 2300 | 2300 | 2300 | 2300 | 2300 | 2300 | 2300 | 2300 |
| 2 | Exhaust Fan 12" sweep with louver and shutter (As per approved manufacturers) | Each | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 |
| 3 | Exhaust Fan 10" sweep with louver and shutter (As per approved manufacturers) | Each | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 |
| 4 | Exhaust Fan 8" sweep with louver and shutter (As per approved manufacturers) | Each | 1400 | 1400 | 1400 | 1400 | 1400 | 1400 | 1400 | 1400 | 1400 | 1400 | 1400 | 1400 | 1400 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|--|-------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| DE | Water geyser 14 SWG GI sheet tank , 22 guage SWG MS sheet external cover 4" thick high density glass wool (As per approved manufacturers) | | | | | | | | | | | | | | |
| 1 | 35 Gallon Capacity | Each | 11500 | 11500 | 11500 | 11500 | 11500 | 11500 | 11500 | 11500 | 11500 | 11500 | 11500 | 11500 | 11500 |
| 2 | 50 Gallon Capacity | Each | 13000 | 13000 | 13000 | 13000 | 13000 | 13000 | 13000 | 13000 | 13000 | 13000 | 13000 | 13000 | 13000 |
| 3 | 55 Gallon Capacity | Each | 14500 | 14500 | 14500 | 14500 | 14500 | 14500 | 14500 | 14500 | 14500 | 14500 | 14500 | 14500 | 14500 |
| 4 | Labour charges and cost of fitting | Each | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 |
| DF | Electric Water Geyser (As per approved manufacturers) | | | | | | | | | | | | | | |
| 1 | 10 Gallon | Each | 5800 | 5800 | 5800 | 5800 | 5800 | 5800 | 5800 | 5800 | 5800 | 5800 | 5800 | 5800 | 5800 |
| 2 | 12 Gallon | Each | 6300 | 6300 | 6300 | 6300 | 6300 | 6300 | 6300 | 6300 | 6300 | 6300 | 6300 | 6300 | 6300 |
| 3 | 15 Gallon | Each | 6900 | 6900 | 6900 | 6900 | 6900 | 6900 | 6900 | 6900 | 6900 | 6900 | 6900 | 6900 | 6900 |
| 4 | 20 Gallon | Each | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 | 9500 |
| 5 | 25 Gallon | Each | 10000 | 10000 | 10000 | 10000 | 10000 | 10000 | 10000 | 10000 | 10000 | 10000 | 10000 | 10000 | 10000 |
| DG | Sui Gas Room Heaters (As per approved manufacturers) | | | | | | | | | | | | | | |
| 1 | i)Sui gas room heater single plate.complete in all respect | Each | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 | 3200 |
| 2 | ii)Sui gas room heater double plate.complete in all respect | Each | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 |
| E | Storage Water Tanks (Double Ply) (As per approved manufacturers) | | | | | | | | | | | | | | |
| EA(1) | Vertical Water Tanks | | | | | | | | | | | | | | |
| 1 | 200 Gls Capicity (Vertical) | Each | 9192 | 9192 | 9192 | 9192 | 9192 | 9192 | 9192 | 9192 | 9192 | 9192 | 9192 | 9192 | 9192 |
| 2 | 250 Gls Capacity (Vertical) | Each | 11638 | 11638 | 11638 | 11638 | 11638 | 11638 | 11638 | 11638 | 11638 | 11638 | 11638 | 11638 | 11638 |
| 3 | 300 Gls Capacity(VERTICAL) | Each | 12778 | 12778 | 12778 | 12778 | 12778 | 12778 | 12778 | 12778 | 12778 | 12778 | 12778 | 12778 | 12778 |
| 4 | 400 Gls Capacity(VERTICAL) | Each | 15274 | 15274 | 15274 | 15274 | 15274 | 15274 | 15274 | 15274 | 15274 | 15274 | 15274 | 15274 | 15274 |
| 5 | 500 Gls Capacity(VERTICAL) | Each | 19119 | 19119 | 19119 | 19119 | 19119 | 19119 | 19119 | 19119 | 19119 | 19119 | 19119 | 19119 | 19119 |
| EA(2) | Horizontal Water Tanks (Double Ply) (As per approved manufacturers) | | | | | | | | | | | | | | |
| 1 | 200 Gls Capacity(Horizontal) | Each | 11602 | 11602 | 11602 | 11602 | 11602 | 11602 | 11602 | 11602 | 11602 | 11602 | 11602 | 11602 | 11602 |
| 2 | 250 Gls Capacity(Horizontal) | Each | 15628 | 15628 | 15628 | 15628 | 15628 | 15628 | 15628 | 15628 | 15628 | 15628 | 15628 | 15628 | 15628 |
| 3 | 300 Gls Capacity(Horizontal) | Each | 17214 | 17214 | 17214 | 17214 | 17214 | 17214 | 17214 | 17214 | 17214 | 17214 | 17214 | 17214 | 17214 |
| F | Water Supply Pumps (As per approved manufacturers) | | | | | | | | | | | | | | |
| 1 | 0.5 H.P motor. 15 m suction & 15 head (non automatic) | Each | 6634 | 6634 | 6634 | 6634 | 6634 | 6634 | 6634 | 6634 | 6634 | 6634 | 6634 | 6634 | 6634 |
| 2 | 0.5 H.P motor. 15 m suction & 15 m head (Automatic with tank) | Each | 9900 | 9900 | 9900 | 9900 | 9900 | 9900 | 9900 | 9900 | 9900 | 9900 | 9900 | 9900 | 9900 |
| 3 | 1 H.P motor. 21 m suction & 21 m head (non automatic) | Each | 8845 | 8845 | 8845 | 8845 | 8845 | 8845 | 8845 | 8845 | 8845 | 8845 | 8845 | 8845 | 8845 |
| 4 | 1 H.P motor. 21 m suction & 21 m head (Automatic with Tank) | Each | 12151 | 12151 | 12151 | 12151 | 12151 | 12151 | 12151 | 12151 | 12151 | 12151 | 12151 | 12151 | 12151 |
| 5 | 2 H.P motor. 27 m suction & 35 m head (non automatic) | Each | 11057 | 11057 | 11057 | 11057 | 11057 | 11057 | 11057 | 11057 | 11057 | 11057 | 11057 | 11057 | 11057 |
| 6 | 2.5 H.P motor. 38 m suction & 38 m head (non automatic) | Each | 13268 | 13268 | 13268 | 13268 | 13268 | 13268 | 13268 | 13268 | 13268 | 13268 | 13268 | 13268 | 13268 |
| 7 | Ejector | Each | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 |
| G | MASTER SANITARY FITTINGS | | | | | | | | | | | | | | |
| GA(1) | MASTER BATH MIXERS (CP) (Size 1/2") | | | | | | | | | | | | | | |
| 1 | Master Common Bath Mixer wall type with common hand shower (027) | P.Set | 4684 | 4684 | 4684 | 4684 | 4684 | 4684 | 4684 | 4684 | 4684 | 4684 | 4684 | 4684 | 4684 |
| 2 | Master Common Bath Mixer wall type without hand shower (027A) | P.Set | 4025 | 4025 | 4025 | 4025 | 4025 | 4025 | 4025 | 4025 | 4025 | 4025 | 4025 | 4025 | 4025 |
| 3 | Master Common Bath Mixer wall type with noble hand shower (027B) | P.Set | 5330 | 5330 | 5330 | 5330 | 5330 | 5330 | 5330 | 5330 | 5330 | 5330 | 5330 | 5330 | 5330 |
| 4 | Master Common Bath Mixer wall type with common hand shower in 4 knobs (Special)(028) | P.Set | 5287 | 5287 | 5287 | 5287 | 5287 | 5287 | 5287 | 5287 | 5287 | 5287 | 5287 | 5287 | 5287 |
| 5 | Master Common Bath Mixer wall type without common hand shower in 4 knobs (Special)(028A) | P.Set | 4628 | 4628 | 4628 | 4628 | 4628 | 4628 | 4628 | 4628 | 4628 | 4628 | 4628 | 4628 | 4628 |
| 6 | Master Common Bath Mixer wall type with noble hand shower in 4 knobs (Special)(028B) | P.Set | 5933 | 5933 | 5933 | 5933 | 5933 | 5933 | 5933 | 5933 | 5933 | 5933 | 5933 | 5933 | 5933 |
| 7 | Master Common Bath Mixer wall type with shower delux in color face and 4 feet rod (029) | P.Set | 6330 | 6330 | 6330 | 6330 | 6330 | 6330 | 6330 | 6330 | 6330 | 6330 | 6330 | 6330 | 6330 |
| 8 | Master Common Bath Mixer wall type with noble over head shower and 4 feet rod (029A) | P.Set | 6222 | 6222 | 6222 | 6222 | 6222 | 6222 | 6222 | 6222 | 6222 | 6222 | 6222 | 6222 | 6222 |
| 9 | Master Common Bath Mixer wall type with shower delux in color face and 4 feet rod in 4 knobs (Special)(030) | P.Set | 6934 | 6934 | 6934 | 6934 | 6934 | 6934 | 6934 | 6934 | 6934 | 6934 | 6934 | 6934 | 6934 |
| 10 | Master Common Bath Mixer wall type with noble over head shower and 4 feet rod in 4 knobs (Special)(030A) | P.Set | 6826 | 6826 | 6826 | 6826 | 6826 | 6826 | 6826 | 6826 | 6826 | 6826 | 6826 | 6826 | 6826 |
| 11 | Master Victorian Bath Mixer with noble hand shower (038) | P.Set | 5420 | 5420 | 5420 | 5420 | 5420 | 5420 | 5420 | 5420 | 5420 | 5420 | 5420 | 5420 | 5420 |
| 12 | Master Victorian Bath Mixer wall type with shower delux in color face and 4 feet rod (038B) | P.Set | 5722 | 5722 | 5722 | 5722 | 5722 | 5722 | 5722 | 5722 | 5722 | 5722 | 5722 | 5722 | 5722 |
| 13 | Master Regal Bath Mixer with noble hand shower (039) | P.Set | 4626 | 4626 | 4626 | 4626 | 4626 | 4626 | 4626 | 4626 | 4626 | 4626 | 4626 | 4626 | 4626 |
| 14 | Master Regal Bath Mixer wall type with shower delux in color face and 4 feet rod (039B) | P.Set | 4986 | 4986 | 4986 | 4986 | 4986 | 4986 | 4986 | 4986 | 4986 | 4986 | 4986 | 4986 | 4986 |
| 15 | Master Delta Bath Mixer wall type with noble hand shower (041) | P.Set | 8987 | 8987 | 8987 | 8987 | 8987 | 8987 | 8987 | 8987 | 8987 | 8987 | 8987 | 8987 | 8987 |
| 16 | Master Delta Bath Mixer wall type without hand shower (041A) | P.Set | 7234 | 7234 | 7234 | 7234 | 7234 | 7234 | 7234 | 7234 | 7234 | 7234 | 7234 | 7234 | 7234 |
| 17 | Master Delta Bath Mixer wall type with item # 132 (041B) | P.Set | 11062 | 11062 | 11062 | 11062 | 11062 | 11062 | 11062 | 11062 | 11062 | 11062 | 11062 | 11062 | 11062 |
| 18 | Master Kira Bath Mixer with common hand shower (043) | P.Set | 5296 | 5296 | 5296 | 5296 | 5296 | 5296 | 5296 | 5296 | 5296 | 5296 | 5296 | 5296 | 5296 |
| 19 | Master Kira Bath Mixer without hand shower (043A) | P.Set | 4637 | 4637 | 4637 | 4637 | 4637 | 4637 | 4637 | 4637 | 4637 | 4637 | 4637 | 4637 | 4637 |
| 20 | Master Kira Bath Mixer with noble hand shower (043B) | P.Set | 5943 | 5943 | 5943 | 5943 | 5943 | 5943 | 5943 | 5943 | 5943 | 5943 | 5943 | 5943 | 5943 |
| 21 | Master Ablution Mixer without muslim shower (044) | P.Set | 3390 | 3390 | 3390 | 3390 | 3390 | 3390 | 3390 | 3390 | 3390 | 3390 | 3390 | 3390 | 3390 |
| 22 | Master Cobra Bath Mixer wall type with common hand shower (045) | P.Set | 4487 | 4487 | 4487 | 4487 | 4487 | 4487 | 4487 | 4487 | 4487 | 4487 | 4487 | 4487 | 4487 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|------|--|-------|--------|-------|-------|--------|---------|---------|----------------------|--------|--------|---------|--------|---------|--------|
| 23 | Master Cobra Bath Mixer wall type without hand shower (045A) | P.Set | 3830 | 3830 | 3830 | 3830 | 3830 | 3830 | 3830 | 3830 | 3830 | 3830 | 3830 | 3830 | 3830 |
| 24 | Master Cobra Bath Mixer wall type with noble hand shower (045B) | P.Set | 5134 | 5134 | 5134 | 5134 | 5134 | 5134 | 5134 | 5134 | 5134 | 5134 | 5134 | 5134 | 5134 |
| 25 | Master Bath Mixer wall type without hand shower connection in 2 knobs (Special) (047) | P.Set | 2585 | 2585 | 2585 | 2585 | 2585 | 2585 | 2585 | 2585 | 2585 | 2585 | 2585 | 2585 | 2585 |
| 26 | Master Slim Line single hole bidet mixer with pop-up waste (special) (049) | P.Set | 5637 | 5637 | 5637 | 5637 | 5637 | 5637 | 5637 | 5637 | 5637 | 5637 | 5637 | 5637 | 5637 |
| 27 | Master Delta single lever bidet mixer with pop-up waste (052) | P.Set | 5692 | 5692 | 5692 | 5692 | 5692 | 5692 | 5692 | 5692 | 5692 | 5692 | 5692 | 5692 | 5692 |
| 28 | Master charisma bath mixer with common hand shower (053) | P.Set | 5828 | 5828 | 5828 | 5828 | 5828 | 5828 | 5828 | 5828 | 5828 | 5828 | 5828 | 5828 | 5828 |
| 29 | Master charisma bath mixer without common hand shower (053A) | P.Set | 5171 | 5171 | 5171 | 5171 | 5171 | 5171 | 5171 | 5171 | 5171 | 5171 | 5171 | 5171 | 5171 |
| 30 | Master charisma bath mixer with noble hand shower (053B) | P.Set | 6475 | 6475 | 6475 | 6475 | 6475 | 6475 | 6475 | 6475 | 6475 | 6475 | 6475 | 6475 | 6475 |
| 31 | Master charisma bath mixer wall type with shower delux in colour face and 4 feet rod (054) | P.Set | 7530 | 7530 | 7530 | 7530 | 7530 | 7530 | 7530 | 7530 | 7530 | 7530 | 7530 | 7530 | 7530 |
| 32 | Master charisma bath mixer wall type with noble over head shower & 4 feet rod (054A) | P.Set | 7423 | 7423 | 7423 | 7423 | 7423 | 7423 | 7423 | 7423 | 7423 | 7423 | 7423 | 7423 | 7423 |
| 33 | Master elite bath mixer with elite hand shower (073) | P.Set | 8136 | 8136 | 8136 | 8136 | 8136 | 8136 | 8136 | 8136 | 8136 | 8136 | 8136 | 8136 | 8136 |
| 34 | Master elite bath mixer wall type with elite overhead shower and 4 feet rod (073B) | P.Set | 8332 | 8332 | 8332 | 8332 | 8332 | 8332 | 8332 | 8332 | 8332 | 8332 | 8332 | 8332 | 8332 |
| 35 | Master lexus bath mixer with elite hand shower (074) | P.Set | 7538 | 7538 | 7538 | 7538 | 7538 | 7538 | 7538 | 7538 | 7538 | 7538 | 7538 | 7538 | 7538 |
| 36 | Master lexus bath mixer wall type with elite overhead shower and 4 feet rod (074B) | P.Set | 7717 | 7717 | 7717 | 7717 | 7717 | 7717 | 7717 | 7717 | 7717 | 7717 | 7717 | 7717 | 7717 |
| 37 | Master bravo single lever bidet mixer with pop up waste (080) | P.Set | 7138 | 7138 | 7138 | 7138 | 7138 | 7138 | 7138 | 7138 | 7138 | 7138 | 7138 | 7138 | 7138 |
| 38 | Master Iris single lever bath mixer with noble hand shower (114) | P.Set | 8271 | 8271 | 8271 | 8271 | 8271 | 8271 | 8271 | 8271 | 8271 | 8271 | 8271 | 8271 | 8271 |
| 39 | Master Iris single lever bath mixer without hand shower (114A) | P.Set | 6517 | 6517 | 6517 | 6517 | 6517 | 6517 | 6517 | 6517 | 6517 | 6517 | 6517 | 6517 | 6517 |
| 40 | Master Iris single lever bath mixer wall type with item # 131 (114B) | P.Set | 9415 | 9415 | 9415 | 9415 | 9415 | 9415 | 9415 | 9415 | 9415 | 9415 | 9415 | 9415 | 9415 |
| 41 | Master Pansy Quarter Round (with disc head work) Bath Mixer with noble hand shower (118) | P.Set | 7352 | 7352 | 7352 | 7352 | 7352 | 7352 | 7352 | 7352 | 7352 | 7352 | 7352 | 7352 | 7352 |
| 42 | Master Pansy Quarter Round (with disc head work) Bath Mixer without hand shower (118A) | P.Set | 5599 | 5599 | 5599 | 5599 | 5599 | 5599 | 5599 | 5599 | 5599 | 5599 | 5599 | 5599 | 5599 |
| 43 | Master Pansy Quarter Round (with disc head work) Bath Mixer wall type with item # 131 (118B) | P.Set | 9079 | 9079 | 9079 | 9079 | 9079 | 9079 | 9079 | 9079 | 9079 | 9079 | 9079 | 9079 | 9079 |
| 44 | Master Caper Quarter Round (with disc head work) Bath Mixer wall type with caper hand shower (120) | P.Set | 11726 | 11726 | 11726 | 11726 | 11726 | 11726 | 11726 | 11726 | 11726 | 11726 | 11726 | 11726 | 11726 |
| 45 | Master Caper Quarter Round (with disc head work) Bath Mixer wall type with caper wall shower (121) | P.Set | 14980 | 14980 | 14980 | 14980 | 14980 | 14980 | 14980 | 14980 | 14980 | 14980 | 14980 | 14980 | 14980 |
| 46 | Master Jazz Quarter Round (with disc head work) Bath Mixer with noble hand shower (126) | P.Set | 7259 | 7259 | 7259 | 7259 | 7259 | 7259 | 7259 | 7259 | 7259 | 7259 | 7259 | 7259 | 7259 |
| 47 | Master Jazz Quarter Round (with disc head work) Bath Mixer without hand shower (126A) | P.Set | 5504 | 5504 | 5504 | 5504 | 5504 | 5504 | 5504 | 5504 | 5504 | 5504 | 5504 | 5504 | 5504 |
| 48 | Master Jazz Quarter Round (with disc head work) Bath Mixer wall type with item # 131 (126B) | P.Set | 8123 | 8123 | 8123 | 8123 | 8123 | 8123 | 8123 | 8123 | 8123 | 8123 | 8123 | 8123 | 8123 |
| 49 | Master Bath Mixer converting attachment into wall shower suitable for item # 043A (129) | P.Set | 3545 | 3545 | 3545 | 3545 | 3545 | 3545 | 3545 | 3545 | 3545 | 3545 | 3545 | 3545 | 3545 |
| 50 | Master Bath Mixer converting attachment into wall shower suitable for item # 114A (118A) 131 | P.Set | 3480 | 3480 | 3480 | 3480 | 3480 | 3480 | 3480 | 3480 | 3480 | 3480 | 3480 | 3480 | 3480 |
| 51 | Master Tempo Single Lever Bath Mixer with noble hand shower (134) | P.Set | 8148 | 8148 | 8148 | 8148 | 8148 | 8148 | 8148 | 8148 | 8148 | 8148 | 8148 | 8148 | 8148 |
| 52 | Master Tempo Single Lever Bath Mixer without hand shower (134A) | P.Set | 6395 | 6395 | 6395 | 6395 | 6395 | 6395 | 6395 | 6395 | 6395 | 6395 | 6395 | 6395 | 6395 |
| 53 | Master Tempo Single Lever Bath Mixer with wall shower (134B) | P.Set | 9217 | 9217 | 9217 | 9217 | 9217 | 9217 | 9217 | 9217 | 9217 | 9217 | 9217 | 9217 | 9217 |
| 54 | Master Orient Single Lever Bath Mixer with noble hand shower (146) | P.Set | 8273 | 8273 | 8273 | 8273 | 8273 | 8273 | 8273 | 8273 | 8273 | 8273 | 8273 | 8273 | 8273 |
| 55 | Master Orient Single Lever Bath Mixer without hand shower (146A) | P.Set | 6519 | 6519 | 6519 | 6519 | 6519 | 6519 | 6519 | 6519 | 6519 | 6519 | 6519 | 6519 | 6519 |
| 56 | Master Orient Single Lever Bath Mixer with wall shower (146B) | P.Set | 9250 | 9250 | 9250 | 9250 | 9250 | 9250 | 9250 | 9250 | 9250 | 9250 | 9250 | 9250 | 9250 |
| 57 | Master Bravo Single Lever Bath Mixer with noble hand shower (148) | P.Set | 13505 | 13505 | 13505 | 13505 | 13505 | 13505 | 13505 | 13505 | 13505 | 13505 | 13505 | 13505 | 13505 |
| 58 | Master Bravo Single Lever Bath Mixer without hand shower (148A) | P.Set | 11751 | 11751 | 11751 | 11751 | 11751 | 11751 | 11751 | 11751 | 11751 | 11751 | 11751 | 11751 | 11751 |
| 59 | Master Bravo Single Lever Bath Mixer with bravo wall shower (148B) | P.Set | 18320 | 18320 | 18320 | 18320 | 18320 | 18320 | 18320 | 18320 | 18320 | 18320 | 18320 | 18320 | 18320 |
| 60 | Master Solo Single Lever Bath Mixer with common hand shower (154) | P.Set | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 |
| 61 | Master Solo Single Lever Bath Mixer without hand shower (154A) | P.Set | 3969 | 3969 | 3969 | 3969 | 3969 | 3969 | 3969 | 3969 | 3969 | 3969 | 3969 | 3969 | 3969 |
| 62 | Master Solo Single Lever Bath Mixer with wall shower (154B) | P.Set | 6043 | 6043 | 6043 | 6043 | 6043 | 6043 | 6043 | 6043 | 6043 | 6043 | 6043 | 6043 | 6043 |
| 63 | Master Ideal Bath Mixer wall type with noble hand shower (156) | P.Set | 12184 | 12184 | 12184 | 12184 | 12184 | 12184 | 12184 | 12184 | 12184 | 12184 | 12184 | 12184 | 12184 |
| 64 | Master Ideal Bath Mixer wall type without hand shower (156A) | P.Set | 10430 | 10430 | 10430 | 10430 | 10430 | 10430 | 10430 | 10430 | 10430 | 10430 | 10430 | 10430 | 10430 |
| 65 | Master Ideal Bath Mixer wall type with ideal overhead shower (156B) | P.Set | 14085 | 14085 | 14085 | 14085 | 14085 | 14085 | 14085 | 14085 | 14085 | 14085 | 14085 | 14085 | 14085 |
| 66 | Master Sigma Bath Mixer with noble hand shower (158) | P.Set | 12382 | 12382 | 12382 | 12382 | 12382 | 12382 | 12382 | 12382 | 12382 | 12382 | 12382 | 12382 | 12382 |
| 67 | Master Sigma Bath Mixer without hand shower (158A) | P.Set | 10629 | 10629 | 10629 | 10629 | 10629 | 10629 | 10629 | 10629 | 10629 | 10629 | 10629 | 10629 | 10629 |
| 68 | Master Sigma Bath Mixer with wall shower (158B) | P.Set | 16531 | 16531 | 16531 | 16531 | 16531 | 16531 | 16531 | 16531 | 16531 | 16531 | 16531 | 16531 | 16531 |
| 69 | Master Aabshar Single lever Bath Mixer with noble hand shower (160) | P.Set | 9508 | 9508 | 9508 | 9508 | 9508 | 9508 | 9508 | 9508 | 9508 | 9508 | 9508 | 9508 | 9508 |
| 70 | Master Aabshar Single lever Bath Mixer without hand shower (160A) | P.Set | 7754 | 7754 | 7754 | 7754 | 7754 | 7754 | 7754 | 7754 | 7754 | 7754 | 7754 | 7754 | 7754 |
| 71 | Master Aabshar Single lever Bath Mixer with Aabshar wall shower (160B) | P.Set | 9698 | 9698 | 9698 | 9698 | 9698 | 9698 | 9698 | 9698 | 9698 | 9698 | 9698 | 9698 | 9698 |
| 72 | Master Dream Single lever Bath Mixer with noble hand shower (164) | P.Set | 12662 | 12662 | 12662 | 12662 | 12662 | 12662 | 12662 | 12662 | 12662 | 12662 | 12662 | 12662 | 12662 |
| 73 | Master Dream Single lever Bath Mixer without hand shower (164A) | P.Set | 10908 | 10908 | 10908 | 10908 | 10908 | 10908 | 10908 | 10908 | 10908 | 10908 | 10908 | 10908 | 10908 |
| 74 | Master Dream Single lever Bath Mixer wall type with dream overhead shower (164B) | P.Set | 14100 | 14100 | 14100 | 14100 | 14100 | 14100 | 14100 | 14100 | 14100 | 14100 | 14100 | 14100 | 14100 |
| 75 | Master bello Single lever Bath Mixer with common hand shower (166) | P.Set | 5719 | 5719 | 5719 | 5719 | 5719 | 5719 | 5719 | 5719 | 5719 | 5719 | 5719 | 5719 | 5719 |
| 76 | Master bello Single lever Bath Mixer without common hand shower (166A) | P.Set | 5060 | 5060 | 5060 | 5060 | 5060 | 5060 | 5060 | 5060 | 5060 | 5060 | 5060 | 5060 | 5060 |
| 77 | Master bello Single lever Bath Mixer with wall shower (166B) | P.Set | 7322 | 7322 | 7322 | 7322 | 7322 | 7322 | 7322 | 7322 | 7322 | 7322 | 7322 | 7322 | 7322 |
| 78 | Master Dura Single lever Bath Mixer with noble hand shower (168) | P.Set | 12531 | 12531 | 12531 | 12531 | 12531 | 12531 | 12531 | 12531 | 12531 | 12531 | 12531 | 12531 | 12531 |
| 79 | Master Dura Single lever Bath Mixer without hand shower (168A) | P.Set | 10778 | 10778 | 10778 | 10778 | 10778 | 10778 | 10778 | 10778 | 10778 | 10778 | 10778 | 10778 | 10778 |
| 80 | Master Dura Single lever Bath Mixer with bravo wall shower (168B) | P.Set | 16620 | 16620 | 16620 | 16620 | 16620 | 16620 | 16620 | 16620 | 16620 | 16620 | 16620 | 16620 | 16620 |
| 81 | Master Alba Single lever Bath Mixer with common hand shower (173) | P.Set | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|---|-------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 82 | Master Alba Single lever Bath Mixer without hand shower (173A) | P.Set | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 |
| 83 | Master Alba Single lever Bath Mixer wall type with alba overhead shower (173B) | P.Set | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 |
| 84 | Master Alpha Single lever Bath Mixer with noble hand shower (175) | P.Set | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 |
| 85 | Master Alpha Single lever Bath Mixer without hand shower (175A) | P.Set | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 |
| 86 | Master Alpha Single lever Bath Mixer wall type with deluxe overhead shower (175B) | P.Set | 8303 | 8303 | 8303 | 8303 | 8303 | 8303 | 8303 | 8303 | 8303 | 8303 | 8303 | 8303 | 8303 |
| 87 | Master Chicada Single lever Bath Mixer with noble hand shower (177) | P.Set | 8276 | 8276 | 8276 | 8276 | 8276 | 8276 | 8276 | 8276 | 8276 | 8276 | 8276 | 8276 | 8276 |
| 88 | Master Chicada Single lever Bath Mixer without hand shower (177A) | P.Set | 6522 | 6522 | 6522 | 6522 | 6522 | 6522 | 6522 | 6522 | 6522 | 6522 | 6522 | 6522 | 6522 |
| 89 | Master Chicada Single lever Bath Mixer wall type with elite overhead shower (177B) | P.Set | 9624 | 9624 | 9624 | 9624 | 9624 | 9624 | 9624 | 9624 | 9624 | 9624 | 9624 | 9624 | 9624 |
| 90 | Master Caprice Bath Mixer wall type with noble hand shower (179) | P.Set | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 | 7531 |
| 91 | Master Caprice Bath Mixer wall type without hand shower (179A) | P.Set | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 | 5777 |
| 92 | Master Caprice Bath Mixer wall type with deluxe overhead shower (179B) | P.Set | 8322 | 8322 | 8322 | 8322 | 8322 | 8322 | 8322 | 8322 | 8322 | 8322 | 8322 | 8322 | 8322 |
| 93 | Master Cello Single lever Bath Mixer with common hand shower (181) | P.Set | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 | 5451 |
| 94 | Master Cello Single lever Bath Mixer without hand shower (181A) | P.Set | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 | 4793 |
| 95 | Master Cello Single lever Bath Mixer wall type with alba overhead shower (181B) | P.Set | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 |
| GA(2) | BASIN MIXERS (CP) (SIZE 1/2") | | | | | | | | | | | | | | |
| 1 | Master Single Hole basin mixer with HU type medium neck (023) | Each | 2845 | 2845 | 2845 | 2845 | 2845 | 2845 | 2845 | 2845 | 2845 | 2845 | 2845 | 2845 | 2845 |
| 2 | Master Single Hole basin mixer with HU type large neck (024) | Each | 2877 | 2877 | 2877 | 2877 | 2877 | 2877 | 2877 | 2877 | 2877 | 2877 | 2877 | 2877 | 2877 |
| 3 | Master Single Hole basin mixer with cast neck (025) | Each | 3389 | 3389 | 3389 | 3389 | 3389 | 3389 | 3389 | 3389 | 3389 | 3389 | 3389 | 3389 | 3389 |
| 4 | Master Single Hole basin mixer with fixed cast neck (026) | Each | 2615 | 2615 | 2615 | 2615 | 2615 | 2615 | 2615 | 2615 | 2615 | 2615 | 2615 | 2615 | 2615 |
| 5 | Master Victorian Single Hole basin mixer (034) | Each | 3747 | 3747 | 3747 | 3747 | 3747 | 3747 | 3747 | 3747 | 3747 | 3747 | 3747 | 3747 | 3747 |
| 6 | Master Regal Single Hole basin mixer (035) | Each | 3087 | 3087 | 3087 | 3087 | 3087 | 3087 | 3087 | 3087 | 3087 | 3087 | 3087 | 3087 | 3087 |
| 7 | Master Delta Single Hole basin mixer (040) | Each | 4372 | 4372 | 4372 | 4372 | 4372 | 4372 | 4372 | 4372 | 4372 | 4372 | 4372 | 4372 | 4372 |
| 8 | Master Kira Single Hole basin mixer (042) | Each | 4973 | 4973 | 4973 | 4973 | 4973 | 4973 | 4973 | 4973 | 4973 | 4973 | 4973 | 4973 | 4973 |
| 9 | Master Charisma Single Hole basin mixer with HU type cast neck (051) | Each | 4032 | 4032 | 4032 | 4032 | 4032 | 4032 | 4032 | 4032 | 4032 | 4032 | 4032 | 4032 | 4032 |
| 10 | Master Cobra Single Hole basin mixer (055) | Each | 5244 | 5244 | 5244 | 5244 | 5244 | 5244 | 5244 | 5244 | 5244 | 5244 | 5244 | 5244 | 5244 |
| 11 | Master Elite Single Hole basin mixer (071) | Each | 4361 | 4361 | 4361 | 4361 | 4361 | 4361 | 4361 | 4361 | 4361 | 4361 | 4361 | 4361 | 4361 |
| 12 | Master Lexus Single Hole basin mixer (072) | Each | 3847 | 3847 | 3847 | 3847 | 3847 | 3847 | 3847 | 3847 | 3847 | 3847 | 3847 | 3847 | 3847 |
| 13 | Master Iris single lever basin mixer without pop-up waste (113) | Each | 4469 | 4469 | 4469 | 4469 | 4469 | 4469 | 4469 | 4469 | 4469 | 4469 | 4469 | 4469 | 4469 |
| 14 | Master Pansy Quarter Round (with disc head work) Basin Mixer without pop-up waste (117) | Each | 4042 | 4042 | 4042 | 4042 | 4042 | 4042 | 4042 | 4042 | 4042 | 4042 | 4042 | 4042 | 4042 |
| 15 | Master Caper Quarter Round (with disc head work) Basin Mixer with pop-up waste (119) | Each | 7877 | 7877 | 7877 | 7877 | 7877 | 7877 | 7877 | 7877 | 7877 | 7877 | 7877 | 7877 | 7877 |
| 16 | Master Jazz Quarter Round (with disc head work) Basin Mixer without pop-up waste (125) | Each | 4556 | 4556 | 4556 | 4556 | 4556 | 4556 | 4556 | 4556 | 4556 | 4556 | 4556 | 4556 | 4556 |
| 17 | Master Tempo Single lever basin mixer (133) | Each | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 | 4276 |
| 18 | Master Orient Single lever basin mixer (145) | Each | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 | 4627 |
| 19 | Master Bravo Single lever basin mixer (147) | Each | 5773 | 5773 | 5773 | 5773 | 5773 | 5773 | 5773 | 5773 | 5773 | 5773 | 5773 | 5773 | 5773 |
| 20 | Master Solo Single lever basin mixer (153) | Each | 2480 | 2480 | 2480 | 2480 | 2480 | 2480 | 2480 | 2480 | 2480 | 2480 | 2480 | 2480 | 2480 |
| 21 | Master Ideal Single lever basin mixer (155) | Each | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 | 4532 |
| 22 | Master Ideal Single lever basin mixer with 4" height (155A) | Each | 5247 | 5247 | 5247 | 5247 | 5247 | 5247 | 5247 | 5247 | 5247 | 5247 | 5247 | 5247 | 5247 |
| 23 | Master Ideal Single lever basin mixer with 6" height (155B) | Each | 5713 | 5713 | 5713 | 5713 | 5713 | 5713 | 5713 | 5713 | 5713 | 5713 | 5713 | 5713 | 5713 |
| 24 | Master Sigma Single lever basin mixer (157) | Each | 6903 | 6903 | 6903 | 6903 | 6903 | 6903 | 6903 | 6903 | 6903 | 6903 | 6903 | 6903 | 6903 |
| 25 | Master Aabshar Single lever basin mixer (159) | Each | 4572 | 4572 | 4572 | 4572 | 4572 | 4572 | 4572 | 4572 | 4572 | 4572 | 4572 | 4572 | 4572 |
| 26 | Master Dream Single lever basin mixer (163) | Each | 4375 | 4375 | 4375 | 4375 | 4375 | 4375 | 4375 | 4375 | 4375 | 4375 | 4375 | 4375 | 4375 |
| 27 | Master Bello Single lever basin mixer (165) | Each | 2883 | 2883 | 2883 | 2883 | 2883 | 2883 | 2883 | 2883 | 2883 | 2883 | 2883 | 2883 | 2883 |
| 28 | Master Dura Single lever basin mixer (167) | Each | 5020 | 5020 | 5020 | 5020 | 5020 | 5020 | 5020 | 5020 | 5020 | 5020 | 5020 | 5020 | 5020 |
| 29 | Master Alba Single lever Basin Mixer (172) | Each | 2820 | 2820 | 2820 | 2820 | 2820 | 2820 | 2820 | 2820 | 2820 | 2820 | 2820 | 2820 | 2820 |
| 30 | Master Alba Single lever Basin Mixer with 4" height (172A) | Each | 3573 | 3573 | 3573 | 3573 | 3573 | 3573 | 3573 | 3573 | 3573 | 3573 | 3573 | 3573 | 3573 |
| 31 | Master Alba Single lever Basin Mixer with 6" height (172A) | Each | 4022 | 4022 | 4022 | 4022 | 4022 | 4022 | 4022 | 4022 | 4022 | 4022 | 4022 | 4022 | 4022 |
| 32 | Master Alba Single lever Basin Mixer (174) | Each | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 | 3433 |
| 33 | Master Chicada Single lever Basin Mixer (176) | Each | 4478 | 4478 | 4478 | 4478 | 4478 | 4478 | 4478 | 4478 | 4478 | 4478 | 4478 | 4478 | 4478 |
| 34 | Master Caprice Single hole Basin Mixer (178) | Each | 3141 | 3141 | 3141 | 3141 | 3141 | 3141 | 3141 | 3141 | 3141 | 3141 | 3141 | 3141 | 3141 |
| 35 | Master Cello Single lever Basin Mixer (180) | Each | 3106 | 3106 | 3106 | 3106 | 3106 | 3106 | 3106 | 3106 | 3106 | 3106 | 3106 | 3106 | 3106 |
| 36 | Master Cello Single lever Basin Mixer with 4" height (180A) | Each | 3878 | 3878 | 3878 | 3878 | 3878 | 3878 | 3878 | 3878 | 3878 | 3878 | 3878 | 3878 | 3878 |
| 37 | Master Cello Single lever Basin Mixer with 6" height (180B) | Each | 4337 | 4337 | 4337 | 4337 | 4337 | 4337 | 4337 | 4337 | 4337 | 4337 | 4337 | 4337 | 4337 |
| 38 | Master Bold single lever basin mixer (182) | Each | 6118 | 6118 | 6118 | 6118 | 6118 | 6118 | 6118 | 6118 | 6118 | 6118 | 6118 | 6118 | 6118 |
| 39 | Master ECO single hole basin mixer (191) | Each | 3083 | 3083 | 3083 | 3083 | 3083 | 3083 | 3083 | 3083 | 3083 | 3083 | 3083 | 3083 | 3083 |
| 40 | Master Thermaster (quarter round) single hole basin mixer (193) | Each | 4294 | 4294 | 4294 | 4294 | 4294 | 4294 | 4294 | 4294 | 4294 | 4294 | 4294 | 4294 | 4294 |
| 41 | Master Thermaster single hole basin mixer (195) | Each | 6375 | 6375 | 6375 | 6375 | 6375 | 6375 | 6375 | 6375 | 6375 | 6375 | 6375 | 6375 | 6375 |
| 42 | Master Susan Plus single lever basin mixer (197) | Each | 2538 | 2538 | 2538 | 2538 | 2538 | 2538 | 2538 | 2538 | 2538 | 2538 | 2538 | 2538 | 2538 |
| 43 | Master Desire single lever basin mixer (230) | Each | 6968 | 6968 | 6968 | 6968 | 6968 | 6968 | 6968 | 6968 | 6968 | 6968 | 6968 | 6968 | 6968 |
| 44 | Master Siesta single lever basin mixer (234) | Each | 4855 | 4855 | 4855 | 4855 | 4855 | 4855 | 4855 | 4855 | 4855 | 4855 | 4855 | 4855 | 4855 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|---|--|------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 45 | Master Siesta single lever basin mixer with 6" height (234B) | Each | 6231 | 6231 | 6231 | 6231 | 6231 | 6231 | 6231 | 6231 | 6231 | 6231 | 6231 | 6231 | 6231 |
| 46 | Master Pelican single lever basin mixer (236) | Each | 3965 | 3965 | 3965 | 3965 | 3965 | 3965 | 3965 | 3965 | 3965 | 3965 | 3965 | 3965 | 3965 |
| 47 | Master Pelican single lever basin mixer with 6" height(236B) | Each | 5178 | 5178 | 5178 | 5178 | 5178 | 5178 | 5178 | 5178 | 5178 | 5178 | 5178 | 5178 | 5178 |
| GA(3) SINK MIXERS (CP) (SIZE 1/2") | | | | | | | | | | | | | | | |
| 1 | Master Charisma Sink mixer HU type cast neck (014) | Each | 4383 | 4383 | 4383 | 4383 | 4383 | 4383 | 4383 | 4383 | 4383 | 4383 | 4383 | 4383 | 4383 |
| 2 | Master Delta Single lever sink mixer (015) | Each | 5808 | 5808 | 5808 | 5808 | 5808 | 5808 | 5808 | 5808 | 5808 | 5808 | 5808 | 5808 | 5808 |
| 3 | High neck pillar cock (cold) (017) | Each | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 | 1317 |
| 4 | Wall sink mixer with HU type medium neck (018) | Each | 2553 | 2553 | 2553 | 2553 | 2553 | 2553 | 2553 | 2553 | 2553 | 2553 | 2553 | 2553 | 2553 |
| 5 | Wall sink mixer with HU type large neck (019) | Each | 2693 | 2693 | 2693 | 2693 | 2693 | 2693 | 2693 | 2693 | 2693 | 2693 | 2693 | 2693 | 2693 |
| 6 | Wall sink mixer with cast neck (020) | Each | 3212 | 3212 | 3212 | 3212 | 3212 | 3212 | 3212 | 3212 | 3212 | 3212 | 3212 | 3212 | 3212 |
| 7 | Wall sink mixer with U type neck (021) | Each | 2496 | 2496 | 2496 | 2496 | 2496 | 2496 | 2496 | 2496 | 2496 | 2496 | 2496 | 2496 | 2496 |
| 8 | Sink valve with S type neck (cold) (022) | Each | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 |
| 9 | Sink valve with U type neck (cold) (022A) | Each | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 | 1401 |
| 10 | Master Orient single lever sink mixer (056) | Each | 8573 | 8573 | 8573 | 8573 | 8573 | 8573 | 8573 | 8573 | 8573 | 8573 | 8573 | 8573 | 8573 |
| 11 | Master Orient single lever sink mixer medium neck (056A) | Each | 8246 | 8246 | 8246 | 8246 | 8246 | 8246 | 8246 | 8246 | 8246 | 8246 | 8246 | 8246 | 8246 |
| 12 | Pillar Cock (cold)(063) | Each | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 | 867 |
| 13 | Pillar Cock (cold) Special (064) | Each | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 | 1015 |
| 14 | Bold single lever sink mixer (238) | Each | 7678 | 7678 | 7678 | 7678 | 7678 | 7678 | 7678 | 7678 | 7678 | 7678 | 7678 | 7678 | 7678 |
| 15 | Desire single lever sink mixer (239) | Each | 7225 | 7225 | 7225 | 7225 | 7225 | 7225 | 7225 | 7225 | 7225 | 7225 | 7225 | 7225 | 7225 |
| GA(4) SHOWERS, SHOWER RODS, T-ARMS & WASTE (SIZE 1/2") | | | | | | | | | | | | | | | |
| 1 | Master Orea overhead shower (031) | Each | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 | 1535 |
| 2 | Shower deluxe in coloured face without rod (032) | Each | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 |
| 3 | Master Venus overhead shower (032A) | Each | 1139 | 1139 | 1139 | 1139 | 1139 | 1139 | 1139 | 1139 | 1139 | 1139 | 1139 | 1139 | 1139 |
| 4 | Master Elite overhead shower (032B) | Each | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 | 1508 |
| 5 | Master Bello overhead shower (032D) | Each | 798 | 798 | 798 | 798 | 798 | 798 | 798 | 798 | 798 | 798 | 798 | 798 | 798 |
| 6 | Master Ideal overhead shower (032E) | Each | 935 | 935 | 935 | 935 | 935 | 935 | 935 | 935 | 935 | 935 | 935 | 935 | 935 |
| 7 | Master Dream overhead shower (032F) | Each | 1059 | 1059 | 1059 | 1059 | 1059 | 1059 | 1059 | 1059 | 1059 | 1059 | 1059 | 1059 | 1059 |
| 8 | Master Alba overhead shower (032G) | Each | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 | 764 |
| 9 | Master rain overhead shower (032H) | Each | 1998 | 1998 | 1998 | 1998 | 1998 | 1998 | 1998 | 1998 | 1998 | 1998 | 1998 | 1998 | 1998 |
| 10 | Shower rod only (033) | Each | 552 | 552 | 552 | 552 | 552 | 552 | 552 | 552 | 552 | 552 | 552 | 552 | 552 |
| 11 | Push Pull Waste for Basin (036) | Each | 915 | 915 | 915 | 915 | 915 | 915 | 915 | 915 | 915 | 915 | 915 | 915 | 915 |
| 12 | Waste for Basin (085) | Each | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| 13 | Master Casted Shower Rod (Special) 058 | Each | 1839 | 1839 | 1839 | 1839 | 1839 | 1839 | 1839 | 1839 | 1839 | 1839 | 1839 | 1839 | 1839 |
| 14 | Elite Hand shower with pipe, L. 1.2M (061) | Each | 2481 | 2481 | 2481 | 2481 | 2481 | 2481 | 2481 | 2481 | 2481 | 2481 | 2481 | 2481 | 2481 |
| 15 | Toilet Shower with PVC flexible coloured pipe L. 1M (2015) | Each | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 | 1096 |
| 16 | Toilet Shower with bracket without flexible pipe (2015A) | Each | 572 | 572 | 572 | 572 | 572 | 572 | 572 | 572 | 572 | 572 | 572 | 572 | 572 |
| 17 | PVC flexible coloured pipe L. 1M (2015B) | Each | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 |
| 18 | Master Noble hand shower with flexible pipe L. 1.3M (2023) | Each | 1754 | 1754 | 1754 | 1754 | 1754 | 1754 | 1754 | 1754 | 1754 | 1754 | 1754 | 1754 | 1754 |
| 19 | Master Noble Hand Shower without flexible pipe (2023A) | Each | 1087 | 1087 | 1087 | 1087 | 1087 | 1087 | 1087 | 1087 | 1087 | 1087 | 1087 | 1087 | 1087 |
| 20 | Pipe for noble hand shower (2023B) | Each | 667 | 667 | 667 | 667 | 667 | 667 | 667 | 667 | 667 | 667 | 667 | 667 | 667 |
| 21 | Master Bravo hand shower with flexible pipe (2026) | Each | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 | 1784 |
| 22 | Master Ablution Toilet Shower with Flexible Coloured Pipe (2027) | Each | 1347 | 1347 | 1347 | 1347 | 1347 | 1347 | 1347 | 1347 | 1347 | 1347 | 1347 | 1347 | 1347 |
| 23 | Master Ablution Toilet Shower without Pipe (2027A) | Each | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 |
| 24 | Flexible coloured pipe (2027B) | Each | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 | 524 |
| 25 | Master bold hand shower with flexible pipe (2031) | Each | 1744 | 1744 | 1744 | 1744 | 1744 | 1744 | 1744 | 1744 | 1744 | 1744 | 1744 | 1744 | 1744 |
| 26 | Master bold hand shower without flexible pipe (2031A) | Each | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 | 1077 |
| 27 | Master Flex Hand Shower with Flexible Pipe (2033) | Each | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 |
| 28 | Master Flex Hand Shower without Flexible Pipe (2033A) | Each | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 |
| 29 | Master Ego Hand Shower with Flexible Pipe (2034) | Each | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 | 2157 |
| 30 | Master Ego Hand Shower without Flexible Pipe (2034A) | Each | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 |
| 31 | Master Galaxy Hand Shower with Flexible Pipe (2035) | Each | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 |
| 32 | Master Galaxy Hand Shower without Flexible Pipe (2035A) | Each | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 |
| 33 | Master Quad Hand Shower with Flexible Pipe (2036) | Each | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 | 1868 |
| 34 | Master Quad Hand Shower without Flexible Pipe (2036A) | Each | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 | 1201 |
| 35 | Master Hexa Hand Shower with Flexible Pipe (2037) | Each | 2032 | 2032 | 2032 | 2032 | 2032 | 2032 | 2032 | 2032 | 2032 | 2032 | 2032 | 2032 | 2032 |
| 36 | Master Hexa Hand Shower without Flexible Pipe (2037A) | Each | 1366 | 1366 | 1366 | 1366 | 1366 | 1366 | 1366 | 1366 | 1366 | 1366 | 1366 | 1366 | 1366 |
| GA(5) BIB COCKS & STOP COCKS (SIZE 1/2") CP | | | | | | | | | | | | | | | |
| 1 | Bib Cock 45angle (003) | Each | 808 | 808 | 808 | 808 | 808 | 808 | 808 | 808 | 808 | 808 | 808 | 808 | 808 |
| 2 | Bib Cock 90angle (004) | Each | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 | 852 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|-----------|---|---------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 91 | Supreme Set with Wall Shower 257/1, 258B/1, 267/3, 266/1, 085/1, 2027/1(3062A) | P.Set | 29163 | 29163 | 29163 | 29163 | 29163 | 29163 | 29163 | 29163 | 29163 | 29163 | 29163 | 29163 | 29163 |
| 92 | Axis Set with Hand Shower 259/1, 260/1, 070/1, 068/3, 085/1, 2027/1(3063) | P.Set | 20475 | 20475 | 20475 | 20475 | 20475 | 20475 | 20475 | 20475 | 20475 | 20475 | 20475 | 20475 | 20475 |
| 93 | Axis Set with Wall Shower 259/1, 260B/1, 070/1, 068/3, 085/1, 2027/1(3063A) | P.Set | 22403 | 22403 | 22403 | 22403 | 22403 | 22403 | 22403 | 22403 | 22403 | 22403 | 22403 | 22403 | 22403 |
| 94 | Vintace Set with Hand Shower 261/1, 262/1, 267/3, 266/1, 085/1, 2027/1(3064) | P.Set | 28638 | 28638 | 28638 | 28638 | 28638 | 28638 | 28638 | 28638 | 28638 | 28638 | 28638 | 28638 | 28638 |
| 95 | Vintace Set with Wall Shower 261/1, 262B/1, 267/3, 266/1, 085/1, 2027/1(3064A) | P.Set | 32759 | 32759 | 32759 | 32759 | 32759 | 32759 | 32759 | 32759 | 32759 | 32759 | 32759 | 32759 | 32759 |
| 96 | Hexa Set with Hand Shower 243/1, 244/1, 263/1, 265/3, 085/1, 2027/1(3065) | P.Set | 26706 | 26706 | 26706 | 26706 | 26706 | 26706 | 26706 | 26706 | 26706 | 26706 | 26706 | 26706 | 26706 |
| 97 | Hexa Set with Wall Shower 243/1, 244B/1, 263/1, 265/3, 085/1, 2027/1(3065A) | P.Set | 27067 | 27067 | 27067 | 27067 | 27067 | 27067 | 27067 | 27067 | 27067 | 27067 | 27067 | 27067 | 27067 |
| 98 | Galaxy Set with Hand Shower 245/1, 246/1, 070/1, 068/3, 085/1, 2027/1(3066) | P.Set | 21704 | 21704 | 21704 | 21704 | 21704 | 21704 | 21704 | 21704 | 21704 | 21704 | 21704 | 21704 | 21704 |
| 99 | Galaxy Set with Wall Shower 245/1, 246B/1, 070/1, 068/3, 085/1, 2027/1(3066A) | P.Set | 23918 | 23918 | 23918 | 23918 | 23918 | 23918 | 23918 | 23918 | 23918 | 23918 | 23918 | 23918 | 23918 |
| H | M.S SHEETS & G.I SHEETS | | | | | | | | | | | | | | |
| 1 | M.S. Sheet 1/8" thick (3mm) | Per Ton | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 |
| 2 | M.S. Sheet 3/16" thick (5mm) | Per Ton | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 |
| 3 | M.S. Sheet 1/4" thick (6mm) | Per Ton | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 |
| 4 | M.S. Sheet 3/8" thick (10mm) | Per Ton | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 | 58000 |
| 5 | M.S. Sheet 1/2" thick (12mm) | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 6 | M.S. Sheet 5/8" thick (16mm) | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 7 | M.S. Sheet 3/4" thick (20mm) | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 8 | M.S. Sheet 1" thick (25mm) | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 9 | M.S. Sheet 1-1/8" thick (28mm) Best Quality | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 10 | M.S. Sheet 1-1/4" thick (32mm) Best Quality | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 11 | M.S. Sheet 1-1/2" thick (40mm) Best Quality | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 12 | M.S. Sheet 1-3/4" thick (44mm) Best Quality | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 13 | M.S. Sheet 2" thick (50mm) Best Quality | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 14 | M.S. Sheet 3" thick (75mm) Best Quality | Per Ton | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 | 61000 |
| 15 | M.S.Checker (3mm & 5 mm thick) Best Quality | Per Ton | 68000 | 68000 | 68000 | 68000 | 68000 | 68000 | 68000 | 68000 | 68000 | 68000 | 68000 | 68000 | 68000 |
| I | Commercial Ply | | | | | | | | | | | | | | |
| 1 | Commercial Ply 3/4" Thick (Best Quality) | P.Sft | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 2 | Laminated board (both side)3/4"thick (Best Quality) | P.Sft | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 3 | Lasani board 1/2" thick (Imported) | P.Sft | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 4 | Lasani board 1/2" thick (Local) Best Quality | P.Sft | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 5 | Lasani board 3/4" thick (Imported) | P.Sft | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 |
| 6 | Lasani board 3/4" thick (Local) Best Quality | P.Sft | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| JA | Pre-cast / Pre-Stressed Girders (As per approved manufacturer) at site | | | | | | | | | | | | | | |
| 1 | 4"X9" | P.Rft | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 |
| 2 | 4"X10" | P.Rft | 161 | 161 | 161 | 161 | 161 | 161 | 161 | 161 | 161 | 161 | 161 | 161 | 161 |
| 3 | 5"X12" | P.Rft | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 | 215 |
| 4 | 5-1/2"X13-1/2" | P.Rft | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 |
| 5 | 5"X14" | P.Rft | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 | 281 |
| 6 | 6"X15" | P.Rft | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 | 310 |
| 7 | 6"X 8"X18" | P.Rft | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 |
| 8 | 7"X18" | P.Rft | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 |
| 9 | 7"X21" | P.Rft | 511 | 511 | 511 | 511 | 511 | 511 | 511 | 511 | 511 | 511 | 511 | 511 | 511 |
| 10 | 8"X19" | P.Rft | 504 | 504 | 504 | 504 | 504 | 504 | 504 | 504 | 504 | 504 | 504 | 504 | 504 |
| 11 | 8"X20" | P.Rft | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 | 602 |
| 12 | 8"X24" | P.Rft | 635 | 635 | 635 | 635 | 635 | 635 | 635 | 635 | 635 | 635 | 635 | 635 | 635 |
| 13 | 8"X27" | P.Rft | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 | 715 |
| 14 | 8"X30" | P.Rft | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 | 796 |
| 15 | 9"X30" | P.Rft | 934 | 934 | 934 | 934 | 934 | 934 | 934 | 934 | 934 | 934 | 934 | 934 | 934 |
| 16 | 9"X32" | P.Rft | 1044 | 1044 | 1044 | 1044 | 1044 | 1044 | 1044 | 1044 | 1044 | 1044 | 1044 | 1044 | 1044 |
| 17 | 10"X32" | P.Rft | 1205 | 1205 | 1205 | 1205 | 1205 | 1205 | 1205 | 1205 | 1205 | 1205 | 1205 | 1205 | 1205 |
| 18 | 12"X36" | P.Rft | 1606 | 1606 | 1606 | 1606 | 1606 | 1606 | 1606 | 1606 | 1606 | 1606 | 1606 | 1606 | 1606 |
| JB | Pre-cast / Pre-Cast Slabs (As per approved manufacturer) at site | | | | | | | | | | | | | | |
| 1 | 2'-6"x1'-6" | Each | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 |
| 2 | 3'x1'-6" | Each | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 |
| 3 | 3'x2' | Each | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 |
| 4 | 3'-6"x1'-6" | Each | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 |
| 5 | 3'-6"x2' | Each | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 |
| 6 | 4'x1'-6" | Each | 245 | 245 | 245 | 245 | 245 | 245 | 245 | 245 | 245 | 245 | 245 | 245 | 245 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|---|---------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 7 | 4'-6"x1'-6" | Each | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 |
| 8 | 5'x1'-6" | Each | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 |
| 9 | 5'-6"x1'-6" | Each | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 |
| 10 | 6'x1'-6" | Each | 544 | 544 | 544 | 544 | 544 | 544 | 544 | 544 | 544 | 544 | 544 | 544 | 544 |
| 11 | 6'-6"x1'-6" | Each | 584 | 584 | 584 | 584 | 584 | 584 | 584 | 584 | 584 | 584 | 584 | 584 | 584 |
| 12 | 7'x1'-6" | Each | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 | 694 |
| 13 | 3'x1' | Each | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 |
| 14 | 3'-6"x1' | Each | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 |
| 15 | 4'x1' | Each | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 |
| 16 | 4'-6"x1' | Each | 204 | 204 | 204 | 204 | 204 | 204 | 204 | 204 | 204 | 204 | 204 | 204 | 204 |
| 17 | 5'x1' | Each | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 |
| 18 | 5'-6"x1' | Each | 296 | 296 | 296 | 296 | 296 | 296 | 296 | 296 | 296 | 296 | 296 | 296 | 296 |
| 19 | 6'x1' | Each | 365 | 365 | 365 | 365 | 365 | 365 | 365 | 365 | 365 | 365 | 365 | 365 | 365 |
| 20 | 6'-6"x1' | Each | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 | 394 |
| JC | Precast Boundary Wall Columns / Beams (As per approved manufacturer) at site | | | | | | | | | | | | | | |
| 1 | Column 6" x 6-1/2" | P.Rft | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 | 128 |
| 2 | Column 8" x 9" | P.Rft | 241 | 241 | 241 | 241 | 241 | 241 | 241 | 241 | 241 | 241 | 241 | 241 | 241 |
| 3 | Column 4" x 9" | P.Rft | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 |
| 4 | Plinth Beam | P.Rft | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 5 | Planks 2 x12 x 8 | P.Rft | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 6 | Planks 2 x 8 x 8 | P.Rft | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| 7 | Color Strip 2 x 3 x 8 | P.Rft | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 8 | Boundary wall cap (each) | P.Rft | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 |
| JD | Pre-cast PCC Paver / Tuff Tiles (As per approved manufacturer) (7000 PSI) at site | | | | | | | | | | | | | | |
| 1 | Thickness -50mm (Grey) | PSft | 45 | 45 | 45 | 45 | 45 | 44 | 45 | 45 | 48 | 48 | 47 | 50 | 49 |
| 2 | Thickness -50mm (Coloured) | PSft | 47 | 47 | 47 | 47 | 47 | 46 | 47 | 47 | 50 | 50 | 49 | 52 | 51 |
| 3 | Thickness -60mm (Grey) | PSft | 52 | 52 | 52 | 52 | 52 | 51 | 52 | 52 | 55 | 55 | 54 | 57 | 56 |
| 4 | Thickness -60mm (Coloured) | PSft | 54 | 54 | 54 | 54 | 54 | 53 | 54 | 54 | 57 | 57 | 56 | 59 | 58 |
| 5 | Thickness -80mm (Grey) | PSft | 71 | 71 | 71 | 71 | 71 | 70 | 71 | 71 | 74 | 74 | 73 | 76 | 75 |
| 6 | Thickness -80mm (Coloured) | PSft | 73 | 73 | 73 | 73 | 73 | 72 | 73 | 73 | 76 | 76 | 75 | 78 | 77 |
| JE | Kerb Stones PCC (3500 PSI) (As per approved manufacturer) at site | | | | | | | | | | | | | | |
| 1 | 300 mm x 300 mm x 100 mm | Rft | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 2 | 300 mm x 350 mm x 150 mm | Rft | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 |
| 3 | 300 mm x 450 mm x 150 mm | Rft | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| JF | Edge Stone (As per approved manufacturer) at site | | | | | | | | | | | | | | |
| 1 | 300mm x 150mm x 50mm | Each | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| K | DRILLING OF RCC PILES | | | | | | | | | | | | | | |
| 1 | Drilling bore holes with reverse rotary in ordinary soil except shingle gravel and rock.(upto 24" dia) | Per Rft | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 |
| 2 | Drilling bore holes with percussion/reverse rotary mehtod in all type of soils i/c shingle gravel and rock.(upto 24" dia) | Per Rft | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| 3 | Drilling bore holes with reverse rotary in ordinary soil except shingle gravel and rock.(from 25" to 30" dia) | Per Rft | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 | 450 |
| 4 | Drilling bore holes with percussion/revrse rotary mehtod in all type of soils i/c shingle gravel and rock.(from 25" to 30" dia) | Per Rft | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 |
| 5 | Drilling bore holes with reverse rotary in ordinary soil except shingle gravel and rock.(from 31" to 55" dia) | Per Rft | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 |
| 6 | Drilling bore holes with percussion/revrse rotary mehtod in all type of soils i/c shingle gravel and rock.(from 31" to 55" dia) | Per Rft | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 | 1600 |
| 7 | Drilling bore holes with reverse rotary in ordinary soil except shingle gravel and rock.(from 56" to 86" dia) | Per Rft | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 |
| 8 | Drilling bore holes with percussion/revrse rotary mehtod in all type of soils i/c shingle gravel and rock.(from 56" to 86" dia) | Per Rft | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 |
| L | PIPES | | | | | | | | | | | | | | |
| LA | A.C / F.C pressure pipe (Dadex) | | | | | | | | | | | | | | |
| 1 | A.C pressure pipe 600 mm (24") dia Class 'D' BSS with comet joint and rubber rings. | Per Rft | 8980 | 8980 | 8980 | 8980 | 8980 | 8980 | 8980 | 8980 | 8980 | 8980 | 8980 | 8980 | 8980 |
| 2 | A.C pressure pipe 700 mm (28") dia Class 'B' BSS with comet joint and rubber rings. | Per Rft | 6785 | 6785 | 6785 | 6785 | 6785 | 6785 | 6785 | 6785 | 6785 | 6785 | 6785 | 6785 | 6785 |
| 3 | A.C pressure pipe 800 mm (32") dia Class 'B' BSS with comet joint and rubber rings. | Per Rft | 7770 | 7770 | 7770 | 7770 | 7770 | 7770 | 7770 | 7770 | 7770 | 7770 | 7770 | 7770 | 7770 |
| 4 | A.C pressure pipe 1000 mm (40") dia Class 'B' BSS with comet joint and rubber rings. | Per Rft | 12010 | 12010 | 12010 | 12010 | 12010 | 12010 | 12010 | 12010 | 12010 | 12010 | 12010 | 12010 | 12010 |
| LB | POLYPROPYLENE RANDOM COPOLYMER (PPRC)(As per approved manufacturers) | | | | | | | | | | | | | | |
| LB(1) | Pipes (PN-20) | | | | | | | | | | | | | | |
| 1 | 20mm | PM | 56 | 56 | 56 | 56 | 56 | 56 | 56 | 56 | 56 | 56 | 56 | 56 | 56 |
| 2 | 25mm | PM | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 | 79 |
| 3 | 32mm | PM | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 |
| 4 | 40mm | PM | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 | 205 |
| 5 | 50mm | PM | 351 | 351 | 351 | 351 | 351 | 351 | 351 | 351 | 351 | 351 | 351 | 351 | 351 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|--|------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 6 | 63mm | PM | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 | 540 |
| 7 | 75mm | PM | 913 | 913 | 913 | 913 | 913 | 913 | 913 | 913 | 913 | 913 | 913 | 913 | 913 |
| 8 | 90mm | PM | 1310 | 1310 | 1310 | 1310 | 1310 | 1310 | 1310 | 1310 | 1310 | 1310 | 1310 | 1310 | 1310 |
| 9 | 110mm | PM | 1954 | 1954 | 1954 | 1954 | 1954 | 1954 | 1954 | 1954 | 1954 | 1954 | 1954 | 1954 | 1954 |
| LC | PPRC Fittings (As per approved manufacturers) | | | | | | | | | | | | | | |
| LC(1) | Elbow 90° | | | | | | | | | | | | | | |
| 1 | 20 mm | Each | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 2 | 25 mm | Each | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 3 | 32 mm | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 4 | 40 mm | Each | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 5 | 50 mm | Each | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| 6 | 63 mm | Each | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 | 183 |
| 7 | 75 mm | Each | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 |
| 8 | 90 mm | Each | 1540 | 1540 | 1540 | 1540 | 1540 | 1540 | 1540 | 1540 | 1540 | 1540 | 1540 | 1540 | 1540 |
| 9 | 110 mm | Each | 2438 | 2438 | 2438 | 2438 | 2438 | 2438 | 2438 | 2438 | 2438 | 2438 | 2438 | 2438 | 2438 |
| LC(2) | Elbow 45° | | | | | | | | | | | | | | |
| 1 | 20 mm | Each | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 2 | 25 mm | Each | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 3 | 32 mm | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 4 | 40 mm | Each | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 5 | 50mm | Each | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 |
| 6 | 63 mm | Each | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 |
| 7 | 75 mm | Each | 756 | 756 | 756 | 756 | 756 | 756 | 756 | 756 | 756 | 756 | 756 | 756 | 756 |
| 8 | 90 mm | Each | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 |
| LC(3) | Equal Tee | | | | | | | | | | | | | | |
| 1 | 20 mm | Each | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 2 | 25 mm | Each | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 3 | 32 mm | Each | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 4 | 40 mm | Each | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 5 | 50 mm | Each | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 |
| 6 | 63 mm | Each | 269 | 269 | 269 | 269 | 269 | 269 | 269 | 269 | 269 | 269 | 269 | 269 | 269 |
| 7 | 75 mm | Each | 896 | 896 | 896 | 896 | 896 | 896 | 896 | 896 | 896 | 896 | 896 | 896 | 896 |
| 8 | 90 mm | Each | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 |
| 9 | 110 mm | Each | 2722 | 2722 | 2722 | 2722 | 2722 | 2722 | 2722 | 2722 | 2722 | 2722 | 2722 | 2722 | 2722 |
| LC(4) | Socket | | | | | | | | | | | | | | |
| 1 | 20 mm | Each | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 2 | 25 mm | Each | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 3 | 32 mm | Each | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 4 | 40 mm | Each | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 5 | 50 mm | Each | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 |
| 6 | 63 mm | Each | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 | 132 |
| 7 | 75 mm | Each | 480 | 480 | 480 | 480 | 480 | 480 | 480 | 480 | 480 | 480 | 480 | 480 | 480 |
| 8 | 90 mm | Each | 655 | 655 | 655 | 655 | 655 | 655 | 655 | 655 | 655 | 655 | 655 | 655 | 655 |
| 9 | 110 mm | Each | 1068 | 1068 | 1068 | 1068 | 1068 | 1068 | 1068 | 1068 | 1068 | 1068 | 1068 | 1068 | 1068 |
| LC(5) | Reducing Elbow | | | | | | | | | | | | | | |
| 1 | 25-20 | Each | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| 2 | 32-25 | Each | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| LC(6) | Reducing Socket | | | | | | | | | | | | | | |
| 1 | 25-20 | Each | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 2 | 32-20 | Each | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 3 | 32-25 | Each | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 4 | 40-20 | Each | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 |
| 5 | 40-25 | Each | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 6 | 40-32 | Each | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 7 | 50-20 | Each | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 | 54 |
| 8 | 50-25 | Each | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 |
| 9 | 50-32 | Each | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 | 47 |
| 10 | 50-40 | Each | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 11 | 63-20 | Each | 126 | 126 | 126 | 126 | 126 | 126 | 126 | 126 | 126 | 126 | 126 | 126 | 126 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|---------------|---------------------|------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 12 | 63-25 | Each | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 |
| 13 | 63-32 | Each | 104 | 104 | 104 | 104 | 104 | 104 | 104 | 104 | 104 | 104 | 104 | 104 | 104 |
| 14 | 63-40 | Each | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 |
| 15 | 63-50 | Each | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 |
| 16 | 75-40 | Each | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 | 630 |
| 17 | 75-50 | Each | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 |
| 18 | 75-63 | Each | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 | 559 |
| 19 | 90-63 | Each | 488 | 488 | 488 | 488 | 488 | 488 | 488 | 488 | 488 | 488 | 488 | 488 | 488 |
| 20 | 90-75 | Each | 536 | 536 | 536 | 536 | 536 | 536 | 536 | 536 | 536 | 536 | 536 | 536 | 536 |
| 21 | 110-75 | Each | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 |
| 22 | 110-90 | Each | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 |
| LC(7) | End Cap | | | | | | | | | | | | | | |
| 1 | 20 mm | Each | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 2 | 25 mm | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 3 | 32 mm | Each | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 4 | 40 mm | Each | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 | 68 |
| 5 | 50 mm | Each | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 |
| 6 | 63 mm | Each | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| 7 | 75 mm | Each | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 | 570 |
| LC(8) | Reducing Tee | | | | | | | | | | | | | | |
| 1 | 20 X 25 X 20 mm | Each | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 2 | 25 X 20 X 25 mm | Each | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 3 | 32 x 25 x 32mm | Each | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 4 | 32 x 25 x 20mm | Each | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 |
| 5 | 32 X 20 X 20 mm | Each | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 6 | 32 X 20 X 32 mm | Each | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 7 | 40 X 20 X 40 mm | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 8 | 40 X 25 X 40 mm | Each | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 9 | 40 X 32 X 40 mm | Each | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| 10 | 50 X 20 X 50 mm | Each | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 |
| 11 | 50 X 25 X 50 mm | Each | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 |
| 12 | 50 X 32 X 50 mm | Each | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 |
| 13 | 50 X 40 X 50 mm | Each | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 |
| 14 | 63 x 20 x 63 mm | Each | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 |
| 15 | 63 X 25 X 63 mm | Each | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 |
| 16 | 63 X 32 X 63 mm | Each | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 |
| 17 | 63 X 40 X 63 mm | Each | 302 | 302 | 302 | 302 | 302 | 302 | 302 | 302 | 302 | 302 | 302 | 302 | 302 |
| 18 | 63 X 50 X 63 mm | Each | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 |
| 19 | 75 x 25 x 75 mm | Each | 1092 | 1092 | 1092 | 1092 | 1092 | 1092 | 1092 | 1092 | 1092 | 1092 | 1092 | 1092 | 1092 |
| 20 | 75 x 32 x 75 mm | Each | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 | 1248 |
| 21 | 75 x 40 x 75 mm | Each | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 |
| 22 | 75 x 50 x 75 mm | Each | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 | 1590 |
| 23 | 75 X 63 X 75 mm | Each | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 | 1040 |
| 24 | 90 x 50 x 90 mm | Each | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 |
| 25 | 90 x 63 x 90 mm | Each | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 | 3249 |
| 26 | 110 x 50 x 110 mm | Each | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 |
| 27 | 110 x 63 x 110 mm | Each | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 | 5263 |
| LC(9) | Elbow Female | | | | | | | | | | | | | | |
| 1 | 20 X 1/2" | Each | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 2 | 20 X 3/4" | Each | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 |
| 3 | 25 X 1/2" | Each | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 |
| 4 | 25 X 3/4" | Each | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 | 78 |
| 5 | 32 X 1/2" | Each | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 |
| 6 | 32 X 3/4" | Each | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 |
| 7 | 32 X 1" | Each | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 | 151 |
| 8 | 40 X 1-1/4" | Each | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 |
| 9 | 50 X 1-1/2" | Each | 882 | 882 | 882 | 882 | 882 | 882 | 882 | 882 | 882 | 882 | 882 | 882 | 882 |
| 10 | 63 X 2" | Each | 1531 | 1531 | 1531 | 1531 | 1531 | 1531 | 1531 | 1531 | 1531 | 1531 | 1531 | 1531 | 1531 |
| LC(10) | Elbow Male | | | | | | | | | | | | | | |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|----------------------------|-------------|------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 1 | 20 X 1/2" | Each | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 2 | 20 X 3/4" | Each | 312 | 312 | 312 | 312 | 312 | 312 | 312 | 312 | 312 | 312 | 312 | 312 | 312 |
| 3 | 25 X 1/2" | Each | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| 4 | 25 X 3/4" | Each | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 | 110 |
| 5 | 32 X 1/2" | Each | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 |
| 6 | 32 X 3/4" | Each | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |
| 7 | 32 X 1" | Each | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 |
| 8 | 40 X 1-1/4" | Each | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 |
| 9 | 50 X 1-1/2" | Each | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 |
| 10 | 63 X 2" | Each | 1789 | 1789 | 1789 | 1789 | 1789 | 1789 | 1789 | 1789 | 1789 | 1789 | 1789 | 1789 | 1789 |
| LC(11) Crossover | | | | | | | | | | | | | | | |
| 1 | 20 mm | Each | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 2 | 25 mm | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 3 | 32 mm | Each | 63 | 63 | 63 | 63 | 63 | 63 | 63 | 63 | 63 | 63 | 63 | 63 | 63 |
| 4 | 40 mm | Each | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 | 170 |
| LC(12) Male Tee | | | | | | | | | | | | | | | |
| 1 | 20 X 1/2" | Each | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 |
| 2 | 20 X 3/4" | Each | 359 | 359 | 359 | 359 | 359 | 359 | 359 | 359 | 359 | 359 | 359 | 359 | 359 |
| 3 | 25 X 1/2" | Each | 101 | 101 | 101 | 101 | 101 | 101 | 101 | 101 | 101 | 101 | 101 | 101 | 101 |
| 4 | 25 X 3/4" | Each | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 |
| 5 | 32 X 1/2" | Each | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 |
| 6 | 32 X 3/4" | Each | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |
| 7 | 32 X 1" | Each | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 |
| 8 | 40 X 1-1/4" | Each | 631 | 631 | 631 | 631 | 631 | 631 | 631 | 631 | 631 | 631 | 631 | 631 | 631 |
| 9 | 50 X 1-1/2" | Each | 901 | 901 | 901 | 901 | 901 | 901 | 901 | 901 | 901 | 901 | 901 | 901 | 901 |
| 10 | 63 X 2" | Each | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 | 1065 |
| LC(13) Female Tee | | | | | | | | | | | | | | | |
| 1 | 20 X 1/2" | Each | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 |
| 2 | 20 X 3/4" | Each | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 |
| 3 | 25 X 1/2" | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 4 | 25 X 3/4" | Each | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 |
| 5 | 32 X 1/2" | Each | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| 6 | 32 X 3/4" | Each | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 |
| 7 | 32 X 1" | Each | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 |
| 8 | 40 X 1-1/4" | Each | 573 | 573 | 573 | 573 | 573 | 573 | 573 | 573 | 573 | 573 | 573 | 573 | 573 |
| 9 | 50 X 1-1/2" | Each | 706 | 706 | 706 | 706 | 706 | 706 | 706 | 706 | 706 | 706 | 706 | 706 | 706 |
| 10 | 63 X 2" | Each | 1292 | 1292 | 1292 | 1292 | 1292 | 1292 | 1292 | 1292 | 1292 | 1292 | 1292 | 1292 | 1292 |
| LC(14) Union Female | | | | | | | | | | | | | | | |
| 1 | 20-1/2" | Each | 293 | 293 | 293 | 293 | 293 | 293 | 293 | 293 | 293 | 293 | 293 | 293 | 293 |
| 2 | 25-1/2" | Each | 422 | 422 | 422 | 422 | 422 | 422 | 422 | 422 | 422 | 422 | 422 | 422 | 422 |
| 3 | 25-3/4" | Each | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 | 460 |
| 4 | 32-1/2" | Each | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 |
| 5 | 32-3/4" | Each | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 | 507 |
| 6 | 32-1" | Each | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 |
| 7 | 50-1-1/2" | Each | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 | 1670 |
| 8 | 63-2" | Each | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 | 2287 |
| LC(15) Union Male | | | | | | | | | | | | | | | |
| 1 | 20-1/2" | Each | 227 | 227 | 227 | 227 | 227 | 227 | 227 | 227 | 227 | 227 | 227 | 227 | 227 |
| 2 | 25-1/2" | Each | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 | 440 |
| 3 | 25-3/4" | Each | 377 | 377 | 377 | 377 | 377 | 377 | 377 | 377 | 377 | 377 | 377 | 377 | 377 |
| 4 | 32-1/2" | Each | 529 | 529 | 529 | 529 | 529 | 529 | 529 | 529 | 529 | 529 | 529 | 529 | 529 |
| 5 | 32-3/4" | Each | 542 | 542 | 542 | 542 | 542 | 542 | 542 | 542 | 542 | 542 | 542 | 542 | 542 |
| 6 | 32-1" | Each | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 |
| 7 | 40-1-1/4" | Each | 1194 | 1194 | 1194 | 1194 | 1194 | 1194 | 1194 | 1194 | 1194 | 1194 | 1194 | 1194 | 1194 |
| 8 | 50-1-1/2" | Each | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 |
| 9 | 60-2" | Each | 2451 | 2451 | 2451 | 2451 | 2451 | 2451 | 2451 | 2451 | 2451 | 2451 | 2451 | 2451 | 2451 |
| LC(16) Union | | | | | | | | | | | | | | | |
| 1 | 20mm | Each | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 |
| 2 | 25mm | Each | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|---------------|---|------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 3 | 32mm | Each | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 | 406 |
| 4 | 40mm | Each | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 | 1008 |
| 5 | 50mm | Each | 1386 | 1386 | 1386 | 1386 | 1386 | 1386 | 1386 | 1386 | 1386 | 1386 | 1386 | 1386 | 1386 |
| 6 | 63mm | Each | 2604 | 2604 | 2604 | 2604 | 2604 | 2604 | 2604 | 2604 | 2604 | 2604 | 2604 | 2604 | 2604 |
| LC(17) | Cross Tee | | | | | | | | | | | | | | |
| 1 | 20mm | Each | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 |
| 2 | 25mm | Each | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 | 76 |
| 3 | 32mm | Each | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 |
| 4 | 40 mm | Each | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 |
| LC(18) | Throttlet Valve | | | | | | | | | | | | | | |
| 1 | 20mm | Each | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 |
| 2 | 25mm | Each | 495 | 495 | 495 | 495 | 495 | 495 | 495 | 495 | 495 | 495 | 495 | 495 | 495 |
| 3 | 32mm | Each | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 |
| 4 | 40mm | Each | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 |
| 5 | 50mm | Each | 1607 | 1607 | 1607 | 1607 | 1607 | 1607 | 1607 | 1607 | 1607 | 1607 | 1607 | 1607 | 1607 |
| 6 | 63mm | Each | 2835 | 2835 | 2835 | 2835 | 2835 | 2835 | 2835 | 2835 | 2835 | 2835 | 2835 | 2835 | 2835 |
| LC(19) | Threaded Plug | | | | | | | | | | | | | | |
| 1 | 20mm | Each | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 2 | 25mm | Each | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 3 | 32mm | Each | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 4 | 40mm | Each | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| LC(20) | Pipe Clamp | | | | | | | | | | | | | | |
| 1 | 20mm | Each | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 2 | 25mm | Each | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 3 | 32mm | Each | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 4 | 40mm | Each | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 5 | 50mm | Each | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| 6 | 63mm | Each | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 |
| LC(21) | Female Socket | | | | | | | | | | | | | | |
| 1 | 20 X 1/2" | Each | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 |
| 2 | 20 X 3/4" | Each | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 | 216 |
| 3 | 25 X 1/2" | Each | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 4 | 25 X 3/4" | Each | 73 | 73 | 73 | 73 | 73 | 73 | 73 | 73 | 73 | 73 | 73 | 73 | 73 |
| 5 | 32 X 1/2" | Each | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 |
| 6 | 32 X 3/4" | Each | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 |
| 7 | 32 X 1" | Each | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| 8 | 40 X 1-1/4" | Each | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 |
| 9 | 50 X 1-1/2" | Each | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 | 825 |
| 10 | 63 X 2" | Each | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 | 1260 |
| 11 | 75 X 1-1/2" | Each | 4486 | 4486 | 4486 | 4486 | 4486 | 4486 | 4486 | 4486 | 4486 | 4486 | 4486 | 4486 | 4486 |
| 12 | 75 X 2-1/2" | Each | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 |
| 13 | 90 X 3" | Each | 9482 | 9482 | 9482 | 9482 | 9482 | 9482 | 9482 | 9482 | 9482 | 9482 | 9482 | 9482 | 9482 |
| LC(22) | Male Socket | | | | | | | | | | | | | | |
| 1 | 20 X 1/2" | Each | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| 2 | 20 X 3/4" | Each | 208 | 208 | 208 | 208 | 208 | 208 | 208 | 208 | 208 | 208 | 208 | 208 | 208 |
| 3 | 25 X 1/2" | Each | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 |
| 4 | 25 X 3/4" | Each | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 |
| 5 | 32 X 1/2" | Each | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 |
| 6 | 32 X 3/4" | Each | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 |
| 7 | 32 X 1" | Each | 177 | 177 | 177 | 177 | 177 | 177 | 177 | 177 | 177 | 177 | 177 | 177 | 177 |
| 8 | 40 X 1-1/4" | Each | 693 | 693 | 693 | 693 | 693 | 693 | 693 | 693 | 693 | 693 | 693 | 693 | 693 |
| 9 | 50 X 1-1/2" | Each | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 | 819 |
| 10 | 63 X 2" | Each | 1323 | 1323 | 1323 | 1323 | 1323 | 1323 | 1323 | 1323 | 1323 | 1323 | 1323 | 1323 | 1323 |
| 11 | 75 X 1-1/2" | Each | 2148 | 2148 | 2148 | 2148 | 2148 | 2148 | 2148 | 2148 | 2148 | 2148 | 2148 | 2148 | 2148 |
| 12 | 90 X 3" | Each | 4898 | 4898 | 4898 | 4898 | 4898 | 4898 | 4898 | 4898 | 4898 | 4898 | 4898 | 4898 | 4898 |
| LD | PVC-U SOIL WASTE VENT (SWV) PIPES AND FITTINGS (As per approved manufacturers) | | | | | | | | | | | | | | |
| LD(1) | uPVC Plain Ends Socketed Pipes | | | | | | | | | | | | | | |
| 1 | 32 mm | PM | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 |
| 2 | 40 mm | PM | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|-------|--|------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 3 | 50 mm | PM | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 |
| 4 | 82 mm | PM | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 | 295 |
| 5 | 110 mm | PM | 443 | 443 | 443 | 443 | 443 | 443 | 443 | 443 | 443 | 443 | 443 | 443 | 443 |
| 6 | 160 mm | PM | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 |
| LE(1) | SW Fittings (As per approved manufacturers) | | | | | | | | | | | | | | |
| 1 | Socket 32mm | Each | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 2 | Socket 40mm | Each | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 3 | Socket 50mm | Each | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 | 59 |
| 4 | Socket 82mm | Each | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 | 95 |
| 5 | Socket 110mm | Each | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 | 135 |
| 6 | Socket 160mm | Each | 235 | 235 | 235 | 235 | 235 | 235 | 235 | 235 | 235 | 235 | 235 | 235 | 235 |
| 7 | Bend Plain 32 mm 900 | Each | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 |
| 8 | Bend Plain 40 mm 900 | Each | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 |
| 9 | Bend Plain 50 mm 900 | Each | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 |
| 10 | Bend Plain 82 mm 900 | Each | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| 11 | Bend Plain 110 mm 900 | Each | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 |
| 12 | Bend Plain 160 mm 900 | Each | 1305 | 1305 | 1305 | 1305 | 1305 | 1305 | 1305 | 1305 | 1305 | 1305 | 1305 | 1305 | 1305 |
| 13 | Bend Plug 40 mm 900 | Each | 174 | 174 | 174 | 174 | 174 | 174 | 174 | 174 | 174 | 174 | 174 | 174 | 174 |
| 14 | Bend Plug 50 mm 900 | Each | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 |
| 15 | Bend Plug 82 mm 900 | Each | 228 | 228 | 228 | 228 | 228 | 228 | 228 | 228 | 228 | 228 | 228 | 228 | 228 |
| 16 | Bend Plug 110 mm 900 | Each | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 | 284 |
| 17 | Bend Plug 160 mm 900 | Each | 1705 | 1705 | 1705 | 1705 | 1705 | 1705 | 1705 | 1705 | 1705 | 1705 | 1705 | 1705 | 1705 |
| 18 | Bend Plain 32 mm 450 | Each | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 |
| 19 | Bend Plain 40 mm 450 | Each | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 | 109 |
| 20 | Bend Plain 50 mm 450 | Each | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| 21 | Bend Plain 82 mm 450 | Each | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 |
| 22 | Bend Plain 110 mm 450 | Each | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 | 165 |
| 23 | Bend Plain 160 mm 450 | Each | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 | 1180 |
| 24 | Bend Plug 50 mm 450 | Each | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 |
| 25 | Bend Plug 82 mm 450 | Each | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 |
| 26 | Bend Plug 110 mm 450 | Each | 673 | 673 | 673 | 673 | 673 | 673 | 673 | 673 | 673 | 673 | 673 | 673 | 673 |
| 27 | Bend Plug 160 mm 450 | Each | 1637 | 1637 | 1637 | 1637 | 1637 | 1637 | 1637 | 1637 | 1637 | 1637 | 1637 | 1637 | 1637 |
| 28 | Tee Equal Plain 32mm | Each | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 |
| 29 | Tee Equal Plain 40mm | Each | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 | 189 |
| 30 | Tee Equal Plain 50mm | Each | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 | 69 |
| 31 | Tee Equal Plain 82mm | Each | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 |
| 32 | Tee Equal Plain 110mm | Each | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 | 263 |
| 33 | Tee Equal Plain 160mm | Each | 2254 | 2254 | 2254 | 2254 | 2254 | 2254 | 2254 | 2254 | 2254 | 2254 | 2254 | 2254 | 2254 |
| 34 | Tee Equal Plug 40mm | Each | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 |
| 35 | Tee Equal Plug 50mm | Each | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| 36 | Tee Equal Plug 82mm | Each | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 | 273 |
| 37 | Tee Equal Plug 110mm | Each | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 |
| 38 | Tee Equal Plug 160mm | Each | 2507 | 2507 | 2507 | 2507 | 2507 | 2507 | 2507 | 2507 | 2507 | 2507 | 2507 | 2507 | 2507 |
| 39 | End Cap 40mm | Each | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 |
| 40 | End Cap 50mm | Each | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 |
| 41 | End Cap 82mm | Each | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 | 102 |
| 42 | End Cap 110mm | Each | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 | 137 |
| 43 | End Cap 160mm | Each | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 |
| 44 | Yee Plain 50 mm | Each | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 | 139 |
| 45 | Yee Plain 82 mm | Each | 231 | 231 | 231 | 231 | 231 | 231 | 231 | 231 | 231 | 231 | 231 | 231 | 231 |
| 46 | Yee Plain 110 mm | Each | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 | 294 |
| 47 | Yee Plug 82mm | Each | 364 | 364 | 364 | 364 | 364 | 364 | 364 | 364 | 364 | 364 | 364 | 364 | 364 |
| 48 | Yee Plug 110mm | Each | 1171 | 1171 | 1171 | 1171 | 1171 | 1171 | 1171 | 1171 | 1171 | 1171 | 1171 | 1171 | 1171 |
| 49 | Access Plug Clean Out 32mm | Each | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 |
| 50 | Access Plug Clean Out 40mm | Each | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 |
| 51 | Access Plug Clean Out 50mm | Each | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 |
| 52 | Access Plug Clean Out 82mm | Each | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 | 599 |
| 53 | Access Plug Clean Out 110mm | Each | 612 | 612 | 612 | 612 | 612 | 612 | 612 | 612 | 612 | 612 | 612 | 612 | 612 |
| 54 | Access Plug Clean Out 160mm | Each | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|-------|--|-------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 55 | Vent Cowl 50mm | Each | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 56 | Vent Cowl 82mm | Each | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 |
| 57 | Vent Cowl 110mm | Each | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 | 91 |
| 58 | Vent Cowl 160mm | Each | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 | 547 |
| 59 | Expansion Coupling 82mm | Each | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 |
| 60 | Expansion Coupling 110mm | Each | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 | 629 |
| 61 | Expansion Coupling 160mm | Each | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 | 1191 |
| 62 | Seal Ring Adaptor 82mm | Each | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 | 233 |
| 63 | Seal Ring Adaptor 110mm | Each | 299 | 299 | 299 | 299 | 299 | 299 | 299 | 299 | 299 | 299 | 299 | 299 | 299 |
| 64 | Seal Ring Adaptor 160mm | Each | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 |
| 65 | S-Clamp 110mm | Each | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 66 | S-Clamp 82mm | Each | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 67 | S-Clamp 50mm | Each | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 68 | Cross Plain 50mm | Each | 439 | 439 | 439 | 439 | 439 | 439 | 439 | 439 | 439 | 439 | 439 | 439 | 439 |
| 69 | Cross Plain 110mm | Each | 1117 | 1117 | 1117 | 1117 | 1117 | 1117 | 1117 | 1117 | 1117 | 1117 | 1117 | 1117 | 1117 |
| 70 | Cross Plug 50mm | Each | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 | 641 |
| 71 | Cross Plug 110mm | Each | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 | 1477 |
| 72 | P-Trap (2 pcs) 82mm | Each | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 |
| 73 | P-Trap (2 pcs) 110mm | Each | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 |
| 74 | Floor Gully Trap (FGT) 82mm | Each | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 |
| 75 | Floor Gully Trap (FGT) 110mm | Each | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 |
| 76 | Bottle Traps (PP) 32mm | Each | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 |
| 77 | Bottle Traps (PP) 40mm | Each | 593 | 593 | 593 | 593 | 593 | 593 | 593 | 593 | 593 | 593 | 593 | 593 | 593 |
| 78 | B.S.R 40x32mm | Each | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 |
| 79 | B.S.R 50x32mm | Each | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 |
| 80 | B.S.R 50x40mm | Each | 163 | 163 | 163 | 163 | 163 | 163 | 163 | 163 | 163 | 163 | 163 | 163 | 163 |
| 81 | B.S.R 82x50mm | Each | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| 82 | B.S.R 110x50mm | Each | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| 83 | B.S.R 110x82mm | Each | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 |
| 84 | B.S.R 160x110mm | Each | 733 | 733 | 733 | 733 | 733 | 733 | 733 | 733 | 733 | 733 | 733 | 733 | 733 |
| 85 | L.I.R 50X32mm | Each | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 |
| 86 | L.I.R 82X50mm | Each | 291 | 291 | 291 | 291 | 291 | 291 | 291 | 291 | 291 | 291 | 291 | 291 | 291 |
| 87 | L.I.R 110X50mm | Each | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 | 420 |
| 88 | L.I.R 110X82mm | Each | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 |
| 89 | L.I.R 160X110mm | Each | 735 | 735 | 735 | 735 | 735 | 735 | 735 | 735 | 735 | 735 | 735 | 735 | 735 |
| 90 | Tee Reducing Plain 160x110mm | Each | 2262 | 2262 | 2262 | 2262 | 2262 | 2262 | 2262 | 2262 | 2262 | 2262 | 2262 | 2262 | 2262 |
| 91 | Tee Reducing Plug 160x110mm | Each | 2960 | 2960 | 2960 | 2960 | 2960 | 2960 | 2960 | 2960 | 2960 | 2960 | 2960 | 2960 | 2960 |
| 92 | Yee Reducing Plain 110x82mm | Each | 1083 | 1083 | 1083 | 1083 | 1083 | 1083 | 1083 | 1083 | 1083 | 1083 | 1083 | 1083 | 1083 |
| 93 | Yee Reducing Plain 160x110mm | Each | 2453 | 2453 | 2453 | 2453 | 2453 | 2453 | 2453 | 2453 | 2453 | 2453 | 2453 | 2453 | 2453 |
| 94 | Yee Reducing Plug 160x110mm | Each | 2603 | 2603 | 2603 | 2603 | 2603 | 2603 | 2603 | 2603 | 2603 | 2603 | 2603 | 2603 | 2603 |
| 95 | Boss Con W.Brakt 82x32mm | Each | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 96 | Boss Con W.Brakt 82x40mm | Each | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 |
| 97 | Boss Con W.Brakt 82x50mm | Each | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 | 270 |
| 98 | Boss Con W.Brakt 110x32mm | Each | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 |
| 99 | Boss Con W.Brakt 110x40mm | Each | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 |
| 100 | Boss Con W.Brakt 110x50mm | Each | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 |
| 101 | Boss Con W.Brakt 110x82mm | Each | 431 | 431 | 431 | 431 | 431 | 431 | 431 | 431 | 431 | 431 | 431 | 431 | 431 |
| 102 | Boss Con W.Brakt 160x82mm | Each | 875 | 875 | 875 | 875 | 875 | 875 | 875 | 875 | 875 | 875 | 875 | 875 | 875 |
| 103 | Boss Con W.Brakt Plug 82x50mm | Each | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 | 399 |
| 104 | Boss Con W.Brakt Plug 110x50mm | Each | 483 | 483 | 483 | 483 | 483 | 483 | 483 | 483 | 483 | 483 | 483 | 483 | 483 |
| 105 | Boss Con W.Brakt Plug 110x82mm | Each | 699 | 699 | 699 | 699 | 699 | 699 | 699 | 699 | 699 | 699 | 699 | 699 | 699 |
| 106 | Boss Con W.Brakt Plug 160x82mm | Each | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 | 1120 |
| 107 | WC Pan Connector 110mm | Each | 557 | 557 | 557 | 557 | 557 | 557 | 557 | 557 | 557 | 557 | 557 | 557 | 557 |
| 108 | WC Pan Elbow Connector 110mm | Each | 784 | 784 | 784 | 784 | 784 | 784 | 784 | 784 | 784 | 784 | 784 | 784 | 784 |
| 109 | Solvent Cement Local 100G with Brush | Each | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 |
| 110 | Solvent Cement Local 500G with Brush | Each | 331 | 331 | 331 | 331 | 331 | 331 | 331 | 331 | 331 | 331 | 331 | 331 | 331 |
| LF | GRP/ FRP Pipe (As per approved manufacturer) | | | | | | | | | | | | | | |
| LF(1) | Class-B (Pipe + Bell Coupler) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | P.Rft | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 | 266 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|---|-------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 2 | Size 6"(150mm) | P.Rft | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 | 380 |
| 3 | Size 8"(200mm) | P.Rft | 527 | 527 | 527 | 527 | 527 | 527 | 527 | 527 | 527 | 527 | 527 | 527 | 527 |
| 4 | Size 10"(250mm) | P.Rft | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 | 634 |
| 5 | Size 12"(300mm) | P.Rft | 783 | 783 | 783 | 783 | 783 | 783 | 783 | 783 | 783 | 783 | 783 | 783 | 783 |
| 6 | Size 14"(350mm) | P.Rft | 991 | 991 | 991 | 991 | 991 | 991 | 991 | 991 | 991 | 991 | 991 | 991 | 991 |
| 7 | Size 16"(400mm) | P.Rft | 1265 | 1265 | 1265 | 1265 | 1265 | 1265 | 1265 | 1265 | 1265 | 1265 | 1265 | 1265 | 1265 |
| 8 | Size 18"(450mm) | P.Rft | 1571 | 1571 | 1571 | 1571 | 1571 | 1571 | 1571 | 1571 | 1571 | 1571 | 1571 | 1571 | 1571 |
| 9 | Size 20"(500mm) | P.Rft | 1874 | 1874 | 1874 | 1874 | 1874 | 1874 | 1874 | 1874 | 1874 | 1874 | 1874 | 1874 | 1874 |
| 10 | Size 24"(600mm) | P.Rft | 2657 | 2657 | 2657 | 2657 | 2657 | 2657 | 2657 | 2657 | 2657 | 2657 | 2657 | 2657 | 2657 |
| 11 | Size 28"(700mm) | P.Rft | 3514 | 3514 | 3514 | 3514 | 3514 | 3514 | 3514 | 3514 | 3514 | 3514 | 3514 | 3514 | 3514 |
| 12 | Size 32"(800mm) | P.Rft | 4713 | 4713 | 4713 | 4713 | 4713 | 4713 | 4713 | 4713 | 4713 | 4713 | 4713 | 4713 | 4713 |
| 13 | Size 36"(900mm) | P.Rft | 5302 | 5302 | 5302 | 5302 | 5302 | 5302 | 5302 | 5302 | 5302 | 5302 | 5302 | 5302 | 5302 |
| 14 | Size 40"(1000mm) | P.Rft | 7123 | 7123 | 7123 | 7123 | 7123 | 7123 | 7123 | 7123 | 7123 | 7123 | 7123 | 7123 | 7123 |
| LF(2) | Class-B (GRP/ FRP-Flanges) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | Each | 2998 | 2998 | 2998 | 2998 | 2998 | 2998 | 2998 | 2998 | 2998 | 2998 | 2998 | 2998 | 2998 |
| 2 | Size 6"(150mm) | Each | 4498 | 4498 | 4498 | 4498 | 4498 | 4498 | 4498 | 4498 | 4498 | 4498 | 4498 | 4498 | 4498 |
| 3 | Size 8"(200mm) | Each | 6184 | 6184 | 6184 | 6184 | 6184 | 6184 | 6184 | 6184 | 6184 | 6184 | 6184 | 6184 | 6184 |
| 4 | Size 10"(250mm) | Each | 6995 | 6995 | 6995 | 6995 | 6995 | 6995 | 6995 | 6995 | 6995 | 6995 | 6995 | 6995 | 6995 |
| 5 | Size 12"(300mm) | Each | 8610 | 8610 | 8610 | 8610 | 8610 | 8610 | 8610 | 8610 | 8610 | 8610 | 8610 | 8610 | 8610 |
| 6 | Size 14"(350mm) | Each | 9682 | 9682 | 9682 | 9682 | 9682 | 9682 | 9682 | 9682 | 9682 | 9682 | 9682 | 9682 | 9682 |
| 7 | Size 16"(400mm) | Each | 9805 | 9805 | 9805 | 9805 | 9805 | 9805 | 9805 | 9805 | 9805 | 9805 | 9805 | 9805 | 9805 |
| 8 | Size 18"(450mm) | Each | 12110 | 12110 | 12110 | 12110 | 12110 | 12110 | 12110 | 12110 | 12110 | 12110 | 12110 | 12110 | 12110 |
| 9 | Size 20"(500mm) | Each | 14329 | 14329 | 14329 | 14329 | 14329 | 14329 | 14329 | 14329 | 14329 | 14329 | 14329 | 14329 | 14329 |
| 10 | Size 24"(600mm) | Each | 19217 | 19217 | 19217 | 19217 | 19217 | 19217 | 19217 | 19217 | 19217 | 19217 | 19217 | 19217 | 19217 |
| 11 | Size 28"(700mm) | Each | 24122 | 24122 | 24122 | 24122 | 24122 | 24122 | 24122 | 24122 | 24122 | 24122 | 24122 | 24122 | 24122 |
| 12 | Size 32"(800mm) | Each | 29150 | 29150 | 29150 | 29150 | 29150 | 29150 | 29150 | 29150 | 29150 | 29150 | 29150 | 29150 | 29150 |
| 13 | Size 36"(900mm) | Each | 32794 | 32794 | 32794 | 32794 | 32794 | 32794 | 32794 | 32794 | 32794 | 32794 | 32794 | 32794 | 32794 |
| 14 | Size 40"(1000mm) | Each | 40386 | 40386 | 40386 | 40386 | 40386 | 40386 | 40386 | 40386 | 40386 | 40386 | 40386 | 40386 | 40386 |
| LF(3) | Class-B (GRP/ FRP-Tees) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | Each | 7614 | 7614 | 7614 | 7614 | 7614 | 7614 | 7614 | 7614 | 7614 | 7614 | 7614 | 7614 | 7614 |
| 2 | Size 6"(150mm) | Each | 11421 | 11421 | 11421 | 11421 | 11421 | 11421 | 11421 | 11421 | 11421 | 11421 | 11421 | 11421 | 11421 |
| 3 | Size 8"(200mm) | Each | 15703 | 15703 | 15703 | 15703 | 15703 | 15703 | 15703 | 15703 | 15703 | 15703 | 15703 | 15703 | 15703 |
| 4 | Size 10"(250mm) | Each | 17763 | 17763 | 17763 | 17763 | 17763 | 17763 | 17763 | 17763 | 17763 | 17763 | 17763 | 17763 | 17763 |
| 5 | Size 12"(300mm) | Each | 21862 | 21862 | 21862 | 21862 | 21862 | 21862 | 21862 | 21862 | 21862 | 21862 | 21862 | 21862 | 21862 |
| 6 | Size 14"(350mm) | Each | 24595 | 24595 | 24595 | 24595 | 24595 | 24595 | 24595 | 24595 | 24595 | 24595 | 24595 | 24595 | 24595 |
| 7 | Size 16"(400mm) | Each | 24899 | 24899 | 24899 | 24899 | 24899 | 24899 | 24899 | 24899 | 24899 | 24899 | 24899 | 24899 | 24899 |
| 8 | Size 18"(450mm) | Each | 30169 | 30169 | 30169 | 30169 | 30169 | 30169 | 30169 | 30169 | 30169 | 30169 | 30169 | 30169 | 30169 |
| 9 | Size 20"(500mm) | Each | 35267 | 35267 | 35267 | 35267 | 35267 | 35267 | 35267 | 35267 | 35267 | 35267 | 35267 | 35267 | 35267 |
| 10 | Size 24"(600mm) | Each | 46921 | 46921 | 46921 | 46921 | 46921 | 46921 | 46921 | 46921 | 46921 | 46921 | 46921 | 46921 | 46921 |
| 11 | Size 28"(700mm) | Each | 58423 | 58423 | 58423 | 58423 | 58423 | 58423 | 58423 | 58423 | 58423 | 58423 | 58423 | 58423 | 58423 |
| 12 | Size 32"(800mm) | Each | 69935 | 69935 | 69935 | 69935 | 69935 | 69935 | 69935 | 69935 | 69935 | 69935 | 69935 | 69935 | 69935 |
| 13 | Size 36"(900mm) | Each | 78677 | 78677 | 78677 | 78677 | 78677 | 78677 | 78677 | 78677 | 78677 | 78677 | 78677 | 78677 | 78677 |
| 14 | Size 40"(1000mm) | Each | 95314 | 95314 | 95314 | 95314 | 95314 | 95314 | 95314 | 95314 | 95314 | 95314 | 95314 | 95314 | 95314 |
| LF(4) | Class-B (GRP/ FRP-Bend) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | Each | 5046 | 5046 | 5046 | 5046 | 5046 | 5046 | 5046 | 5046 | 5046 | 5046 | 5046 | 5046 | 5046 |
| 2 | Size 6"(150mm) | Each | 7570 | 7570 | 7570 | 7570 | 7570 | 7570 | 7570 | 7570 | 7570 | 7570 | 7570 | 7570 | 7570 |
| 3 | Size 8"(200mm) | Each | 10408 | 10408 | 10408 | 10408 | 10408 | 10408 | 10408 | 10408 | 10408 | 10408 | 10408 | 10408 | 10408 |
| 4 | Size 10"(250mm) | Each | 11773 | 11773 | 11773 | 11773 | 11773 | 11773 | 11773 | 11773 | 11773 | 11773 | 11773 | 11773 | 11773 |
| 5 | Size 12"(300mm) | Each | 14490 | 14490 | 14490 | 14490 | 14490 | 14490 | 14490 | 14490 | 14490 | 14490 | 14490 | 14490 | 14490 |
| 6 | Size 14"(350mm) | Each | 16301 | 16301 | 16301 | 16301 | 16301 | 16301 | 16301 | 16301 | 16301 | 16301 | 16301 | 16301 | 16301 |
| 7 | Size 16"(400mm) | Each | 16503 | 16503 | 16503 | 16503 | 16503 | 16503 | 16503 | 16503 | 16503 | 16503 | 16503 | 16503 | 16503 |
| 8 | Size 18"(450mm) | Each | 19981 | 19981 | 19981 | 19981 | 19981 | 19981 | 19981 | 19981 | 19981 | 19981 | 19981 | 19981 | 19981 |
| 9 | Size 20"(500mm) | Each | 23347 | 23347 | 23347 | 23347 | 23347 | 23347 | 23347 | 23347 | 23347 | 23347 | 23347 | 23347 | 23347 |
| 10 | Size 24"(600mm) | Each | 31051 | 31051 | 31051 | 31051 | 31051 | 31051 | 31051 | 31051 | 31051 | 31051 | 31051 | 31051 | 31051 |
| 11 | Size 28"(700mm) | Each | 38651 | 38651 | 38651 | 38651 | 38651 | 38651 | 38651 | 38651 | 38651 | 38651 | 38651 | 38651 | 38651 |
| 12 | Size 32"(800mm) | Each | 46249 | 46249 | 46249 | 46249 | 46249 | 46249 | 46249 | 46249 | 46249 | 46249 | 46249 | 46249 | 46249 |
| 13 | Size 36"(900mm) | Each | 52031 | 52031 | 52031 | 52031 | 52031 | 52031 | 52031 | 52031 | 52031 | 52031 | 52031 | 52031 | 52031 |
| 14 | Size 40"(1000mm) | Each | 62991 | 62991 | 62991 | 62991 | 62991 | 62991 | 62991 | 62991 | 62991 | 62991 | 62991 | 62991 | 62991 |
| LF(5) | Class-C (Pipe + Bell Coupler) Complete | | | | | | | | | | | | | | |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|--|-------|--------|--------|--------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 1 | Size 4"(100mm) | P.Rft | 346 | 346 | 346 | 346 | 346 | 346 | 346 | 346 | 346 | 346 | 346 | 346 | 346 |
| 2 | Size 6"(150mm) | P.Rft | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 | 518 |
| 3 | Size 8"(200mm) | P.Rft | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 | 698 |
| 4 | Size 10"(250mm) | P.Rft | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 | 806 |
| 5 | Size 12"(300mm) | P.Rft | 938 | 938 | 938 | 938 | 938 | 938 | 938 | 938 | 938 | 938 | 938 | 938 | 938 |
| 6 | Size 14"(350mm) | P.Rft | 1140 | 1140 | 1140 | 1140 | 1140 | 1140 | 1140 | 1140 | 1140 | 1140 | 1140 | 1140 | 1140 |
| 7 | Size 16"(400mm) | P.Rft | 1568 | 1568 | 1568 | 1568 | 1568 | 1568 | 1568 | 1568 | 1568 | 1568 | 1568 | 1568 | 1568 |
| 8 | Size 18"(450mm) | P.Rft | 1894 | 1894 | 1894 | 1894 | 1894 | 1894 | 1894 | 1894 | 1894 | 1894 | 1894 | 1894 | 1894 |
| 9 | Size 20"(500mm) | P.Rft | 2304 | 2304 | 2304 | 2304 | 2304 | 2304 | 2304 | 2304 | 2304 | 2304 | 2304 | 2304 | 2304 |
| 10 | Size 24"(600mm) | P.Rft | 3312 | 3312 | 3312 | 3312 | 3312 | 3312 | 3312 | 3312 | 3312 | 3312 | 3312 | 3312 | 3312 |
| 11 | Size 28"(700mm) | P.Rft | 3971 | 3971 | 3971 | 3971 | 3971 | 3971 | 3971 | 3971 | 3971 | 3971 | 3971 | 3971 | 3971 |
| 12 | Size 32"(800mm) | P.Rft | 5258 | 5258 | 5258 | 5258 | 5258 | 5258 | 5258 | 5258 | 5258 | 5258 | 5258 | 5258 | 5258 |
| 13 | Size 36"(900mm) | P.Rft | 6259 | 6259 | 6259 | 6259 | 6259 | 6259 | 6259 | 6259 | 6259 | 6259 | 6259 | 6259 | 6259 |
| 14 | Size 40"(1000mm) | P.Rft | 8202 | 8202 | 8202 | 8202 | 8202 | 8202 | 8202 | 8202 | 8202 | 8202 | 8202 | 8202 | 8202 |
| LF(6) | Class-C (GRP/ FRP-Flanges) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | Each | 3159 | 3159 | 3159 | 3159 | 3159 | 3159 | 3159 | 3159 | 3159 | 3159 | 3159 | 3159 | 3159 |
| 2 | Size 6"(150mm) | Each | 4739 | 4739 | 4739 | 4739 | 4739 | 4739 | 4739 | 4739 | 4739 | 4739 | 4739 | 4739 | 4739 |
| 3 | Size 8"(200mm) | Each | 6516 | 6516 | 6516 | 6516 | 6516 | 6516 | 6516 | 6516 | 6516 | 6516 | 6516 | 6516 | 6516 |
| 4 | Size 10"(250mm) | Each | 7371 | 7371 | 7371 | 7371 | 7371 | 7371 | 7371 | 7371 | 7371 | 7371 | 7371 | 7371 | 7371 |
| 5 | Size 12"(300mm) | Each | 9071 | 9071 | 9071 | 9071 | 9071 | 9071 | 9071 | 9071 | 9071 | 9071 | 9071 | 9071 | 9071 |
| 6 | Size 14"(350mm) | Each | 10205 | 10205 | 10205 | 10205 | 10205 | 10205 | 10205 | 10205 | 10205 | 10205 | 10205 | 10205 | 10205 |
| 7 | Size 16"(400mm) | Each | 11328 | 11328 | 11328 | 11328 | 11328 | 11328 | 11328 | 11328 | 11328 | 11328 | 11328 | 11328 | 11328 |
| 8 | Size 18"(450mm) | Each | 12910 | 12910 | 12910 | 12910 | 12910 | 12910 | 12910 | 12910 | 12910 | 12910 | 12910 | 12910 | 12910 |
| 9 | Size 20"(500mm) | Each | 15387 | 15387 | 15387 | 15387 | 15387 | 15387 | 15387 | 15387 | 15387 | 15387 | 15387 | 15387 | 15387 |
| 10 | Size 24"(600mm) | Each | 20729 | 20729 | 20729 | 20729 | 20729 | 20729 | 20729 | 20729 | 20729 | 20729 | 20729 | 20729 | 20729 |
| 11 | Size 28"(700mm) | Each | 26139 | 26139 | 26139 | 26139 | 26139 | 26139 | 26139 | 26139 | 26139 | 26139 | 26139 | 26139 | 26139 |
| 12 | Size 32"(800mm) | Each | 31754 | 31754 | 31754 | 31754 | 31754 | 31754 | 31754 | 31754 | 31754 | 31754 | 31754 | 31754 | 31754 |
| 13 | Size 36"(900mm) | Each | 35723 | 35723 | 35723 | 35723 | 35723 | 35723 | 35723 | 35723 | 35723 | 35723 | 35723 | 35723 | 35723 |
| 14 | Size 40"(1000mm) | Each | 44403 | 44403 | 44403 | 44403 | 44403 | 44403 | 44403 | 44403 | 44403 | 44403 | 44403 | 44403 | 44403 |
| LF(7) | Class-C (GRP/ FRP-Tees) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | Each | 7834 | 7834 | 7834 | 7834 | 7834 | 7834 | 7834 | 7834 | 7834 | 7834 | 7834 | 7834 | 7834 |
| 2 | Size 6"(150mm) | Each | 11752 | 11752 | 11752 | 11752 | 11752 | 11752 | 11752 | 11752 | 11752 | 11752 | 11752 | 11752 | 11752 |
| 3 | Size 8"(200mm) | Each | 16158 | 16158 | 16158 | 16158 | 16158 | 16158 | 16158 | 16158 | 16158 | 16158 | 16158 | 16158 | 16158 |
| 4 | Size 10"(250mm) | Each | 18277 | 18277 | 18277 | 18277 | 18277 | 18277 | 18277 | 18277 | 18277 | 18277 | 18277 | 18277 | 18277 |
| 5 | Size 12"(300mm) | Each | 22495 | 22495 | 22495 | 22495 | 22495 | 22495 | 22495 | 22495 | 22495 | 22495 | 22495 | 22495 | 22495 |
| 6 | Size 14"(350mm) | Each | 25308 | 25308 | 25308 | 25308 | 25308 | 25308 | 25308 | 25308 | 25308 | 25308 | 25308 | 25308 | 25308 |
| 7 | Size 16"(400mm) | Each | 28317 | 28317 | 28317 | 28317 | 28317 | 28317 | 28317 | 28317 | 28317 | 28317 | 28317 | 28317 | 28317 |
| 8 | Size 18"(450mm) | Each | 31396 | 31396 | 31396 | 31396 | 31396 | 31396 | 31396 | 31396 | 31396 | 31396 | 31396 | 31396 | 31396 |
| 9 | Size 20"(500mm) | Each | 36971 | 36971 | 36971 | 36971 | 36971 | 36971 | 36971 | 36971 | 36971 | 36971 | 36971 | 36971 | 36971 |
| 10 | Size 24"(600mm) | Each | 49414 | 49414 | 49414 | 49414 | 49414 | 49414 | 49414 | 49414 | 49414 | 49414 | 49414 | 49414 | 49414 |
| 11 | Size 28"(700mm) | Each | 61821 | 61821 | 61821 | 61821 | 61821 | 61821 | 61821 | 61821 | 61821 | 61821 | 61821 | 61821 | 61821 |
| 12 | Size 32"(800mm) | Each | 74413 | 74413 | 74413 | 74413 | 74413 | 74413 | 74413 | 74413 | 74413 | 74413 | 74413 | 74413 | 74413 |
| 13 | Size 36"(900mm) | Each | 83715 | 83715 | 83715 | 83715 | 83715 | 83715 | 83715 | 83715 | 83715 | 83715 | 83715 | 83715 | 83715 |
| 14 | Size 40"(1000mm) | Each | 102437 | 102437 | 102437 | 102437 | 102437 | 102437 | 102437 | 102437 | 102437 | 102437 | 102437 | 102437 | 102437 |
| LF(8) | Class-C (GRP/ FRP-Bend) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | Each | 5188 | 5188 | 5188 | 5188 | 5188 | 5188 | 5188 | 5188 | 5188 | 5188 | 5188 | 5188 | 5188 |
| 2 | Size 6"(150mm) | Each | 7782 | 7782 | 7782 | 7782 | 7782 | 7782 | 7782 | 7782 | 7782 | 7782 | 7782 | 7782 | 7782 |
| 3 | Size 8"(200mm) | Each | 10700 | 10700 | 10700 | 10700 | 10700 | 10700 | 10700 | 10700 | 10700 | 10700 | 10700 | 10700 | 10700 |
| 4 | Size 10"(250mm) | Each | 12103 | 12103 | 12103 | 12103 | 12103 | 12103 | 12103 | 12103 | 12103 | 12103 | 12103 | 12103 | 12103 |
| 5 | Size 12"(300mm) | Each | 14896 | 14896 | 14896 | 14896 | 14896 | 14896 | 14896 | 14896 | 14896 | 14896 | 14896 | 14896 | 14896 |
| 6 | Size 14"(350mm) | Each | 16759 | 16759 | 16759 | 16759 | 16759 | 16759 | 16759 | 16759 | 16759 | 16759 | 16759 | 16759 | 16759 |
| 7 | Size 16"(400mm) | Each | 18763 | 18763 | 18763 | 18763 | 18763 | 18763 | 18763 | 18763 | 18763 | 18763 | 18763 | 18763 | 18763 |
| 8 | Size 18"(450mm) | Each | 20774 | 20774 | 20774 | 20774 | 20774 | 20774 | 20774 | 20774 | 20774 | 20774 | 20774 | 20774 | 20774 |
| 9 | Size 20"(500mm) | Each | 24451 | 24451 | 24451 | 24451 | 24451 | 24451 | 24451 | 24451 | 24451 | 24451 | 24451 | 24451 | 24451 |
| 10 | Size 24"(600mm) | Each | 32670 | 32670 | 32670 | 32670 | 32670 | 32670 | 32670 | 32670 | 32670 | 32670 | 32670 | 32670 | 32670 |
| 11 | Size 28"(700mm) | Each | 40860 | 40860 | 40860 | 40860 | 40860 | 40860 | 40860 | 40860 | 40860 | 40860 | 40860 | 40860 | 40860 |
| 12 | Size 32"(800mm) | Each | 49164 | 49164 | 49164 | 49164 | 49164 | 49164 | 49164 | 49164 | 49164 | 49164 | 49164 | 49164 | 49164 |
| 13 | Size 36"(900mm) | Each | 55311 | 55311 | 55311 | 55311 | 55311 | 55311 | 55311 | 55311 | 55311 | 55311 | 55311 | 55311 | 55311 |
| 14 | Size 40"(1000mm) | Each | 67635 | 67635 | 67635 | 67635 | 67635 | 67635 | 67635 | 67635 | 67635 | 67635 | 67635 | 67635 | 67635 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|---------------|--|-------|--------|--------|--------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| LF(9) | Class-D (Pipe + Bell Coupler) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | P.Rft | 521 | 521 | 521 | 521 | 521 | 521 | 521 | 521 | 521 | 521 | 521 | 521 | 521 |
| 2 | Size 6"(150mm) | P.Rft | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 | 662 |
| 3 | Size 8"(200mm) | P.Rft | 911 | 911 | 911 | 911 | 911 | 911 | 911 | 911 | 911 | 911 | 911 | 911 | 911 |
| 4 | Size 10"(250mm) | P.Rft | 1031 | 1031 | 1031 | 1031 | 1031 | 1031 | 1031 | 1031 | 1031 | 1031 | 1031 | 1031 | 1031 |
| 5 | Size 12"(300mm) | P.Rft | 1269 | 1269 | 1269 | 1269 | 1269 | 1269 | 1269 | 1269 | 1269 | 1269 | 1269 | 1269 | 1269 |
| 6 | Size 14"(350mm) | P.Rft | 1427 | 1427 | 1427 | 1427 | 1427 | 1427 | 1427 | 1427 | 1427 | 1427 | 1427 | 1427 | 1427 |
| 7 | Size 16"(400mm) | P.Rft | 1824 | 1824 | 1824 | 1824 | 1824 | 1824 | 1824 | 1824 | 1824 | 1824 | 1824 | 1824 | 1824 |
| 8 | Size 18"(450mm) | P.Rft | 2240 | 2240 | 2240 | 2240 | 2240 | 2240 | 2240 | 2240 | 2240 | 2240 | 2240 | 2240 | 2240 |
| 9 | Size 20"(500mm) | P.Rft | 2774 | 2774 | 2774 | 2774 | 2774 | 2774 | 2774 | 2774 | 2774 | 2774 | 2774 | 2774 | 2774 |
| 10 | Size 24"(600mm) | P.Rft | 4030 | 4030 | 4030 | 4030 | 4030 | 4030 | 4030 | 4030 | 4030 | 4030 | 4030 | 4030 | 4030 |
| 11 | Size 28"(700mm) | P.Rft | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 | 4768 |
| 12 | Size 32"(800mm) | P.Rft | 7420 | 7420 | 7420 | 7420 | 7420 | 7420 | 7420 | 7420 | 7420 | 7420 | 7420 | 7420 | 7420 |
| 13 | Size 36"(900mm) | P.Rft | 8494 | 8494 | 8494 | 8494 | 8494 | 8494 | 8494 | 8494 | 8494 | 8494 | 8494 | 8494 | 8494 |
| 14 | Size 40"(1000mm) | P.Rft | 10760 | 10760 | 10760 | 10760 | 10760 | 10760 | 10760 | 10760 | 10760 | 10760 | 10760 | 10760 | 10760 |
| LF(10) | Class-D (GRP/ FRP-Flanges) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | Each | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 |
| 2 | Size 6"(150mm) | Each | 5354 | 5354 | 5354 | 5354 | 5354 | 5354 | 5354 | 5354 | 5354 | 5354 | 5354 | 5354 | 5354 |
| 3 | Size 8"(200mm) | Each | 7028 | 7028 | 7028 | 7028 | 7028 | 7028 | 7028 | 7028 | 7028 | 7028 | 7028 | 7028 | 7028 |
| 4 | Size 10"(250mm) | Each | 8331 | 8331 | 8331 | 8331 | 8331 | 8331 | 8331 | 8331 | 8331 | 8331 | 8331 | 8331 | 8331 |
| 5 | Size 12"(300mm) | Each | 10253 | 10253 | 10253 | 10253 | 10253 | 10253 | 10253 | 10253 | 10253 | 10253 | 10253 | 10253 | 10253 |
| 6 | Size 14"(350mm) | Each | 11534 | 11534 | 11534 | 11534 | 11534 | 11534 | 11534 | 11534 | 11534 | 11534 | 11534 | 11534 | 11534 |
| 7 | Size 16"(400mm) | Each | 12106 | 12106 | 12106 | 12106 | 12106 | 12106 | 12106 | 12106 | 12106 | 12106 | 12106 | 12106 | 12106 |
| 8 | Size 18"(450mm) | Each | 14860 | 14860 | 14860 | 14860 | 14860 | 14860 | 14860 | 14860 | 14860 | 14860 | 14860 | 14860 | 14860 |
| 9 | Size 20"(500mm) | Each | 17914 | 17914 | 17914 | 17914 | 17914 | 17914 | 17914 | 17914 | 17914 | 17914 | 17914 | 17914 | 17914 |
| 10 | Size 24"(600mm) | Each | 24308 | 24308 | 24308 | 24308 | 24308 | 24308 | 24308 | 24308 | 24308 | 24308 | 24308 | 24308 | 24308 |
| 11 | Size 28"(700mm) | Each | 30873 | 30873 | 30873 | 30873 | 30873 | 30873 | 30873 | 30873 | 30873 | 30873 | 30873 | 30873 | 30873 |
| 12 | Size 32"(800mm) | Each | 37814 | 37814 | 37814 | 37814 | 37814 | 37814 | 37814 | 37814 | 37814 | 37814 | 37814 | 37814 | 37814 |
| 13 | Size 36"(900mm) | Each | 42541 | 42541 | 42541 | 42541 | 42541 | 42541 | 42541 | 42541 | 42541 | 42541 | 42541 | 42541 | 42541 |
| 14 | Size 40"(1000mm) | Each | 53589 | 53589 | 53589 | 53589 | 53589 | 53589 | 53589 | 53589 | 53589 | 53589 | 53589 | 53589 | 53589 |
| LF(11) | Class-D (GRP/ FRP-Tees) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | Each | 8172 | 8172 | 8172 | 8172 | 8172 | 8172 | 8172 | 8172 | 8172 | 8172 | 8172 | 8172 | 8172 |
| 2 | Size 6"(150mm) | Each | 12754 | 12754 | 12754 | 12754 | 12754 | 12754 | 12754 | 12754 | 12754 | 12754 | 12754 | 12754 | 12754 |
| 3 | Size 8"(200mm) | Each | 16785 | 16785 | 16785 | 16785 | 16785 | 16785 | 16785 | 16785 | 16785 | 16785 | 16785 | 16785 | 16785 |
| 4 | Size 10"(250mm) | Each | 19838 | 19838 | 19838 | 19838 | 19838 | 19838 | 19838 | 19838 | 19838 | 19838 | 19838 | 19838 | 19838 |
| 5 | Size 12"(300mm) | Each | 24415 | 24415 | 24415 | 24415 | 24415 | 24415 | 24415 | 24415 | 24415 | 24415 | 24415 | 24415 | 24415 |
| 6 | Size 14"(350mm) | Each | 27467 | 27467 | 27467 | 27467 | 27467 | 27467 | 27467 | 27467 | 27467 | 27467 | 27467 | 27467 | 27467 |
| 7 | Size 16"(400mm) | Each | 28817 | 28817 | 28817 | 28817 | 28817 | 28817 | 28817 | 28817 | 28817 | 28817 | 28817 | 28817 | 28817 |
| 8 | Size 18"(450mm) | Each | 34728 | 34728 | 34728 | 34728 | 34728 | 34728 | 34728 | 34728 | 34728 | 34728 | 34728 | 34728 | 34728 |
| 9 | Size 20"(500mm) | Each | 41394 | 41394 | 41394 | 41394 | 41394 | 41394 | 41394 | 41394 | 41394 | 41394 | 41394 | 41394 | 41394 |
| 10 | Size 24"(600mm) | Each | 55763 | 55763 | 55763 | 55763 | 55763 | 55763 | 55763 | 55763 | 55763 | 55763 | 55763 | 55763 | 55763 |
| 11 | Size 28"(700mm) | Each | 70317 | 70317 | 70317 | 70317 | 70317 | 70317 | 70317 | 70317 | 70317 | 70317 | 70317 | 70317 | 70317 |
| 12 | Size 32"(800mm) | Each | 85422 | 85422 | 85422 | 85422 | 85422 | 85422 | 85422 | 85422 | 85422 | 85422 | 85422 | 85422 | 85422 |
| 13 | Size 36"(900mm) | Each | 96100 | 96100 | 96100 | 96100 | 96100 | 96100 | 96100 | 96100 | 96100 | 96100 | 96100 | 96100 | 96100 |
| 14 | Size 40"(1000mm) | Each | 119421 | 119421 | 119421 | 119421 | 119421 | 119421 | 119421 | 119421 | 119421 | 119421 | 119421 | 119421 | 119421 |
| LF(12) | Class-D (GRP/ FRP-Bend) Complete | | | | | | | | | | | | | | |
| 1 | Size 4"(100mm) | Each | 5352 | 5352 | 5352 | 5352 | 5352 | 5352 | 5352 | 5352 | 5352 | 5352 | 5352 | 5352 | 5352 |
| 2 | Size 6"(150mm) | Each | 8354 | 8354 | 8354 | 8354 | 8354 | 8354 | 8354 | 8354 | 8354 | 8354 | 8354 | 8354 | 8354 |
| 3 | Size 8"(200mm) | Each | 11085 | 11085 | 11085 | 11085 | 11085 | 11085 | 11085 | 11085 | 11085 | 11085 | 11085 | 11085 | 11085 |
| 4 | Size 10"(250mm) | Each | 13115 | 13115 | 13115 | 13115 | 13115 | 13115 | 13115 | 13115 | 13115 | 13115 | 13115 | 13115 | 13115 |
| 5 | Size 12"(300mm) | Each | 16141 | 16141 | 16141 | 16141 | 16141 | 16141 | 16141 | 16141 | 16141 | 16141 | 16141 | 16141 | 16141 |
| 6 | Size 14"(350mm) | Each | 18159 | 18159 | 18159 | 18159 | 18159 | 18159 | 18159 | 18159 | 18159 | 18159 | 18159 | 18159 | 18159 |
| 7 | Size 16"(400mm) | Each | 19998 | 19998 | 19998 | 19998 | 19998 | 19998 | 19998 | 19998 | 19998 | 19998 | 19998 | 19998 | 19998 |
| 8 | Size 18"(450mm) | Each | 22942 | 22942 | 22942 | 22942 | 22942 | 22942 | 22942 | 22942 | 22942 | 22942 | 22942 | 22942 | 22942 |
| 9 | Size 20"(500mm) | Each | 27333 | 27333 | 27333 | 27333 | 27333 | 27333 | 27333 | 27333 | 27333 | 27333 | 27333 | 27333 | 27333 |
| 10 | Size 24"(600mm) | Each | 36809 | 36809 | 36809 | 36809 | 36809 | 36809 | 36809 | 36809 | 36809 | 36809 | 36809 | 36809 | 36809 |
| 11 | Size 28"(700mm) | Each | 46402 | 46402 | 46402 | 46402 | 46402 | 46402 | 46402 | 46402 | 46402 | 46402 | 46402 | 46402 | 46402 |
| 12 | Size 32"(800mm) | Each | 56350 | 56350 | 56350 | 56350 | 56350 | 56350 | 56350 | 56350 | 56350 | 56350 | 56350 | 56350 | 56350 |
| 13 | Size 36"(900mm) | Each | 63394 | 63394 | 63394 | 63394 | 63394 | 63394 | 63394 | 63394 | 63394 | 63394 | 63394 | 63394 | 63394 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|--|----------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 14 | Size 40*(1000mm) | Each | 78731 | 78731 | 78731 | 78731 | 78731 | 78731 | 78731 | 78731 | 78731 | 78731 | 78731 | 78731 | 78731 |
| LG | Polyethylene Pipes PE-100 (As per approved manufacturers) | | | | | | | | | | | | | | |
| LG(1) | PN 8 | | | | | | | | | | | | | | |
| 1 | 40 mm | Per Mtr. | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 | 65 |
| 2 | 50 mm | Per Mtr. | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| 3 | 63 mm | Per Mtr. | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 | 154 |
| 4 | 75 mm | Per Mtr. | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 | 219 |
| 5 | 90 mm | Per Mtr. | 314 | 314 | 314 | 314 | 314 | 314 | 314 | 314 | 314 | 314 | 314 | 314 | 314 |
| 6 | 110 mm | Per Mtr. | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 | 473 |
| 7 | 125 mm | Per Mtr. | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 | 609 |
| 8 | 140 mm | Per Mtr. | 762 | 762 | 762 | 762 | 762 | 762 | 762 | 762 | 762 | 762 | 762 | 762 | 762 |
| 9 | 160 mm | Per Mtr. | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| 10 | 180 mm | Per Mtr. | 1257 | 1257 | 1257 | 1257 | 1257 | 1257 | 1257 | 1257 | 1257 | 1257 | 1257 | 1257 | 1257 |
| 11 | 200 mm | Per Mtr. | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 |
| 12 | 225 mm | Per Mtr. | 1974 | 1974 | 1974 | 1974 | 1974 | 1974 | 1974 | 1974 | 1974 | 1974 | 1974 | 1974 | 1974 |
| 13 | 250 mm | Per Mtr. | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 |
| 14 | 280 mm | Per Mtr. | 3251 | 3251 | 3251 | 3251 | 3251 | 3251 | 3251 | 3251 | 3251 | 3251 | 3251 | 3251 | 3251 |
| 15 | 315 mm | Per Mtr. | 4095 | 4095 | 4095 | 4095 | 4095 | 4095 | 4095 | 4095 | 4095 | 4095 | 4095 | 4095 | 4095 |
| 16 | 355 mm | Per Mtr. | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 | 5200 |
| 17 | 400 mm | Per Mtr. | 6621 | 6621 | 6621 | 6621 | 6621 | 6621 | 6621 | 6621 | 6621 | 6621 | 6621 | 6621 | 6621 |
| 18 | 450 mm | Per Mtr. | 8384 | 8384 | 8384 | 8384 | 8384 | 8384 | 8384 | 8384 | 8384 | 8384 | 8384 | 8384 | 8384 |
| LG(2) | PN 10 | | | | | | | | | | | | | | |
| 1 | 25 mm | Per Mtr. | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 2 | 32 mm | Per Mtr. | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 3 | 40 mm | Per Mtr. | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 |
| 4 | 50 mm | Per Mtr. | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| 5 | 63 mm | Per Mtr. | 192 | 192 | 192 | 192 | 192 | 192 | 192 | 192 | 192 | 192 | 192 | 192 | 192 |
| 6 | 75 mm | Per Mtr. | 265 | 265 | 265 | 265 | 265 | 265 | 265 | 265 | 265 | 265 | 265 | 265 | 265 |
| 7 | 90 mm | Per Mtr. | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 | 390 |
| 8 | 110 mm | Per Mtr. | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 |
| 9 | 125 mm | Per Mtr. | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 | 742 |
| 10 | 140 mm | Per Mtr. | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 | 933 |
| 11 | 160 mm | Per Mtr. | 1220 | 1220 | 1220 | 1220 | 1220 | 1220 | 1220 | 1220 | 1220 | 1220 | 1220 | 1220 | 1220 |
| 12 | 180 mm | Per Mtr. | 1545 | 1545 | 1545 | 1545 | 1545 | 1545 | 1545 | 1545 | 1545 | 1545 | 1545 | 1545 | 1545 |
| 13 | 200 mm | Per Mtr. | 1910 | 1910 | 1910 | 1910 | 1910 | 1910 | 1910 | 1910 | 1910 | 1910 | 1910 | 1910 | 1910 |
| 14 | 225 mm | Per Mtr. | 2416 | 2416 | 2416 | 2416 | 2416 | 2416 | 2416 | 2416 | 2416 | 2416 | 2416 | 2416 | 2416 |
| 15 | 250 mm | Per Mtr. | 2836 | 2836 | 2836 | 2836 | 2836 | 2836 | 2836 | 2836 | 2836 | 2836 | 2836 | 2836 | 2836 |
| 16 | 280 mm | Per Mtr. | 3880 | 3880 | 3880 | 3880 | 3880 | 3880 | 3880 | 3880 | 3880 | 3880 | 3880 | 3880 | 3880 |
| 17 | 315 mm | Per Mtr. | 4916 | 4916 | 4916 | 4916 | 4916 | 4916 | 4916 | 4916 | 4916 | 4916 | 4916 | 4916 | 4916 |
| 18 | 355 mm | Per Mtr. | 6251 | 6251 | 6251 | 6251 | 6251 | 6251 | 6251 | 6251 | 6251 | 6251 | 6251 | 6251 | 6251 |
| 19 | 400 mm | Per Mtr. | 7914 | 7914 | 7914 | 7914 | 7914 | 7914 | 7914 | 7914 | 7914 | 7914 | 7914 | 7914 | 7914 |
| 20 | 450 mm | Per Mtr. | 10029 | 10029 | 10029 | 10029 | 10029 | 10029 | 10029 | 10029 | 10029 | 10029 | 10029 | 10029 | 10029 |
| LG(3) | PN 12.5 | | | | | | | | | | | | | | |
| 1 | 20 mm | Per Mtr. | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 2 | 25 mm | Per Mtr. | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 3 | 32 mm | Per Mtr. | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 |
| 4 | 40 mm | Per Mtr. | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 | 96 |
| 5 | 50 mm | Per Mtr. | 148 | 148 | 148 | 148 | 148 | 148 | 148 | 148 | 148 | 148 | 148 | 148 | 148 |
| 6 | 63 mm | Per Mtr. | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 | 237 |
| 7 | 75 mm | Per Mtr. | 336 | 336 | 336 | 336 | 336 | 336 | 336 | 336 | 336 | 336 | 336 | 336 | 336 |
| 8 | 90 mm | Per Mtr. | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 | 482 |
| 9 | 110 mm | Per Mtr. | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 | 713 |
| 10 | 125 mm | Per Mtr. | 921 | 921 | 921 | 921 | 921 | 921 | 921 | 921 | 921 | 921 | 921 | 921 | 921 |
| 11 | 140 mm | Per Mtr. | 1155 | 1155 | 1155 | 1155 | 1155 | 1155 | 1155 | 1155 | 1155 | 1155 | 1155 | 1155 | 1155 |
| 12 | 160 mm | Per Mtr. | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 | 1512 |
| 13 | 180 mm | Per Mtr. | 1917 | 1917 | 1917 | 1917 | 1917 | 1917 | 1917 | 1917 | 1917 | 1917 | 1917 | 1917 | 1917 |
| 14 | 200 mm | Per Mtr. | 2355 | 2355 | 2355 | 2355 | 2355 | 2355 | 2355 | 2355 | 2355 | 2355 | 2355 | 2355 | 2355 |
| 15 | 225 mm | Per Mtr. | 2991 | 2991 | 2991 | 2991 | 2991 | 2991 | 2991 | 2991 | 2991 | 2991 | 2991 | 2991 | 2991 |
| 16 | 250 mm | Per Mtr. | 3475 | 3475 | 3475 | 3475 | 3475 | 3475 | 3475 | 3475 | 3475 | 3475 | 3475 | 3475 | 3475 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|--|----------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 17 | 280 mm | Per Mtr. | 4863 | 4863 | 4863 | 4863 | 4863 | 4863 | 4863 | 4863 | 4863 | 4863 | 4863 | 4863 | 4863 |
| 18 | 315 mm | Per Mtr. | 6161 | 6161 | 6161 | 6161 | 6161 | 6161 | 6161 | 6161 | 6161 | 6161 | 6161 | 6161 | 6161 |
| 19 | 355 mm | Per Mtr. | 7812 | 7812 | 7812 | 7812 | 7812 | 7812 | 7812 | 7812 | 7812 | 7812 | 7812 | 7812 | 7812 |
| 20 | 400 mm | Per Mtr. | 9916 | 9916 | 9916 | 9916 | 9916 | 9916 | 9916 | 9916 | 9916 | 9916 | 9916 | 9916 | 9916 |
| 21 | 450 mm | Per Mtr. | 12559 | 12559 | 12559 | 12559 | 12559 | 12559 | 12559 | 12559 | 12559 | 12559 | 12559 | 12559 | 12559 |
| LG(4) | PN 16 | | | | | | | | | | | | | | |
| 1 | 20 mm | Per Mtr. | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 2 | 25 mm | Per Mtr. | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 3 | 32 mm | Per Mtr. | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| 4 | 40 mm | Per Mtr. | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 |
| 5 | 50 mm | Per Mtr. | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 | 181 |
| 6 | 63 mm | Per Mtr. | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 |
| 7 | 75 mm | Per Mtr. | 401 | 401 | 401 | 401 | 401 | 401 | 401 | 401 | 401 | 401 | 401 | 401 | 401 |
| 8 | 90 mm | Per Mtr. | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 | 580 |
| 9 | 110 mm | Per Mtr. | 864 | 864 | 864 | 864 | 864 | 864 | 864 | 864 | 864 | 864 | 864 | 864 | 864 |
| 10 | 125 mm | Per Mtr. | 1119 | 1119 | 1119 | 1119 | 1119 | 1119 | 1119 | 1119 | 1119 | 1119 | 1119 | 1119 | 1119 |
| 11 | 140 mm | Per Mtr. | 1398 | 1398 | 1398 | 1398 | 1398 | 1398 | 1398 | 1398 | 1398 | 1398 | 1398 | 1398 | 1398 |
| 12 | 160 mm | Per Mtr. | 1835 | 1835 | 1835 | 1835 | 1835 | 1835 | 1835 | 1835 | 1835 | 1835 | 1835 | 1835 | 1835 |
| 13 | 180 mm | Per Mtr. | 2320 | 2320 | 2320 | 2320 | 2320 | 2320 | 2320 | 2320 | 2320 | 2320 | 2320 | 2320 | 2320 |
| 14 | 200 mm | Per Mtr. | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 | 2860 |
| 15 | 225 mm | Per Mtr. | 3624 | 3624 | 3624 | 3624 | 3624 | 3624 | 3624 | 3624 | 3624 | 3624 | 3624 | 3624 | 3624 |
| 16 | 250 mm | Per Mtr. | 4461 | 4461 | 4461 | 4461 | 4461 | 4461 | 4461 | 4461 | 4461 | 4461 | 4461 | 4461 | 4461 |
| 17 | 280 mm | Per Mtr. | 5885 | 5885 | 5885 | 5885 | 5885 | 5885 | 5885 | 5885 | 5885 | 5885 | 5885 | 5885 | 5885 |
| 18 | 315 mm | Per Mtr. | 7455 | 7455 | 7455 | 7455 | 7455 | 7455 | 7455 | 7455 | 7455 | 7455 | 7455 | 7455 | 7455 |
| 19 | 355 mm | Per Mtr. | 9460 | 9460 | 9460 | 9460 | 9460 | 9460 | 9460 | 9460 | 9460 | 9460 | 9460 | 9460 | 9460 |
| 20 | 400 mm | Per Mtr. | 12015 | 12015 | 12015 | 12015 | 12015 | 12015 | 12015 | 12015 | 12015 | 12015 | 12015 | 12015 | 12015 |
| 21 | 450 mm | Per Mtr. | 15228 | 15228 | 15228 | 15228 | 15228 | 15228 | 15228 | 15228 | 15228 | 15228 | 15228 | 15228 | 15228 |
| LH | Compression Fitting For Polyethylene Pipes (PE-100) | | | | | | | | | | | | | | |
| LH(1) | Straight Coupler | | | | | | | | | | | | | | |
| 1 | 20 mm X 20 mm | Each | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| 2 | 25 mm X 25 mm | Each | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 |
| 3 | 32 mm X 32 mm | Each | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 |
| 4 | 40 mm X 40 mm | Each | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 | 316 |
| 5 | 50 mm X 50 mm | Each | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 | 435 |
| 6 | 63 mm X 63 mm | Each | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 | 677 |
| 7 | 75 mm X 75 mm | Each | 1014 | 1014 | 1014 | 1014 | 1014 | 1014 | 1014 | 1014 | 1014 | 1014 | 1014 | 1014 | 1014 |
| 8 | 90 mm X 90 mm | Each | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 |
| 9 | 110mm X 110mm | Each | 4574 | 4574 | 4574 | 4574 | 4574 | 4574 | 4574 | 4574 | 4574 | 4574 | 4574 | 4574 | 4574 |
| LH(2) | Equal Bend | | | | | | | | | | | | | | |
| 1 | 20 mm X 20 mm | Each | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 |
| 2 | 25 mm X 25 mm | Each | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| 3 | 32 mm X 32 mm | Each | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 | 182 |
| 4 | 40 mm X 40 mm | Each | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 | 354 |
| 5 | 50 mm X 50 mm | Each | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 |
| 6 | 63 mm X 63 mm | Each | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 | 769 |
| 7 | 75 mm X 75 mm | Each | 1163 | 1163 | 1163 | 1163 | 1163 | 1163 | 1163 | 1163 | 1163 | 1163 | 1163 | 1163 | 1163 |
| 8 | 90 mm X 90 mm | Each | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 | 1501 |
| LH(3) | Equal Tee | | | | | | | | | | | | | | |
| 1 | 20 mm X 20 mm | Each | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 |
| 2 | 25 mm X 25 mm | Each | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 |
| 3 | 32 mm X 32 mm | Each | 253 | 253 | 253 | 253 | 253 | 253 | 253 | 253 | 253 | 253 | 253 | 253 | 253 |
| 4 | 40 mm X 40 mm | Each | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 | 561 |
| 5 | 50 mm X 50 mm | Each | 749 | 749 | 749 | 749 | 749 | 749 | 749 | 749 | 749 | 749 | 749 | 749 | 749 |
| 6 | 63 mm X 63 mm | Each | 1133 | 1133 | 1133 | 1133 | 1133 | 1133 | 1133 | 1133 | 1133 | 1133 | 1133 | 1133 | 1133 |
| 7 | 75 mm X 75 mm | Each | 1767 | 1767 | 1767 | 1767 | 1767 | 1767 | 1767 | 1767 | 1767 | 1767 | 1767 | 1767 | 1767 |
| 8 | 90 mm X 90 mm | Each | 2505 | 2505 | 2505 | 2505 | 2505 | 2505 | 2505 | 2505 | 2505 | 2505 | 2505 | 2505 | 2505 |
| LH(4) | End Cap | | | | | | | | | | | | | | |
| 1 | 20 mm X 20 mm | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 2 | 25 mm X 25 mm | Each | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|-------------------------|------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 3 | 32 mm X 32 mm | Each | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 |
| 4 | 40 mm X 40 mm | Each | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 |
| 5 | 50 mm X 50 mm | Each | 303 | 303 | 303 | 303 | 303 | 303 | 303 | 303 | 303 | 303 | 303 | 303 | 303 |
| 6 | 63 mm X 63 mm | Each | 408 | 408 | 408 | 408 | 408 | 408 | 408 | 408 | 408 | 408 | 408 | 408 | 408 |
| 7 | 75 mm X 75 mm | Each | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 |
| 8 | 90 mm X 90 mm | Each | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 | 890 |
| 9 | 110mm X 110mm | Each | 3541 | 3541 | 3541 | 3541 | 3541 | 3541 | 3541 | 3541 | 3541 | 3541 | 3541 | 3541 | 3541 |
| LH(5) | Reducing Coupler | | | | | | | | | | | | | | |
| 1 | 25 mm X 20 mm | Each | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 |
| 2 | 32 mm X 20 mm | Each | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 | 162 |
| 3 | 32 mm X 25 mm | Each | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 | 168 |
| 4 | 40 mm X 25 mm | Each | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 | 214 |
| 5 | 40 mm X 32 mm | Each | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 | 259 |
| 6 | 50 mm X 25 mm | Each | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 | 287 |
| 7 | 50 mm X 32 mm | Each | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 | 330 |
| 8 | 50 mm X 40 mm | Each | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 | 385 |
| 9 | 63 mm X 32 mm | Each | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 | 471 |
| 10 | 63 mm X 50 mm | Each | 472 | 472 | 472 | 472 | 472 | 472 | 472 | 472 | 472 | 472 | 472 | 472 | 472 |
| 11 | 75 mm X 50 mm | Each | 821 | 821 | 821 | 821 | 821 | 821 | 821 | 821 | 821 | 821 | 821 | 821 | 821 |
| 12 | 75 mm X 63 mm | Each | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 |
| 13 | 90 mm X 63 mm | Each | 1197 | 1197 | 1197 | 1197 | 1197 | 1197 | 1197 | 1197 | 1197 | 1197 | 1197 | 1197 | 1197 |
| 14 | 90mm X 75mm | Each | 1419 | 1419 | 1419 | 1419 | 1419 | 1419 | 1419 | 1419 | 1419 | 1419 | 1419 | 1419 | 1419 |
| LH(6) | Reducing Tee | | | | | | | | | | | | | | |
| 1 | 25 mm X 20 mm | Each | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 |
| 2 | 32 mm X 20 mm | Each | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 | 234 |
| 3 | 32 mm X 25 mm | Each | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 | 244 |
| 4 | 40 mm X 32 mm | Each | 456 | 456 | 456 | 456 | 456 | 456 | 456 | 456 | 456 | 456 | 456 | 456 | 456 |
| 5 | 50 mm X 25 mm | Each | 513 | 513 | 513 | 513 | 513 | 513 | 513 | 513 | 513 | 513 | 513 | 513 | 513 |
| 6 | 50 mm X 32 mm | Each | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 |
| 7 | 50 mm X 40 mm | Each | 671 | 671 | 671 | 671 | 671 | 671 | 671 | 671 | 671 | 671 | 671 | 671 | 671 |
| 8 | 63 mm X 32 mm | Each | 1005 | 1005 | 1005 | 1005 | 1005 | 1005 | 1005 | 1005 | 1005 | 1005 | 1005 | 1005 | 1005 |
| 9 | 63 mm X 50 mm | Each | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 | 1041 |
| 10 | 75 mm X 63 mm | Each | 1922 | 1922 | 1922 | 1922 | 1922 | 1922 | 1922 | 1922 | 1922 | 1922 | 1922 | 1922 | 1922 |
| 11 | 90 mm X 63 mm | Each | 2394 | 2394 | 2394 | 2394 | 2394 | 2394 | 2394 | 2394 | 2394 | 2394 | 2394 | 2394 | 2394 |
| 12 | 90 mm X 75 mm | Each | 2592 | 2592 | 2592 | 2592 | 2592 | 2592 | 2592 | 2592 | 2592 | 2592 | 2592 | 2592 | 2592 |
| LH(7) | Female Bend | | | | | | | | | | | | | | |
| 1 | 20 mm X 1/2" | Each | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 |
| 2 | 20 mm X 3/4" | Each | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 |
| 3 | 25 mm X 1/2" | Each | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 | 94 |
| 4 | 25 mm X 3/4" | Each | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 | 93 |
| 5 | 25 mm X 1" | Each | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| 6 | 32 mm X 3/4" | Each | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 |
| 7 | 32 mm X 1" | Each | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 |
| 8 | 50 mm X 1-1/2" | Each | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 | 455 |
| 9 | 63 mm X 2" | Each | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 | 657 |
| 10 | 90 mm X 3" | Each | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 | 1355 |
| LH(8) | Male Bend | | | | | | | | | | | | | | |
| 1 | 20 mm X 1/2" | Each | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 | 71 |
| 2 | 20 mm X 3/4" | Each | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 |
| 3 | 25 mm X 1/2" | Each | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 | 84 |
| 4 | 25 mm X 3/4" | Each | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| 5 | 25 mm X 1" | Each | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 |
| 6 | 32 mm X 3/4" | Each | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 |
| 7 | 32 mm X 1" | Each | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 |
| 8 | 40 mm X 1-1/4" | Each | 292 | 292 | 292 | 292 | 292 | 292 | 292 | 292 | 292 | 292 | 292 | 292 | 292 |
| 9 | 50 mm X 1-1/4" | Each | 328 | 328 | 328 | 328 | 328 | 328 | 328 | 328 | 328 | 328 | 328 | 328 | 328 |
| 10 | 50 mm X 1-1/2" | Each | 349 | 349 | 349 | 349 | 349 | 349 | 349 | 349 | 349 | 349 | 349 | 349 | 349 |
| 11 | 63 mm X 2" | Each | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 | 537 |
| 12 | 90 mm X 3" | Each | 1234 | 1234 | 1234 | 1234 | 1234 | 1234 | 1234 | 1234 | 1234 | 1234 | 1234 | 1234 | 1234 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|---------------|-----------------------|------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| LH(9) | Male Adapter | | | | | | | | | | | | | | |
| 1 | 20 mm X 1/2" | Each | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 |
| 2 | 20 mm X 3/4" | Each | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 3 | 25 mm X 1/2" | Each | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 4 | 25 mm X 3/4" | Each | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 5 | 25 mm X 1" | Each | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 |
| 6 | 32 mm X 1/2" | Each | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 7 | 32 mm X 3/4" | Each | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| 8 | 32 mm X 1" | Each | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 |
| 9 | 40 mm X 1" | Each | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 |
| 10 | 40 mm X 1-1/4" | Each | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 |
| 11 | 40 mm X 1-1/2" | Each | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 |
| 12 | 50 mm X 1-1/4" | Each | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 |
| 13 | 50 mm X 1-1/2" | Each | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 |
| 14 | 63 mm X 2" | Each | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 |
| 15 | 75 mm X 2-1/2" | Each | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 |
| 16 | 90 mm X 3" | Each | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 |
| 17 | 110 mm X 4" | Each | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 |
| LH(10) | Female Adapter | | | | | | | | | | | | | | |
| 1 | 20 mm X 1/2" | Each | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 |
| 2 | 20 mm X 3/4" | Each | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 3 | 25 mm X 1/2" | Each | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 |
| 4 | 25 mm X 3/4" | Each | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 |
| 5 | 25 mm X 1" | Each | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 |
| 6 | 32 mm X 3/4" | Each | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 |
| 7 | 32 mm X 1" | Each | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 |
| 8 | 40 mm X 1" | Each | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 |
| 9 | 40 mm X 1-1/4" | Each | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 |
| 10 | 40 mm X 1-1/2" | Each | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 |
| 11 | 50 mm X 1-1/4" | Each | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 |
| 12 | 50 mm X 1-1/2" | Each | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 |
| 13 | 63 mm X 2" | Each | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 |
| 14 | 75 mm X 2-1/2" | Each | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 |
| 15 | 90 mm X 3" | Each | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 |
| LH(11) | Male Tee | | | | | | | | | | | | | | |
| 1 | 20 mm X 1/2" | Each | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 |
| 2 | 20 mm X 3/4" | Each | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 |
| 3 | 25 mm X 3/4" | Each | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 |
| 4 | 25 mm X 1" | Each | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 |
| 5 | 32 mm X 3/4" | Each | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 |
| 6 | 32 mm X 1" | Each | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 |
| 7 | 50 mm X 1-1/4" | Each | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 |
| 8 | 50 mm X 1-1/2" | Each | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 |
| 9 | 63 mm X 2" | Each | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 |
| 10 | 90 mm X 3" | Each | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 |
| LH(12) | Female Tee | | | | | | | | | | | | | | |
| 1 | 20 mm X 1/2" | Each | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 |
| 2 | 20 mm X 3/4" | Each | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 |
| 3 | 25 mm X 1/2" | Each | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 |
| 4 | 25 mm X 3/4" | Each | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 |
| 5 | 25 mm X 1" | Each | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 |
| 6 | 32 mm X 3/4" | Each | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 |
| 7 | 32 mm X 1" | Each | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 |
| 8 | 50 mm X 1-1/2" | Each | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 |
| 9 | 63 mm X 2" | Each | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 |
| 10 | 90 mm X 3" | Each | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 |
| LH(13) | Tapping Saddle | | | | | | | | | | | | | | |
| 1 | 25 mm X 1/2" | Each | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| 2 | 25 mm X 3/4" | Each | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 | 125 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| H/Bad | Narawal | M.B.Din | F/Bad | Chiniot | Jhung | T.T.Sing | Sargodha | Teh: Noshetra, Swan vally Khushab | Khushab | M/Wali | Bhakkar | Multan | M/Garh | Layyah | D.G.Khan | Fort Manro | R/Pur | Sahiwal | P/Pattan | Vehari | K/Wal | B/Pur | Lodhran | B/Nagar | R.Y.Khan | Item |
|-------|---------|---------|-------|---------|-------|----------|----------|-----------------------------------|---------|--------|---------|--------|--------|--------|----------|------------|-------|---------|----------|--------|-------|-------|---------|---------|----------|--------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | LH(9) |
| 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 1 |
| 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 2 |
| 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 3 |
| 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 4 |
| 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 74 | 5 |
| 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 6 |
| 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 7 |
| 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 92 | 8 |
| 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 195 | 9 |
| 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 10 |
| 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 11 |
| 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 246 | 12 |
| 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 13 |
| 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 387 | 14 |
| 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 582 | 15 |
| 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 879 | 16 |
| 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 3791 | 17 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | LH(10) |
| 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 61 | 1 |
| 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 2 |
| 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 3 |
| 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 83 | 4 |
| 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 5 |
| 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 6 |
| 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 113 | 7 |
| 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 8 |
| 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 9 |
| 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 198 | 10 |
| 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 361 | 11 |
| 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 363 | 12 |
| 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 13 |
| 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 789 | 14 |
| 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 1142 | 15 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | LH(11) |
| 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 1 |
| 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 2 |
| 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 3 |
| 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 4 |
| 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 202 | 5 |
| 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 203 | 6 |
| 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 426 | 7 |
| 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 556 | 8 |
| 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 827 | 9 |
| 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 2098 | 10 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | LH(12) |
| 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 1 |
| 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 2 |
| 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 3 |
| 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 4 |
| 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 144 | 5 |
| 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 6 |
| 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 213 | 7 |
| 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 646 | 8 |
| 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 980 | 9 |
| 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 2271 | 10 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | LH(13) |
| 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 1 |
| 125 | 125 | 125 | | | | | | | | | | | | | | | | | | | | | | | | |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat | |
|--------------|--|------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|-------|
| 3 | 32 mm X 1/2" | Each | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 |
| 4 | 32 mm X 3/4" | Each | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 |
| 5 | 40 mm X 1/2" | Each | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 | 172 |
| 6 | 40 mm X 3/4" | Each | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 | 185 |
| 7 | 40 mm X 1" | Each | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 |
| 8 | 50 mm X 1/2" | Each | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 |
| 9 | 50 mm X 3/4" | Each | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 |
| 10 | 50 mm X 1" | Each | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 | 201 |
| 11 | 63 mm X 1/2" | Each | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 | 262 |
| 12 | 63 mm X 3/4" | Each | 267 | 267 | 267 | 267 | 267 | 267 | 267 | 267 | 267 | 267 | 267 | 267 | 267 | 267 |
| 13 | 63 mm X 1" | Each | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 | 272 |
| 14 | 63 mm X 1-1/4" | Each | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 | 301 |
| 15 | 75 mm X 1/2" | Each | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 |
| 16 | 75 mm X 3/4" | Each | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 |
| 17 | 75 mm X 1-1/4" | Each | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 |
| 18 | 75 mm X 1-1/2" | Each | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 | 425 |
| 19 | 90 mm X 3/4" | Each | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 |
| 20 | 90 mm X 1/2" | Each | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 | 465 |
| 21 | 90 mm X 1" | Each | 496 | 496 | 496 | 496 | 496 | 496 | 496 | 496 | 496 | 496 | 496 | 496 | 496 | 496 |
| 22 | 90 mm X 1-1/4" | Each | 541 | 541 | 541 | 541 | 541 | 541 | 541 | 541 | 541 | 541 | 541 | 541 | 541 | 541 |
| 23 | 90 mm X 1-1/2" | Each | 549 | 549 | 549 | 549 | 549 | 549 | 549 | 549 | 549 | 549 | 549 | 549 | 549 | 549 |
| 24 | 90 mm X 2" | Each | 586 | 586 | 586 | 586 | 586 | 586 | 586 | 586 | 586 | 586 | 586 | 586 | 586 | 586 |
| LI | Fittings PE-100 (As per approved manufacturers) | | | | | | | | | | | | | | | |
| LI(1) | Spigot Elbow 90 degrees (PN 10) | | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 |
| 2 | 75 mm | Each | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 |
| 3 | 90 mm | Each | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 |
| 4 | 110 mm | Each | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 |
| 5 | 125 mm | Each | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 |
| 6 | 160 mm | Each | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 |
| 7 | 180 mm | Each | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 |
| 8 | 200 mm | Each | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 |
| 9 | 250mm | Each | 15350 | 15350 | 15350 | 15350 | 15350 | 15350 | 15350 | 15350 | 15350 | 15350 | 15350 | 15350 | 15350 | 15350 |
| LI(2) | Spigot Elbow 90 degrees (PN 16) | | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 | 902 |
| 2 | 75 mm | Each | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 |
| 3 | 90 mm | Each | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 |
| 4 | 110 mm | Each | 2494 | 2494 | 2494 | 2494 | 2494 | 2494 | 2494 | 2494 | 2494 | 2494 | 2494 | 2494 | 2494 | 2494 |
| 5 | 125 mm | Each | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 |
| 6 | 160 mm | Each | 4797 | 4797 | 4797 | 4797 | 4797 | 4797 | 4797 | 4797 | 4797 | 4797 | 4797 | 4797 | 4797 | 4797 |
| 7 | 180 mm | Each | 5565 | 5565 | 5565 | 5565 | 5565 | 5565 | 5565 | 5565 | 5565 | 5565 | 5565 | 5565 | 5565 | 5565 |
| 8 | 200 mm | Each | 7483 | 7483 | 7483 | 7483 | 7483 | 7483 | 7483 | 7483 | 7483 | 7483 | 7483 | 7483 | 7483 | 7483 |
| 9 | 250mm | Each | 17269 | 17269 | 17269 | 17269 | 17269 | 17269 | 17269 | 17269 | 17269 | 17269 | 17269 | 17269 | 17269 | 17269 |
| LI(3) | Spigot Elbow 45 degrees (PN 10) | | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 |
| 2 | 75 mm | Each | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 |
| 3 | 90 mm | Each | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 |
| 4 | 110 mm | Each | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 |
| 5 | 125 mm | Each | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 |
| 6 | 160 mm | Each | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 |
| 7 | 180 mm | Each | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 |
| 8 | 200 mm | Each | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 |
| 9 | 250mm | Each | 13911 | 13911 | 13911 | 13911 | 13911 | 13911 | 13911 | 13911 | 13911 | 13911 | 13911 | 13911 | 13911 | 13911 |
| LI(4) | Spigot Elbow 45 degrees (PN 16) | | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 |
| 2 | 75 mm | Each | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 | 959 |
| 3 | 90 mm | Each | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 |
| 4 | 110 mm | Each | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 | 2303 |
| 5 | 125 mm | Each | 3166 | 3166 | 3166 | 3166 | 3166 | 3166 | 3166 | 3166 | 3166 | 3166 | 3166 | 3166 | 3166 | 3166 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murreel/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|--------------|-------------------------------------|------|--------|-------|-------|--------|---------|---------|----------------------------|--------|--------|---------|--------|---------|--------|
| 6 | 160 mm | Each | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 |
| 7 | 180 mm | Each | 5277 | 5277 | 5277 | 5277 | 5277 | 5277 | 5277 | 5277 | 5277 | 5277 | 5277 | 5277 | 5277 |
| 8 | 200 mm | Each | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 |
| 9 | 250mm | Each | 14391 | 14391 | 14391 | 14391 | 14391 | 14391 | 14391 | 14391 | 14391 | 14391 | 14391 | 14391 | 14391 |
| LI(5) | Stub End (Long Collar) PN 10 | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 |
| 2 | 75 mm | Each | 1007 | 1007 | 1007 | 1007 | 1007 | 1007 | 1007 | 1007 | 1007 | 1007 | 1007 | 1007 | 1007 |
| 3 | 90 mm | Each | 1338 | 1338 | 1338 | 1338 | 1338 | 1338 | 1338 | 1338 | 1338 | 1338 | 1338 | 1338 | 1338 |
| 4 | 110 mm | Each | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 |
| 5 | 125 mm | Each | 2279 | 2279 | 2279 | 2279 | 2279 | 2279 | 2279 | 2279 | 2279 | 2279 | 2279 | 2279 | 2279 |
| 6 | 160 mm | Each | 2543 | 2543 | 2543 | 2543 | 2543 | 2543 | 2543 | 2543 | 2543 | 2543 | 2543 | 2543 | 2543 |
| 7 | 180 mm | Each | 3742 | 3742 | 3742 | 3742 | 3742 | 3742 | 3742 | 3742 | 3742 | 3742 | 3742 | 3742 | 3742 |
| 8 | 200 mm | Each | 4334 | 4334 | 4334 | 4334 | 4334 | 4334 | 4334 | 4334 | 4334 | 4334 | 4334 | 4334 | 4334 |
| 9 | 250mm | Each | 5948 | 5948 | 5948 | 5948 | 5948 | 5948 | 5948 | 5948 | 5948 | 5948 | 5948 | 5948 | 5948 |
| LI(6) | Stub End (Long Collar) PN 16 | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 941 | 941 | 941 | 941 | 941 | 941 | 941 | 941 | 941 | 941 | 941 | 941 | 941 |
| 2 | 75 mm | Each | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 | 1074 |
| 3 | 90 mm | Each | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 | 1392 |
| 4 | 110 mm | Each | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 |
| 5 | 125 mm | Each | 2351 | 2351 | 2351 | 2351 | 2351 | 2351 | 2351 | 2351 | 2351 | 2351 | 2351 | 2351 | 2351 |
| 6 | 160 mm | Each | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 |
| 7 | 180 mm | Each | 3838 | 3838 | 3838 | 3838 | 3838 | 3838 | 3838 | 3838 | 3838 | 3838 | 3838 | 3838 | 3838 |
| 8 | 200 mm | Each | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 |
| 9 | 250mm | Each | 6236 | 6236 | 6236 | 6236 | 6236 | 6236 | 6236 | 6236 | 6236 | 6236 | 6236 | 6236 | 6236 |
| LI(7) | End Cap PN 10 | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 |
| 2 | 75 mm | Each | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 |
| 3 | 90 mm | Each | 1296 | 1296 | 1296 | 1296 | 1296 | 1296 | 1296 | 1296 | 1296 | 1296 | 1296 | 1296 | 1296 |
| 4 | 110 mm | Each | 1631 | 1631 | 1631 | 1631 | 1631 | 1631 | 1631 | 1631 | 1631 | 1631 | 1631 | 1631 | 1631 |
| 5 | 125 mm | Each | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 |
| 6 | 160 mm | Each | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 |
| 7 | 180 mm | Each | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 |
| 8 | 200 mm | Each | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 | 4605 |
| 9 | 250mm | Each | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 | 6716 |
| LI(8) | End Cap PN 16 | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 | 653 |
| 2 | 75 mm | Each | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 | 1151 |
| 3 | 90 mm | Each | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 |
| 4 | 110 mm | Each | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 | 1919 |
| 5 | 125 mm | Each | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 | 2111 |
| 6 | 160 mm | Each | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 |
| 7 | 180 mm | Each | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 |
| 8 | 200 mm | Each | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 | 4989 |
| 9 | 250mm | Each | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 | 6908 |
| LI(9) | Spigot Reduce Coupler PN 10 | | | | | | | | | | | | | | |
| 1 | 110 mm X 75 mm | Each | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 |
| 2 | 110 mm X 90 mm | Each | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 |
| 3 | 125 mm X 90 mm | Each | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 |
| 4 | 125 mm X 110 mm | Each | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 | 1343 |
| 5 | 160 mm X 90 mm | Each | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 |
| 6 | 160 mm X 110 mm | Each | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 |
| 7 | 160 mm X 125 mm | Each | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 | 2686 |
| 8 | 180 mm X 125 mm | Each | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 |
| 9 | 180 mm X 160 mm | Each | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 | 3358 |
| 10 | 200 mm X 110 mm | Each | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 |
| 11 | 200 mm X 160 mm | Each | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 |
| 12 | 250 mm X 160 mm | Each | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 |
| 13 | 250 mm X 180 mm | Each | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 |
| 14 | 250 mm X 200 mm | Each | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 | 9594 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|---------------|------------------------------------|------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| LI(10) | Spigot Reduce Coupler PN 16 | | | | | | | | | | | | | | |
| 1 | 110 mm X 75 mm | Each | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 |
| 2 | 110 mm X 90 mm | Each | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 | 1439 |
| 3 | 125 mm X 90 mm | Each | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 |
| 4 | 125 mm X 110 mm | Each | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 | 1727 |
| 5 | 160 mm X 90 mm | Each | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 |
| 6 | 160 mm X 110 mm | Each | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 |
| 7 | 160 mm X 125 mm | Each | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 |
| 8 | 180 mm X 125 mm | Each | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 |
| 9 | 180 mm X 160 mm | Each | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 |
| 10 | 200 mm X 110 mm | Each | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 |
| 11 | 200 mm X 160 mm | Each | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 |
| 12 | 250 mm X 160 mm | Each | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 |
| 13 | 250 mm X 180 mm | Each | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 |
| 14 | 250 mm X 200 mm | Each | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 |
| LI(11) | Spigot Equal Tee PN 10 | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 | 845 |
| 2 | 75 mm | Each | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 | 1247 |
| 3 | 90 mm | Each | 1823 | 1823 | 1823 | 1823 | 1823 | 1823 | 1823 | 1823 | 1823 | 1823 | 1823 | 1823 | 1823 |
| 4 | 110 mm | Each | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 | 2590 |
| 5 | 125 mm | Each | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 | 3646 |
| 6 | 160 mm | Each | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 | 6428 |
| 7 | 180 mm | Each | 9402 | 9402 | 9402 | 9402 | 9402 | 9402 | 9402 | 9402 | 9402 | 9402 | 9402 | 9402 | 9402 |
| 8 | 200 mm | Each | 13432 | 13432 | 13432 | 13432 | 13432 | 13432 | 13432 | 13432 | 13432 | 13432 | 13432 | 13432 | 13432 |
| 9 | 250mm | Each | 22834 | 22834 | 22834 | 22834 | 22834 | 22834 | 22834 | 22834 | 22834 | 22834 | 22834 | 22834 | 22834 |
| LI(12) | Spigot Equal Tee PN 16 | | | | | | | | | | | | | | |
| 1 | 63 mm | Each | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 | 863 |
| 2 | 75 mm | Each | 1324 | 1324 | 1324 | 1324 | 1324 | 1324 | 1324 | 1324 | 1324 | 1324 | 1324 | 1324 | 1324 |
| 3 | 90 mm | Each | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 | 2015 |
| 4 | 110 mm | Each | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 | 2878 |
| 5 | 125 mm | Each | 4078 | 4078 | 4078 | 4078 | 4078 | 4078 | 4078 | 4078 | 4078 | 4078 | 4078 | 4078 | 4078 |
| 6 | 160 mm | Each | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 |
| 7 | 180 mm | Each | 10362 | 10362 | 10362 | 10362 | 10362 | 10362 | 10362 | 10362 | 10362 | 10362 | 10362 | 10362 | 10362 |
| 8 | 200 mm | Each | 15063 | 15063 | 15063 | 15063 | 15063 | 15063 | 15063 | 15063 | 15063 | 15063 | 15063 | 15063 | 15063 |
| 9 | 250mm | Each | 25424 | 25424 | 25424 | 25424 | 25424 | 25424 | 25424 | 25424 | 25424 | 25424 | 25424 | 25424 | 25424 |
| LI(13) | Spigot Reducing Tee PN 10 | | | | | | | | | | | | | | |
| 1 | 110 mm X 90 mm | Each | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 | 3262 |
| 2 | 125 mm X 90 mm | Each | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 | 4029 |
| 3 | 160 mm X 90 mm | Each | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 |
| 4 | 160 mm X 110 mm | Each | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 | 7196 |
| 5 | 180 mm X 90 mm | Each | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 |
| 6 | 180 mm X 110 mm | Each | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 |
| 7 | 180 mm X 125 mm | Each | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 | 10074 |
| 8 | 200 mm X 110 mm | Each | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 |
| 9 | 200 mm X 160 mm | Each | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 | 14871 |
| 10 | 250 mm X 90 mm | Each | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 |
| 11 | 250 mm X 110 mm | Each | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 |
| 12 | 250 mm X 160 mm | Each | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 | 24944 |
| LI(14) | Spigot Reducing Tee PN 16 | | | | | | | | | | | | | | |
| 1 | 110 mm X 90 mm | Each | 3454 | 3454 | 3454 | 3454 | 3454 | 3454 | 3454 | 3454 | 3454 | 3454 | 3454 | 3454 | 3454 |
| 2 | 125 mm X 90 mm | Each | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 | 4317 |
| 3 | 160 mm X 90 mm | Each | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 |
| 4 | 160 mm X 110 mm | Each | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 | 7675 |
| 5 | 180 mm X 90 mm | Each | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 |
| 6 | 180 mm X 110 mm | Each | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 |
| 7 | 180 mm X 125 mm | Each | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 | 10553 |
| 8 | 200 mm X 110 mm | Each | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 |
| 9 | 200 mm X 160 mm | Each | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 | 16310 |
| 10 | 250 mm X 90 mm | Each | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 |

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| Item | Material | Unit | Lahore | Okara | Kasur | S/Pura | N/Sahib | R/Pindi | Murree/ Kot sattin/ | Attock | Jhelum | Chakwal | G/Wala | Sialkot | Gujrat |
|------|-----------------|------|--------|-------|-------|--------|---------|---------|---------------------------|--------|--------|---------|--------|---------|--------|
| 11 | 250 mm X 110 mm | Each | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 |
| 12 | 250 mm X 160 mm | Each | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 |



Finance Department

INPUT RATES OF MATERIAL FOR BI-ANNUAL PERIOD (1st FEBRUARY, 2016 TO 31st JULY, 2016)

| H/Bad | Narawal | M.B.Din | F/Bad | Chiniot | Jhung | T.T.Sing | Sargodha | Teh: Noshetra, Soan vally Khushab | Khushab | M/Wali | Bhakkar | Multan | M/Garh | Layyah | D.G.Khan | Fort Manro | R/Pur | Sahiwal | P/Pattan | Vehari | K/Wal | B/Pur | Lodhran | B/Nagar | R.Y.Khan | Item |
|-------|---------|---------|-------|---------|-------|----------|----------|--|---------|--------|---------|--------|--------|--------|----------|---------------|-------|---------|----------|--------|-------|-------|---------|---------|----------|------|
| 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 11 |
| 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 26384 | 12 |



Finance Department